





p1.py UHelloWorld.java U C p1.c U G p1.cpp U c1.py U X q1.py ...for_loop

c1.py
1 print("Hello world from python")

OUTPUTDEBUG CONSOLETERMINALPORTS

PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter number 3:- 5584
Enter number 4:- 1261
Enter number 5:- 6265
Enter number 6:- 2626
the max number is 6265
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { gcc p1.c -o p1 } ; if (\$?) { .\p1 }
Hello, world!
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { gcc p1.c -o p1 } ; if (\$?) { .\p1 }
Hello, world! from c
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { g++ p1.cpp -o p1 } ; if (\$?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
using namespace std;
^
p1.cpp:2:20: error: expected unqualified-id before ':' token
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if (\$?) { g++ p1.cpp -o p1 } ; if (\$?) { .\p1 }
Hello world from c++
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
PS C:\PYTHON_AI_ML_DS>

J HelloWorld.java > ...

1 public class HelloWorld {
2 Run | Debug
3 public static void main(String[] args) {
4 System.out.println(x: "Hello, World in java");
5 }
6
7 }

OUTPUTDEBUG CONSOLETERMINALPORTS

PS C:\PYTHON_AI_ML_DS> & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' -Xms128m -Xmx256m -cp 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS' HelloWorld
PS C:\PYTHON_AI_ML_DS> c:; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\I_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
PS C:\PYTHON_AI_ML_DS> c:; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\I_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
PS C:\PYTHON_AI_ML_DS> c:; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\I_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
PS C:\PYTHON_AI_ML_DS> c:; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\I_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
PS C:\PYTHON_AI_ML_DS>

```
J HelloWorld.java > ...
1 public class HelloWorld {
    Run | Debug
2     public static void main(String[] args) {
3         System.out.println(x: "Hello, World in java");
4     }
5 }
6
7
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\PYTHON_AI_ML_DS> & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World!
PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
PS C:\PYTHON_AI_ML_DS> c::; cd 'c:\PYTHON_AI_ML_DS'; & 'C:\Program Files\Eclipse Adoptium\jdk-25.0.4.7-hotspot\bin\java.exe' '-XX:+ShowCodeDetails' '-cp' 'C:\Users\trivi\AppData\Roaming\Code\User\workspaceStorage\2fc1fad8a4f86a59d9199ca126a759af\redhat.java\jdt_ws\PYTHON_AI_ML_DS_acbcb2a3\bin' 'HelloWorld'
Hello, World in java
PS C:\PYTHON_AI_ML_DS>
```

```
p1.py U X HelloWorld.java U C p1.c U G p1.cpp U c1.py U q1.py ...for_loop
C:\PYTHON_AI_ML_DS\c1.py • Untracked

p1.py > ...
1 n=int(input("Enter how many numbers:- "))
2 l=[]
3 for i in range(0, n):
4     a = int(input(f"Enter number {i+1}:- "))
5     l.append(a)
6 max=l[0]
7 for i in l:
8     if (i>max):
9         max=i
10 print("the max number is",max)

OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, World! from c
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std;
    ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
● PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hello world from c++
● PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
● PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:- python -u "c:\PYTHON_AI_ML_DS\p1.py"
Traceback (most recent call last):
  File "c:\PYTHON_AI_ML_DS\p1.py", line 1, in <module>
    n=int(input("Enter how many numbers:- "))
ValueError: invalid literal for int() with base 10: 'python -u "c:\PYTHON_AI_ML_DS\p1.py"'
● PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:- 
```

```
p1.py U HelloWorld.java U C p1.c U p1.cpp U sample.html U X c1.py U
sample.html >...
1 <div><h1>Title</h1><p>This is a paragraph.</p><ul><li>Item 1</li><li>Item 2</li></ul></div>
2

OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { gcc p1.c -o p1 } ; if ($?) { .\p1 }
Hello, world! from c
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
p1.cpp:2:20: error: expected ';' before ':' token
    using namespace std;
                   ^
p1.cpp:2:20: error: expected unqualified-id before ':' token
PS C:\PYTHON_AI_ML_DS> cd "c:\PYTHON_AI_ML_DS\" ; if ($?) { g++ p1.cpp -o p1 } ; if ($?) { .\p1 }
Hello world from c++
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\c1.py"
Hello world from python
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:- python -u "c:\PYTHON_AI_ML_DS\p1.py"
Traceback (most recent call last):
  File "c:\PYTHON_AI_ML_DS\p1.py", line 1, in <module>
    n=int(input("Enter how many numbers:- "))
ValueError: invalid literal for int() with base 10: 'python -u "c:\PYTHON_AI_ML_DS\p1.py"'
PS C:\PYTHON_AI_ML_DS> python -u "c:\PYTHON_AI_ML_DS\p1.py"
Enter how many numbers:-
```

Before Formatting'

