

Threat Intelligence

AI-Based Threat Intelligence Platform

Offline demo mode
(enrichment, AI analysis).

Values are generated locally
and are not real threat
intelligence.

Indicators analysed

131

Active alerts

24

Model accuracy

0.7257

Model trained on synthetic data.
Accuracy shows that the training pipeline
works, not real-world performance.

Overview Investigate Alerts Detection model

IOC search and investigation

Search indicator or threat type

e.g. 192.0.2 or phishing

131 matching indicator(s)

Select an indicator

http://verify3.example.org/login

http://verify3.example.org/login

Model label

ma...

CRITICAL risk 99.6/100

confidence
95%

Type	Threat type	Reputation	Correlated
url	phi...	69/...	15

Risk breakdown



Detection: model labelled this 'malicious' with confidence 0.95, contributing 42.8 points. Source severity: reported as 'critical', contributing 35.0 points. Enrichment: reputation score 69/100, contributing 13.8 points. Correlation: seen with 14 related indicator(s), adding 8.0 points. Total risk score 99.6/100, categorised as critical.

Analysis

Source: offline_template — Generated locally from pipeline output without an AI model. Deterministic and reproducible.

The url <http://verify3.example.org/login> was reported as phishing activity and classified as malicious by the detection model with 95% confidence. Overall risk is 99.6/100 (critical).

Why this was flagged

The source feed categorised this indicator as phishing. The trained classifier assigned the label 'malicious' with 95% confidence. Reputation data returned a score of 69/100 (source: offline_demo). It was seen alongside 14 related indicator(s) in the same activity.

Likely behaviour

Techniques (MITRE ATT&CK)

technique_id	technique_name	tactic	description
T1566	Phishing	Initial Access	Adversary sends deceptive messages to obtain credential or deliver malicious payload.
T1204	User Execution	Execution	The intrusion depends on a user opening a file or following a link.

Mapped from the reported threat category using a curated local ATT&CK subset. An association, not an evidence-based attribution.

Recommended mitigation

1. Block the URL or domain at the mail gateway and web proxy
2. Identify recipients and check whether credentials were submitted
3. Force password reset for any user who interacted with it

Report

Download report (Markdown)

> Preview report

