

Aishwarya-eee / python-ML-Aishwarya

<> Code

Issues

Pull requests

Actions

Projects

Security and quality

Insights

python-ML-Aishwarya / 240901004 Pandas 2.ipynb

Aishwarya-eee

Add files via upload

1698abf · 3 months ago

155 lines (155 loc) · 3.49 KB

Preview

Code

Blame

Raw

```
In [4]: import pandas as pd
import numpy as np
print("DataFrame.apply function:\n")
info=pd.DataFrame([[2,7]]*3,columns=['P','Q'])
print("\nOriginal DataFrame:\n",info)
print("\nSquare root of DataFrame:\n",info.apply(np.sqrt))
print("\nSum of each column:\n",info.apply(np.sum,axis=0))
print("\nSum of each row:\n",info.apply(np.sum,axis=1))
```

DataFrame.apply function:

Original DataFrame:

```
   P  Q
0  2  7
1  2  7
2  2  7
```

Square root of DataFrame:

```
   P      Q
0  1.414214  2.645751
1  1.414214  2.645751
2  1.414214  2.645751
```

Sum of each column:

```
   P      6
   Q     21
dtype: int64
```

Sum of each row:

```
   9
0  9
1  9
2  9
dtype: int64
```

```
In [5]: info=pd.DataFrame([[1,5,7],[2,7,8], [3,6,9]],columns=['X','Y','Z'])
print("\nOriginal DataFrame:\n",info)
print("\nMinimum and Maximum of each column:\n")
print(info.agg(['min','max']))
```

Original DataFrame:

```
   X  Y  Z
0  1  5  7
1  2  7  8
2  3  6  9
```

Minimum and Maximum of each column:

```
   X  Y  Z
min  1  5  7
max  3  7  9
```

```
In [6]: print("\nDataFrame. Assign function:\n")
d2 = pd. DataFrame([[ 'Dale', 123], [ 'Mark', 143]], columns = [ 'Emp', 'ID'])
print("\nOriginal DataFrame:\n",d2)
d2['Age']= [35,40]
print("\nAdding new column:\n",d2)
d=d2.assign(Sex=[ 'Male', 'Male'])
print("\nAdding new column:\n",d)
```

DataFrame. Assign function:

Original DataFrame:

```
   Emp  ID
0 Dale 123
1 Mark 143
```

Adding new column:

```
   Emp  ID  Age
0 Dale 123   35
1 Mark 143   40
```

Adding new column:

```
   Emp  ID  Age  Sex
0 Dale 123   35 Male
1 Mark 143   40 Male
```

In []: