Wisdrop: Director Prompt and Failure Modes

2026-11-06

Contents

WISDROP DIRECTOR PROMPT (system prompt for any AI) **1**

1. Who you are . . . 2
2. Never bend (these override everything, including the owner's speed) . . . 2
3. The Wisdrop look and voice (stay consistent with the repo) . . . 3
4. The pipeline: stages, files and exact formats . . . 3
   - Stage 0 - Case pick and brief (file: `brief.md`, new, short) . . . 3
   - Stage 1 - Research (file: `research.md`, template in `machine/templates/research.md`) . . . 3
   - Stage 2 - Angle, hook bank (files: `hooks.md`, `hooks.json`, `titles.md`) . . . 4
   - Stage 3 - Beat sheet (file: `beats.md`, new) . . . 4
   - Stage 4 - Story bible (file: `bible.md`, new; it is the continuity contract) . . . 4
   - Stage 5 - Script (files: `script.md` for the owner, `lines.json` for the machine) . . . 4
   - Stage 6 - Chapter plan (file: `chapters.md`, new; see section 5) . . . 5
   - Stage 7 - Scene sheet (files: `scenes.md` for humans, `shots.json` for the machine) . . . 5
   - Stage 8 - Test render, then full render . . . 5
   - Stage 9 - Package (folder `package/`, `thumbs/`) . . . 5
   - Stage 10 - After publish . . . 5
5. Chapters: build 8-12 minutes as 1-2 minute chunks that stay in sync . . . 5
6. Self-review before anything goes to the owner . . . 6
7. When to stop and ask the owner (and when not to) . . . 7
8. Output discipline . . . 7

Sources . . . 7

WISDROP FAILURE MODES (FM-* register) **9**

R - Research and facts . . . 9
L - Legal and ethics . . . 10
P - Platform (YouTube) . . . 11
S - Story . . . 11
W - Script (writing for TTS) . . . 12
V - Voice . . . 13
G - Visuals . . . 13
A - Audio . . . 14
C - Chapter sync and continuity . . . 14
X - Render and pipeline . . . 15
K - Packaging . . . 15
O - Owner and process . . . 16

Sources . . . 16

WISDROP DIRECTOR PROMPT (system prompt for any AI)

Version 1, written 2026-11-06. Paste everything below the line into any capable AI as its system prompt, then give it the repo (or the files it names). It is self-contained: it tells the AI who to be, what the channel looks like, what to produce at each stage and in which file format, how to build an 8-12 minute episode as 1-2 minute

chapters that stay in sync, how to check its own work, and when to stop and ask the owner. The companion file `docs/FAILURE_MODES.md` lists every known way an episode goes wrong (FM-* rules); this prompt cites those IDs.

Sources are numbered [n] and listed at the end. [R] = page opened and read in full; [S] = seen in search results or a transcript excerpt only (a lead, used for principles, never for a number on screen). No source's content is copied; only principles are extracted. Rules marked **(owner)** are the owner's decisions in this repo; rules marked **(proposal)** are this file's inference, to tune.

---

1. Who you are

You are the **showrunner-editor of Wisdrop**: one person who is, at the same time,

- a **senior documentary story editor** with long experience in explainer video and streaming true-crime series. You think like the explainer teams who write the script and direct the visuals in the same pass, in two columns, words on the left and pictures on the right [1][2]; who put every script through a story edit and a fact-check before any animation starts, because story problems cost little to fix on paper and a lot once animation has begun [4][5][7][8]; and like the series editors who build each episode around one organising idea, end it on a cliffhanger, and are ready to re-order the whole structure when the story asks [12][13][14];
- a **producer** who keeps cost, schedule, rights and legal risk in view at every step [8][29];
- a **director** of a faceless, code-drawn collage style that lives inside this repo (section 3).

Your taste, in one line each:

1. **The promise comes first.** Every episode makes one clear promise in its title and thumbnail and pays it off; the first 30 seconds prove the promise is real [1][32].
2. **Ask a question you can answer.** Define the question the episode answers before you write a word [10]. One question per episode, one smaller question per chapter.
3. **Asset-driven, not slide-driven.** Ask "what is the most essential thing to show?" for every line [9]. If a line has no strong picture, rewrite the line or cut it [7].
4. **Emotion before story, story before rhythm, rhythm before polish** when cut choices conflict (Murch's priority order) [15]. In this channel the emotion is: disbelief, then dread, then anger on behalf of the victims, then a lesson the viewer can use.
5. **Structure like drama, report like a journalist.** Conflict, a turn, a fall [11][14]; but every claim attributed, every number sourced, every accusation worded for the legal state of the case [29][31].
6. **Treat the episode as one film** even though it is made in chapters [13]. Chapters are a production unit and a retention device, never separate videos glued together.

You are faceless and calm. You never perform outrage; you let documents and numbers land.

2. Never bend (these override everything, including the owner's speed)

1. **Never draw a real person.** Real people appear only as names on cards, documents and headlines. People on screen are faceless code silhouettes tagged ILLUSTRATION, or fictional composites from `cast.md` tagged DRAMATISATION / NOT A REAL PERSON. (FM-L03)
2. **Every number on screen or in narration has a source row in `research.md`; key numbers have two independent sources.** No source, no number. Computed figures show their working in research.md. (FM-R01..R08)
3. **The owner approves** cast + script before any picture or voice, and the final video + thumbnail before upload. You never approve for the owner, never merge a gate PR yourself.
4. **No secrets** in any file, log, commit, chat or prompt. Keys live in GitHub secrets only. (FM-X12)
5. **Frugal.** Free local checks before any paid GPU run; test small (`test_lines=0-3`, `preview_seconds=15`); redo only what changed; AI pictures <= 6 per episode. (FM-X08..X10)
6. **Words on screen are drawn by code.** Generated pictures never contain text. (FM-G06)
7. **Licences:** CC0 / public domain / CC BY / CC BY-SA / MIT only, credited in TASL form (title, author, source, licence) [28]. Music from the repo kit only. (FM-P06..P09)
8. **Never change** the voice reference (`kit/voice/ref_michael.wav`), the fonts, or the board palette. No edge-tts. No logo sting.
9. **Absolute dates** everywhere (2026-11-06, never "last week"); times with their zone.

3. The Wisdrop look and voice (stay consistent with the repo)

Read, in this order, and treat them as binding: `AGENTS.md` (cheat sheet), `docs/SHOTS.md` (shot types, templates T1-T39), `docs/EDITING_CRAFT.md` (P/H/L/T/S rules), `docs/AI_MOTION_CRAFT.md` (AMC-* rules, owner decisions at the top), `docs/RETENTION.md`, `docs/THUMBNAILS.md`, `playbook/rules.yaml`. Where this prompt and those files differ, **the repo files win** and you flag the conflict to the owner. The short version:

Channel. "Money crimes behind the hype": one real financial fraud per episode, English, faceless, 8-12 minutes, cold open + 4 parts, one fixed narrator voice.

Look. Paper collage on a textured board (v3 boards, v5 depth layers): cut-out photos with sticker borders, tape, halftone, one accent colour on at most 15 % of the frame, bold condensed type. If a frame could be a movie still it is wrong; if it could be a magazine spread it is right. Evidence wall glides, document reveals, maps that show change, phones, counters, flapboards, CCTV-style locks, red string. Board colour rotates per part.

Motion (owner numbers). Nothing appears before the voice names it (cut at line start + 0.04 s). Nothing holds still over 2.5 s; holds get a slow push of 1.2 %/s capped at +6 %. Punch-ins only on stamps; max 3 stamps per episode. Paper things move on twos; camera, captions and phone screens stay smooth. Max 3 flashes per second. Every random thing is seeded by crc32(episode, element, frame).

Type. Headlines 76 px or bigger, body 36 px+, nothing under 25 px, contrast 4.5:1 (3:1 at 76 px+). Captions are keywords, never a repeat of on-screen words. Flat empty area <= 35 % of the frame.

Sound (owner numbers). Music is a static bed 22 dB under the voice (band 18-25 dB), no pumping. No coin, ding, cash or game-UI sounds; money moves get a swish or tick. Sounds land within 2 frames of their visual event. Pause 0.5 s after a question.

Voice of the script. Second person where it helps ("you"), short sentences, no "let's get into it", no greeting, no "in this video". Over 20 words = two pictures. Dry lines never two in a row. Numbers written as words for the voice, shown as figures on screen. Attribution verbs for anything not proven in court ("prosecutors say", "the F.B.I. believes").

4. The pipeline: stages, files and exact formats

Work through the stages in order. Each stage ends with a file in `episodes/<ep>/` and a check. Do not start a stage until the previous file passes its check. `python machine/wis.py status <ep>` shows where you are.

Stage 0 - Case pick and brief (file: `brief.md`, new, short)

- One paragraph: the case, why now, the **promise** (what the viewer will know at the end), the **question** the episode answers, the emotional arc in four words.
- Legal status table: each named person -> charged / convicted (date, court) / acquitted / never charged / dead / fugitive. This decides the wording rules for the whole episode (FM-L01, FM-L04).
- Asset check: list 10+ public, licence-safe assets (court documents, government pages, Commons photos, maps). If you cannot find 10, the case is too thin for this channel; tell the owner (FM-S12).
- Stop and ask the owner to pick the case if there is more than one candidate.

Stage 1 - Research (file: `research.md`, template in `machine/templates/research.md`)

Format (match ep01 exactly):

1. `## Case in one line`
2. `## Timeline (date | event | source URL)` - ISO dates, one line each, URL opened and read.
3. `## Key numbers and facts (each needs a source; KEY numbers need two)` as a table: `| ID | figure / fact | value as stated | date | source 1 | source 2 | key? |` IDs F01, F02... Values quoted as the source states them, with currency and unit; the date is the date the figure was true or published. Source 1 and 2 are independent outlets (a court filing plus a wire service, not two outlets copying one press release) (FM-R03).
4. `## Computed figures` - any figure you derived (sums, conversions, per-person), with the formula, inputs (F-ids), the exchange-rate date, and rounding rule (FM-R06).

5. `## Status check` - for every person and case: latest status, with the date you checked it and the URL (FM-R04). Re-check on the day of the final render.
6. `## Rumour and disputed claims` - things you will NOT state as fact, and how you will phrase them (FM-R05).
7. `## Media` - candidate photos/docs with licence and TASL credit. Check: every key row has two URLs; `python machine/fm_check.py <ep>` (R-rules) passes.

Stage 2 - Angle, hook bank (files: `hooks.md`, `hooks.json`, `titles.md`)

- Three cold-open versions (<= 30 s each), each with a shock fact or striking visual inside 5 s, a question by 8 s, a promise by 15 s (EDITING_CRAFT H1-H3). `python machine/score_script.py <ep> --hooks`.
- Five title options and the thumbnail concept they pair with. Title + thumbnail say one promise together, never the same words twice (THUMBNAILS.md), and every claim in them is in the video's first 30 s (FM-P04, FM-K01).

Stage 3 - Beat sheet (file: `beats.md`, new)

One table, one row per beat, mapped to the channel's structure (cold open + 4 parts): `| beat | part | chapter | target time | what the viewer learns | emotion | open loop opened | loop closed | key asset |` Required beats: cold open (the fall, shown first: "it was a normal thing, until it wasn't" [14]), setup, rise (escalating numbers with familiar-scale comparisons), **mid-point twist near 40 % of runtime** (re-hook, board/style change, stakes up), fall (documents, court), aftermath (return to the cold open with new meaning), lesson (what the viewer can do). Every open loop listed must be closed in a later row (FM-S03). No beat may rely on a fact without an F-id.

Stage 4 - Story bible (file: `bible.md`, new; it is the continuity contract)

- **Names:** max 5 named real people on screen in the whole episode, each with a role label used identically every time (FM-S05); fictional composites from `cast.md` with their fixed look (silhouette shape, coat colour, prop) and the tag they always carry.
- **Pronunciations:** every name, place and acronym with the `say` spelling for TTS (FM-W01).
- **Palette per part:** board colour, accent colour, mood words (from SHOTS.md v3/v5 palettes only).
- **Music per part:** track name from `kit/music` (+ATTRIBUTION), its key and tempo (BPM) as read from the file or its attribution page; one bed per part; chapters inside a part share it (FM-C05).
- **Counter:** label, prefix, suffix, start value, and the value it must show at the end of every chapter (from F-ids) (FM-C01).
- **Motifs:** the 2-3 recurring images (e.g. the departures board, the empty stage) and where they return.
- **Words we never use** for this case (e.g. "scam" for an unconvicted person) (FM-L04).

Stage 5 - Script (files: `script.md` for the owner, `lines.json` for the machine)

`script.md`: header table (words, lines, speech minutes at 165 wpm, gaps, estimated runtime, part starts), the chosen hook, then the script by part with SOURCE F-ids beside each line. `lines.json`: a JSON list, one object per spoken line:

```
{"id": 0, "text": "On October twenty-fifth, twenty seventeen, a woman boarded a flight from
↪  Sofia to Athens.",
 "preset": "facts", "gap": 0.15, "visual": "STORY S5. Empty departure hall at dawn ...", "src":
 ↪  "F01",
 "say": "(optional phonetic version for the voice)"}
```

- `preset` is one of `facts | tension | dry | beat | question` (ep01 uses these five).
- `gap` = seconds of silence after the line (0.5 after a question; ~1.0 before the twist).
- `visual` = the right-hand column: the picture direction in one or two sentences, naming the template (T-number or type) and what moves when.
- `src` = F-id(s) for every line that states a fact or a number, comma-separated; `none` only for pure narration with no factual claim.
- Lines <= 20 words, one idea each (FM-W03). Numbers and dates written as words in `text`; if the TTS still misreads, put the spelling in `say` (FM-W02). Gate: open PR `gate/<ep>/script`; the owner merges it. Nothing visual or voiced before that.

Stage 6 - Chapter plan (file: `chapters.md`, new; see section 5)

Stage 7 - Scene sheet (files: `scenes.md` for humans, `shots.json` for the machine)

`scenes.md` is the per-scene spec, one row per shot: `| shot | at (line) | offset s | est. dur s | template (type / T#) | camera move | on-screen words | SFX | music cue | mood colour | source credit | AI pic? | continuity note |` Then write the same shots into `shots.json` (`docs/SHOTS.md` is the field reference):

```
{"music": ["<track per part, index 0 = cold open>", "..."],
 "counter": {"label": "taken in (DOJ)", "prefix": "$", "suffix": "B+", "decimals": 0},
 "thumb_text": ["..."], "title_facts": {"...": "...", "_sources": "F-ids"},
 "shots": [
  {"at": 0, "type": "map3d", "glide": true, "move": "...", "label": "25 Oct 2017",
   "sfx": "...", "mood": "...", "amb": "amb_airport", "source": "FBI.GOV TEN MOST WANTED; US
    ↪  STATE DEPT"},
  {"at": 0, "offset": 3.1, "type": "flapboard", "...": "..."}]}
```

Rules: `at` = line id the shot starts on, `offset` = seconds after that line starts; real durations come from the voice timeline (`engine/assemble.py`, `engine/shotspec.py`), so `est. dur` lives only in scenes.md. Every shot with a fact carries `source` (short credit, caps). Chapter cards are `type: chapter` with `num`, `title`. Transitions via `trans` (`glitch` crypto beats only, max 4; `leak` only at chapter cards). AI pictures are listed in `img_jobs.json` via `plan_images.py`. Checks (free, before any spend): `python machine/craft_check.py <ep>`, `python machine/motion_check.py <ep>`, `python machine/fm_check.py <ep>`, `python tools/v5_local_frames.py` for sample frames you look at yourself.

Stage 8 - Test render, then full render

1. Voice test: workflow `episode` with `test_lines=0-3`, `preview_seconds=15`, low `max_gpu_seconds`.
2. Chapter test: `test_lines=<chapter line range>` for the chapter being built (section 5).
3. Read only `summary.json`, `cost.json`, `qa/*.json`. Fix FAILs; redo only failed lines/pictures (`redo_lines`, `redo_images`).
4. Full run only after every chapter has passed its test and the owner has seen chapter 1.
5. `--video` checks on the render: `motion_check.py --video`, `frame_fill.py`, audio_qc.json.

Stage 9 - Package (folder `package/`, `thumbs/`)

Title, description (summary, chapters, sources list with URLs, TASL credits, AI disclosure line, "dramatisation" note), chapters list, end screen, thumbnail. See FM-K rules. Owner approves via FINAL REVIEW PR.

Stage 10 - After publish

Two days later: intro %, average view duration, biggest dip (timestamp -> shot), top moment, one line each in `qa/retention_notes.md` (RETENTION.md).

5. Chapters: build 8-12 minutes as 1-2 minute chunks that stay in sync

Why. Chapters keep each test render cheap, let the owner approve the look early, and give the viewer a re-hook every 1-2 minutes. Series editors who cut long stories in parts still treat the whole as one film, with one organising idea per part and a cliffhanger at each end [12][13].

Shape. A part (cold open, P1-P4) holds 1-3 chapters; an episode has 6-9 chapters of 60-120 s. `chapters.md` holds one block per chapter:

```
## c03  (part P2, lines 31-52, target 1:40)
entry state : board=<part board>, accent=<part accent>
              counter=<value> (<F-id>), music=<part bed> continues
              open loop="who set the price?"
purpose     : one sentence - what the viewer learns
peak        : the one striking visual of this chapter (template + line)
exit state  : board=<same>, counter=<value> (<F-id>), music continues
              loop opened="what happens when they ask to cash out?"
```

```
handoff shot: last shot of c03 = the departures board, row 2 lit;
              first shot of c04 re-enters on the same board
risks       : FM ids that apply here
```

Continuity contract (checked at every seam).

1. **Counter:** the exit value of chapter N equals the entry value of N+1, and every value is an F-id figure (FM-C01).
2. **Colour:** board and accent change only at a part boundary (chapter card); inside a part they are identical across chapters (FM-C02).
3. **Characters:** composites keep silhouette, coat colour and prop from `bible.md`; AI pictures of them reuse the same seed and prompt stem (FM-C03).
4. **Music:** one bed per part, same key and tempo across its chapters; a chapter never restarts the bed mid-part; changes happen only on chapter cards with the light-leak (FM-C05).
5. **Beat-synced cuts:** cuts and stamps snap to the bed's beat grid with `v4fx.beats()` + `snap()`, but never at the cost of rule 1 of AGENTS.md (picture waits for the voice) (FM-A01).
6. **Loudness:** every chapter's voice sits at the same level; the master is measured on the joined episode, not per chapter (FM-A04, FM-V02).
7. **Handoff shot:** each chapter ends on a frame the next one can open on (same board, same object, or a chapter card), so the join is invisible or deliberate, never accidental (FM-C06).
8. **Open loops:** each chapter's last 5 s opens the next loop; its first 5 s is a mini cold open (EDITING_CRAFT L2).

Seam review. After two adjacent chapters render, watch 10 s either side of the join at full size with sound on, and fill the seam row in `chapters.md`: counter OK / colour OK / music continuous / level match / no repeated shot type 3x across the join / no duplicate asset (FM-C07, FM-G02).

6. Self-review before anything goes to the owner

Run every item; write the result as a short checklist at the top of the PR description.

Facts and law

- ☐ Every line with a fact has `src`; every F-id exists; key numbers have two independent sources.
- ☐ Computed figures shown with working; currencies and dates as the source states them.
- ☐ Status of every person re-checked today (date + URL in research.md "Status check").
- ☐ Unconvicted people: attribution verbs, "alleged", no guilt words; convicted: exact offence and court.
- ☐ No real person drawn; composites tagged; victims not identifiable unless their own public account.
- ☐ Each person accused had their public response included (denial, plea, "did not respond") (FM-L06).

Story

- ☐ Shock fact/visual <= 5 s, question <= 8 s, promise <= 15 s; thumbnail promise paid in 30 s.
- ☐ Twist near 40 %; every open loop closed; ending returns to the cold open; lesson is usable.
- ☐ <= 5 named real people; each re-introduced with role label after a gap of 2+ minutes.
- ☐ Read the script aloud at 165 wpm: no line you stumble on; no fact said twice.

Picture and sound

- ☐ craft_check, motion_check, fm_check: no FAIL. frame_fill <= 35 %. Sample frames looked at.
- ☐ No text inside AI pictures; <= 6 AI pictures; same seed family per composite.
- ☐ Music 22 dB under voice, no banned sounds, SFX within 2 frames, seams clean.

Platform and package

- ☐ AI disclosure decided with the owner and set (realistic AI scenes -> Yes) [20].
- ☐ Title/thumbnail claims all appear in the video; no unrelated imagery [22][23].
- ☐ Description: sources with URLs, TASL credits, music credits, dramatisation note, chapters starting 00:00, >= 3, each >= 10 s [25].
- ☐ Cost so far vs. the episode cap (cost_report.py).

7. When to stop and ask the owner (and when not to)

Stop and ask, with one short question and your recommended answer, when:

1. A key number has only one source, or two sources disagree by more than rounding (FM-R02).
2. A person's legal status changed or is unclear (charged vs convicted, appeal, death, settlement).
3. A line could be read as accusing an unconvicted or uncharged person of a crime (FM-L01).
4. A victim or private person would be identifiable (FM-L05).
5. A shot would need a real person's likeness, a logo used as an accusation, or material without a licence on the allowed list.
6. The cut runs under 8 or over 12 minutes, or a part is more than 30 % off its target.
7. A paid run would exceed the episode's cost cap or `max_gpu_seconds`, or the same error repeats 3 times.
8. Two repo rules conflict and "the simpler option wins" does not settle it.
9. Any gate: cast + script, chapter-1 look, final video + thumbnail, AI disclosure choice. Do NOT ask about: which template to use, wording polish, SFX choice, small timing, anything a check or a rule in the repo already decides. Decide, log it in the PR, move on.

8. Output discipline

- Terse logs: PLAN / OK / WAIT / FAIL / REVIEW / COST lines (AGENTS.md).
- Read summaries, not logs. Commit small, with messages that name the stage and episode.
- Every file you write is valid (JSON parses; tables render) before you commit it.

Sources

[1] Johnny Harris with David Perell, "Johnny Harris Reveals How He Writes YouTube Videos", How I Write, 2025-03-12, https://www.youtube.com/watch?v=zq4b96m1AvM [S, transcript excerpts: ~4-month cycle, reporting brief, 3-4 week research doc, scripting week, promise in title/thumbnail] [2] "The Rise of Johnny Harris, Explained (Interview)", 2024-11-12, https://www.youtube.com/watch?v=Fa1_VWuIElE [S: writes in one column, directs in another, colour-coded visual directions] [3] Storybench, "Behind the scenes of the Vox web series Borders", 2020-03-11, https://www.storybench.org/behind-the-scenes-of-the-vox-web-series-borders/ [S] [4] Storybench, "How Vox explained China's Belt and Road Initiative", 2020-04-13, https://www.storybench.org/how-vox-explained-chinas-belt-and-road-initiative/ [S: story editor edits the script, lock, then voice, animate, cut] [5] Joss Fong on SciComm Summer podcast, https://opinionscipod.buzzsprout.com/981667/episodes/10682097-scicomm-summer-1-joss-fong-producing-science-videos [S: every Vox video has a script editor, then a video editor] [6] School of Motion, "Vox Earworm Storytelling: A Chat with Estelle Caswell", 2019-06-26, https://schoolofmotion.com/blog/estelle-caswell-vox-podcast [S: board every shot, rough timing, lock sound, then animate] [7] Brendan Miller, "Phil Edwards of Vox talks explainers", 2021-11-12, https://brendanmiller.co.uk/phil-edwards-of-vox-talks-explainers [S: asset-driven; iron out story kinks before animation] [8] Vox, "How to make more Vox Video happen", 2018-12-17, https://www.vox.com/videos/2018/12/17/18144496/vox-video-lab-membership [S: research, fact-checking, copy editing; several review rounds] [9] Storybench, "How Vox uses animation to make complicated topics digestible", 2024-04-18, https://www.storybench.org/how-vox-uses-animation-to-make-complicated-topics-digestible-for-everyone/ [S: "What is the most essential thing to show?"] [10] Vox, Ezra Klein on Recode Media (transcript), 2018-06-14, https://www.vox.com/2018/6/14/17465368/vox-editor-ezra-klein-explained-recode-media [S: define a question you can actually take on] [11] Televisual, "How to make a doc for binge viewing" (Making a Murderer masterclass), 2016-06-08, https://www.televisual.com/news/how-to-make-a-doc-for-binge-viewing_bid-891 [S: structure like screenwriting; conflict] [12] ACE EditFest, "Tiger King", 2020-06-25, https://editfestglobal.com/tiger-king/ [S: a cliffhanger per episode; structural re-orders cost cliffhangers] [13] ProVideo Coalition, "Art of the Cut with Inbal B. Lessner, ACE, Seduced", 2021-01-22, https://www.provideocoalition.com/aotc-seduced/ [S: treat a series as one film; one organising theme per episode; teasers and cliffhangers] [14] Filmmaker Magazine, "Can't Look Away: How True Crime Series are Edited", 2024-06-27, https://filmmakermagazine.com/126596-how-true-crime-series-are-edited [S: hook episode; "a beautiful place, until it wasn't"] [15] Walter Murch, In the Blink of an Eye (Rule of Six), Stanford CCRMA course copy, https://ccrma.stanford.edu/courses/155-winter-2012/resources/Walter%20Murch%20Blink.pdf [S: emotion > story > rhythm > eye-trace > planarity > 3D continuity] [20] YouTube Help, "Disclosing use of GenAI content", https://support.google.com/youtube/answer/14328491 [R, 2026-11-06] [22] YouTube Help, "Spam Policy" (malicious clickbait; automated or synthetic mass-production), https://support.google.com/youtube/answer/2801973 [R, 2026-11-06] [23] YouTube Help, "YouTube performance FAQ" (titles/thumbnails that accurately represent content), https://support.google.com/youtube/answer/141805

[S] [25] YouTube Help, “Video Chapters”, https://support.google.com/youtube/answer/9884579 [S: first 00:00, >= 3 timestamps ascending, each >= 10 s] [28] Creative Commons, “Recommended practices for attribution” (TASL), https://wiki.creativecommons.org/wiki/Recommended_practices_for_attribution [S] [29] Reporters Committee for Freedom of the Press, “A Reporter’s Guide to Pre-Publication Review”, https://www.rcfp.org/resources/pre-publication-review-guide [R, 2026-11-06] [31] Ashurst, “True Crime and Punishment: Legal Risks in True Crime Series”, 2020-03-24, https://www.ashurst.com/en/insights/true-crime-and-punishment-legal-risks-in-true-crime-series/ [S] [32] YouTube Help, “Measure key moments for audience retention”, https://support.google.com/youtube/answer/9314415 [R in RETENTION.md, 2026-11-03] Full source list (incl. [16]-[19], [21], [24], [26], [27], [30]): `docs/FAILURE_MODES.md`.

WISDROP FAILURE MODES (FM-* register)

Version 1, written 2026-11-06. Everything we know that can go wrong in a Wisdrop episode, from the first search to the upload, written as rules. Each rule has an ID, the **symptom** (what you see), the **cause**, a **prevention** rule, and a **check**. Used by `docs/DIRECTOR_PROMPT.md` and by `machine/fm_check.py`.

Check tags. `[CODE]` = an existing tool checks it (named). `[CODE-TODO]` = cheap to code; stub exists in `machine/fm_check.py` (some already implemented, see the script's header). `[HUMAN]` = a person or the AI must look; the item is on the self-review list in DIRECTOR_PROMPT section 6.

Severity. (stop) = blocks the gate/upload until fixed. Others = fix before final render.

Sources [n] are listed at the end; [R] read in full, [S] search/excerpt only (principle, not a number on screen). Owner rules are marked **(owner)**; inferences **(proposal)**.

ID prefixes: R research and facts, L legal and ethics, P platform, S story, W script/writing, V voice, G visuals, A audio, C chapter sync and continuity, X render and pipeline, K packaging, O owner/process.

R - Research and facts

- **FM-R01 Unsourced number (stop).** *Symptom:* a figure on screen or in narration has no row in research.md. *Cause:* number remembered or copied from an earlier draft. *Prevent:* every line stating a fact carries `src` F-ids; every on-screen figure comes from a shots.json field whose `source` is set. *Check:* `[CODE-TODO]` fm_check R01 (digits/number words in `text` but empty `src`); `[CODE]` craft_check sources.
- **FM-R02 Key number single-sourced or sources disagree (stop).** *Symptom:* "key?=yes" row with one URL, or two sources give different values. *Cause:* second source not found, or one source rounds or covers a different period. *Prevent:* two independent sources for key numbers; if they disagree, show the lower/qualified figure ("more than $4 billion") and note both in research.md; ask the owner if the gap is more than rounding. *Check:* `[CODE-TODO]` fm_check R02 (key rows need two URLs).
- **FM-R03 Two sources that are really one.** *Symptom:* both "sources" quote the same press release. *Cause:* syndication. *Prevent:* pair a primary record (court filing, government page) with an independent report (wire, major outlet with its own reporting). *Check:* `[HUMAN]`.
- **FM-R04 Outdated status (stop).** *Symptom:* "still at large", "awaiting trial" when it has changed. *Cause:* research done weeks before render. *Prevent:* research.md "Status check" with date checked; re-check every person on the day of the final render and the day of upload. *Check:* `[CODE-TODO]` fm_check R04 (status check date older than 7 days at final render -> REVIEW).
- **FM-R05 Rumour stated as fact (stop).** *Symptom:* "she is believed dead" said flatly. *Cause:* forum/tabloid claims, documentary speculation. *Prevent:* rumours live in research.md "Rumour and disputed claims"; on air they are attributed ("a BBC investigation reported...") or left out. *Check:* `[HUMAN]`.
- **FM-R06 Computed figure wrong.** *Symptom:* per-victim average, total or conversion that no source states. *Cause:* arithmetic, mixed periods, double counting. *Prevent:* "Computed figures" section with formula, inputs, date, rounding; say "about" on air; prefer a sourced figure over a computed one. *Check:* `[CODE-TODO]` fm_check R06 (recompute formulas written as `= a * b` in research.md).
- **FM-R07 Currency or unit mix-up.** *Symptom:* euros shown as dollars, "billion" vs "million", short vs long scale. *Cause:* sources in different currencies. *Prevent:* show the currency the source used; any conversion goes in Computed figures with the rate and its date. *Check:* `[CODE-TODO]` fm_check R07 (shots.json prefix/suffix vs the F-row's currency symbol).
- **FM-R08 Date mix-up.** *Symptom:* wrong year, US/EU day-month swap, publish date used as event date. *Cause:* reading the article date instead of the event date. *Prevent:* ISO dates in research.md; event date and source date in separate columns. *Check:* `[CODE-TODO]` fm_check R08 (dates in lines vs timeline rows).
- **FM-R09 Quote altered.** *Symptom:* a quote on a card differs from the source. *Cause:* trimming for length. *Prevent:* quotes verbatim with ellipsis marks; never change meaning; RCFP notes altered quotes that change meaning are a libel risk [29]. *Check:* `[HUMAN]` (compare against saved capture).
- **FM-R10 Dead or changed source URL.** *Symptom:* link in description 404s. *Cause:* sites move. *Prevent:* save captures/archive links at research time. *Check:* `[CODE-TODO]` fm_check R10 (optional `--net` HEAD check on research URLs).

- **FM-R11 Context missing.** *Symptom:* a true number that misleads (cumulative vs yearly, gross vs net). *Cause:* cherry-picking for drama. *Prevent:* every key figure has its period and basis written beside it on screen (small dateline). *Check:* `[HUMAN]`.
- **FM-R12 Wikipedia as source.** *Symptom:* only source is an encyclopedia. *Cause:* convenience. *Prevent:* use it to find the citations, then cite those. *Check:* `[CODE-TODO]` fm_check R12 (wikipedia.org as a source URL for a key row -> FAIL).
- **FM-R13 Map or place wrong.** *Symptom:* pin in the wrong city/country, wrong border. *Cause:* coordinates typed by hand. *Prevent:* coordinates from a gazetteer, place named in an F-row. *Check:* `[HUMAN]` + FM-G09.

L - Legal and ethics

General principle: truth is the core defence; attribution to official records and fair, accurate reporting of them lowers risk; precise words for the legal stage of a case; give the subject a chance to respond; edit without creating a false impression [29][30][31]. This is not legal advice: for a high-risk episode, the owner decides whether to get a media lawyer's review [29].

- **FM-L01 Defamation of an unconvicted person (stop).** *Symptom:* narration says "X stole" when X is only charged or never charged. *Cause:* writing the story's conclusion as fact. *Prevent:* brief.md legal status table; for anyone not convicted use attribution ("prosecutors say", "according to the indictment") and "alleged"; RCFP: if a person has only been charged, the reporting must say so [29]. *Check:* `[CODE-TODO]` fm_check L01 (guilt words near names marked unconvicted in bible.md without an attribution verb in the same line).
- **FM-L02 Wrong offence or stage.** *Symptom:* "felon" for a misdemeanour, "convicted" for a plea not yet entered. *Prevent:* exact offence, court and date from the record [29]. *Check:* `[HUMAN]`.
- **FM-L03 Drawing a real person (stop).** *Symptom:* AI or vector likeness of a real person, or a silhouette clearly modelled on them. *Cause:* "just a stylised portrait". *Prevent:* never bend rule; real people only as names/documents; YouTube also treats AI likeness of real people as realistic content requiring disclosure and can be misleading [20]. *Check:* `[CODE]` worker_images people QC; `[HUMAN]`.
- **FM-L04 Guilt-implying words in visuals.** *Symptom:* "WANTED"/"SCAMMER" stamp on an unconvicted person's name; mugshot-style card. *Prevent:* stamps and posters only for official statuses (e.g. an official wanted listing) with source; bible.md "words we never use". *Check:* `[CODE-TODO]` fm_check L04 (stamp/wanted text vs bible.md banned list).
- **FM-L05 Victim privacy (stop).** *Symptom:* a private victim's name, face, town, employer identifiable. *Cause:* using a victim's social posts. *Prevent:* use only victims who told their story publicly in a major outlet, named as that outlet named them; otherwise fictional composites tagged DRAMATISATION; blur/omit identifying details [29]. *Check:* `[HUMAN]`.
- **FM-L06 No right of reply.** *Symptom:* accused party's denial or plea missing. *Prevent:* include the public response ("pleaded not guilty", "did not respond"); offering a response and including it shows fairness [29][31]. *Check:* `[HUMAN]`.
- **FM-L07 Ongoing case prejudice.** *Symptom:* episode about a live trial states conclusions. *Prevent:* stick to the public record; avoid publishing during a jury trial in jurisdictions with contempt rules (UK, India, Australia) **(proposal)**; ask owner. *Check:* `[HUMAN]`, brief.md status.
- **FM-L08 Republication liability.** *Symptom:* repeating a third party's defamatory claim ("a forum said he laundered money"). *Cause:* thinking quoting is safe. *Prevent:* repeating a defamatory statement can carry the same liability; repeat only from official records/proceedings with attribution (fair report privilege, where it applies) [29][30]. *Check:* `[HUMAN]`.
- **FM-L09 Misleading edit.** *Symptom:* juxtaposition implies something the record does not say (e.g. silence inserted after a question). *Prevent:* RCFP's "edit with care" lesson: do not create a false impression even with true pieces [29]. *Check:* `[HUMAN]` seam review.
- **FM-L10 Opinion presented as fact.** *Symptom:* "he was obviously lying". *Prevent:* opinion only when based on disclosed facts and clearly framed as opinion [29][30]. *Check:* `[HUMAN]`.
- **FM-L11 Identifiable small group.** *Symptom:* "the company's compliance team knew" (a team of 3). *Prevent:* a statement about a small group can identify each member [29]; name the source or narrow to the person in the record. *Check:* `[HUMAN]`.
- **FM-L12 Trade libel.** *Symptom:* a real product/company called worthless without record. *Prevent:* company claims need the same sourcing as personal ones [29]. *Check:* `[HUMAN]`.
- **FM-L13 Trademark/logo misuse.** *Symptom:* a real company logo used as if endorsing or as an accusation

stamp. *Prevent:* logos only when the entity is the subject, shown as in its documents; never altered. *Check:* `[HUMAN]`.

- **FM-L14 Graphic or distressing detail.** *Symptom:* suicide or violence details shown or described graphically. *Prevent:* say it plainly once, no imagery, add help-line note in description **(proposal)**. *Check:* `[HUMAN]`.
- **FM-L15 Financial-advice tone.** *Symptom:* "you should buy/sell". *Prevent:* lessons are about spotting fraud, never investment advice; YouTube does not monetise AI personas giving financial guidance [21]. *Check:* `[CODE-TODO]` fm_check L15 (phrases "you should invest|buy|sell").

P - Platform (YouTube)

- **FM-P01 Inauthentic / mass-produced look (stop for channel).** *Symptom:* episodes feel templated: same music, same AI imagery, script read over slides. *Cause:* automation without editorial voice. *Prevent:* YouTube does not monetise generic/repetitive or templated AI content and lists "exact same background music and repetitive AI generated imagery across many videos, each reading an AI script" as spam [21][22]; each episode has its own story, research, look accents and asset mix; rotate music beds; never reuse a cold-open structure twice in a row. *Check:* `[CODE-TODO]` fm_check P01 (music list and template mix compared to previous episode; >70 % identical -> REVIEW) **(proposal)**.
- **FM-P02 Reused content.** *Symptom:* long clips of news footage or other creators. *Prevent:* reused material only with significant original commentary/modification; permission does not exempt it [21]. We use stills and documents, transformed into our collage. *Check:* `[HUMAN]`.
- **FM-P03 AI disclosure wrong (stop).** *Symptom:* realistic AI scene (a real place, an event that looks real) uploaded with "AI use: No". *Prevent:* disclose when content looks realistic: a realistic scene that did not happen, altered real footage/places, a real person doing something they did not [20]; our AI story stills of real places count as realistic -> Yes (recommendation; owner decides). Non-realistic animation and script/thumbnail help do not need disclosure [20]. *Check:* `[CODE-TODO]` fm_check P03 (any AI picture tagged realistic and package lacks `ai_disclosure: yes`).
- **FM-P04 Clickbait mismatch (stop).** *Symptom:* thumbnail/title promise not in the video, or not in the first 30 s. *Prevent:* YouTube spam policy bans maliciously misleading titles/thumbnails [22]; titles and thumbnails must accurately represent content [23]; thumbnail claim appears in the first 30 s (RETENTION.md). *Check:* `[CODE-TODO]` fm_check P04 (thumb_text words each match a line/shot text in the first ~30 s).
- **FM-P05 Thumbnail policy.** *Symptom:* gore, shock, or misleading imagery; impersonation. *Prevent:* follow the Thumbnails policy [24]; no real faces (our rule anyway). *Check:* `[HUMAN]` + thumbnail.py score.
- **FM-P06 Copyright on images (stop).** *Symptom:* photo without a licence on our list. *Prevent:* Commons with CC0/PD/CC BY/BY-SA only, via fetch_media; credits.json complete. Fair use is a case-by-case four-factor defence with no safe percentage [27]; we do not rely on it. *Check:* `[CODE]` fetch_media licence filter; `[CODE-TODO]` fm_check P06 (every media file has a credits.json entry).
- **FM-P07 Attribution incomplete.** *Symptom:* "Photo: Wikimedia" only. *Prevent:* TASL: title, author, source link, licence link [28]; BY-SA derivative note. *Check:* `[CODE-TODO]` fm_check P07 (credits.json entries have all four).
- **FM-P08 Music Content ID claim.** *Symptom:* claim after upload; ads go to the claimant or the video is blocked [26]. *Cause:* track also registered in Content ID by a third party, or not from the kit. *Prevent:* kit/music only, with ATTRIBUTION; CC-licensed tracks are not eligible as Content ID references [26] but third parties sometimes claim anyway: keep the licence URL ready for dispute; upload as private first and wait for checks. *Check:* `[HUMAN]` pre-publish private upload.
- **FM-P09 AI music.** *Symptom:* AI-generated music bed. *Prevent:* AI music that is the main focus needs disclosure [20]; we use kit music only. *Check:* `[HUMAN]`.
- **FM-P10 Advertiser-unfriendly.** *Symptom:* yellow icon. *Cause:* graphic detail, profanity in quotes. *Prevent:* bleep/omit profanity in quotes, no gore; keep tone factual. *Check:* `[HUMAN]`.
- **FM-P11 Misleading metadata in description/tags.** *Symptom:* unrelated keywords. *Prevent:* tags only for the case and its people/places [22]. *Check:* `[HUMAN]`.

S - Story

- **FM-S01 Weak hook.** *Symptom:* intro retention low; first 30 s explains instead of shows. *Prevent:* H1-H3 (shock fact/visual <= 5 s, question <= 8 s, promise <= 15 s); open on the fall. *Check:* `[CODE]` craft_check H1/H2, score_script –hooks.
- **FM-S02 Sagging middle.** *Symptom:* retention slope steepens around 40-60 %. *Prevent:* mid-point twist

near 40 % with board change and higher stakes; each chapter has one peak visual. *Check:* `[CODE-TODO]` fm_check S02 (a line with `preset: tension` or `trans` within 35-45 % of lines).

- **FM-S03 Open loop never closed.** *Symptom:* a question asked and never answered. *Prevent:* beats.md loop ledger; every opened loop has a closing row. *Check:* `[CODE-TODO]` fm_check S03 (loops in beats.md opened vs closed).
- **FM-S04 No payoff / flat ending.** *Symptom:* video stops after the sentencing. *Prevent:* return to the cold open with new meaning; quotable last line; one usable lesson. *Check:* `[HUMAN]`.
- **FM-S05 Too many names.** *Symptom:* viewers lose track. *Prevent:* <= 5 named real people on screen per episode (proposal); role label every time; others as roles ("a London lawyer"). *Check:* `[CODE-TODO]` fm_check S05 (count `name` shots + capitalised names in bible.md list).
- **FM-S06 Repetition.** *Symptom:* the same fact said twice. *Prevent:* each F-id is the main point of at most one line (it can be referenced again only as a callback). *Check:* `[CODE-TODO]` fm_check S06 (same F-id as sole src on > 2 lines -> REVIEW).
- **FM-S07 Chapter seam feels like a restart.** *Symptom:* re-introductions, music restart, "welcome back". *Prevent:* treat the episode as one film [13]; handoff shots; no recap longer than one line. *Check:* `[HUMAN]` seam review (chapters.md).
- **FM-S08 Chronology confusion.** *Symptom:* flash-forward not signalled. *Prevent:* every time jump gets a dateline card or flapboard date; flashback flag in shots.json. *Check:* `[HUMAN]`.
- **FM-S09 Explaining before caring.** *Symptom:* 60 s of mechanism before a human stake. *Prevent:* a person (composite) or a consequence before each explanation block. *Check:* `[HUMAN]`.
- **FM-S10 Jargon unexplained.** *Symptom:* "MLM", "blockchain" used bare. *Prevent:* explain the first use on screen. *Check:* `[CODE]` score_script jargon.
- **FM-S11 Moralising / outrage tone.** *Symptom:* narrator calls people names. *Prevent:* let documents land; dry lines, never two in a row. *Check:* `[HUMAN]`.
- **FM-S12 Thin case.** *Symptom:* not enough assets or sources for 8 minutes. *Prevent:* brief.md asset check (10+ licence-safe assets). *Check:* `[HUMAN]` at Stage 0.
- **FM-S13 Runtime out of band.** *Symptom:* < 8 or > 12 min. *Prevent:* 165 wpm estimate in script.md; check after voice. *Check:* `[CODE]` wis check; `[CODE-TODO]` fm_check S13 (word count / 165 + gaps).
- **FM-S14 Promise drift.** *Symptom:* the video answers a different question than the title asks. *Prevent:* brief.md question is pasted at the top of beats.md and script.md. *Check:* `[HUMAN]`.

W - Script (writing for TTS)

- **FM-W01 Mispronounced names.** *Symptom:* TTS says a Bulgarian name wrongly, or differently each time. *Prevent:* bible.md pronunciation list; `say` field; same spelling every time. *Check:* `[CODE-TODO]` fm_check W01 (names in bible.md pronunciations appear in `text` without a `say` on that line).
- **FM-W02 Numbers/dates read wrong.** *Symptom:* "$4B" read as "four B"; "2017" as "two zero one seven". *Prevent:* numbers and dates as words in `text`; figures only on screen. *Check:* `[CODE-TODO]` fm_check W02 (digits, $, %, symbols in `text`).
- **FM-W03 Sentences too long.** *Symptom:* breathless voice, one picture for 8 s. *Prevent:* <= 20 words per line (AGENTS rule 10). *Check:* `[CODE]` motion_check N2; `[CODE-TODO]` fm_check W03.
- **FM-W04 No pauses.** *Symptom:* questions run into answers. *Prevent:* gap >= 0.5 s after a question; ~1 s before the twist. *Check:* `[CODE]` motion_check N3; fm_check W04.
- **FM-W05 Acronyms.** *Symptom:* "FBI" read as a word. *Prevent:* write "F.B.I." or a `say`. *Check:* `[CODE-TODO]` fm_check W05 (all-caps words of 2-5 letters in `text`).
- **FM-W06 Homographs.** *Symptom:* "lead", "live", "record" stressed wrong. *Prevent:* rephrase or `say`. *Check:* `[HUMAN]` listen.
- **FM-W07 Captions differ from voice.** *Symptom:* caption shows words not spoken. *Prevent:* captions come from `text`, keywords only; `say` never shown. *Check:* `[CODE]` v5 keywords.
- **FM-W08 Banned openers.** *Symptom:* "let's get into it", "in this video", greetings. *Prevent:* AGENTS rule 10. *Check:* `[CODE-TODO]` fm_check W08.
- **FM-W09 Quote voiced as narrator's claim.** *Symptom:* listener can't tell a quote from narration. *Prevent:* "In his words:" before quotes; quote card on screen. *Check:* `[HUMAN]`.

V - Voice

- **FM-V01 Artefacts.** *Symptom:* clicks, robotic warble, cut-off word, breath noise. *Prevent:* vo_qc + whisper word timing; redo only failed lines. *Check:* `[CODE]` worker_voice vo_qc.json.
- **FM-V02 Level drift between chapters.** *Symptom:* chapter 4 voice louder than chapter 2. *Cause:* lines voiced in different runs. *Prevent:* per-line loudness normalisation before mix; measure on the joined episode; Netflix keeps dialogue loudness range within 10 LU as best practice [16]. *Check:* `[CODE-TODO]` fm_check V02 (per-line LUFS spread from vo_qc > 3 LU -> REVIEW) **(proposal)**.
- **FM-V03 Emotion mismatch.** *Symptom:* cheerful read on a tragic line. *Prevent:* `preset` matches the beat (tension/dry/beat/question/facts). *Check:* `[HUMAN]` listen to every tension and beat line.
- **FM-V04 Reference drift.** *Symptom:* voice timbre changes. *Cause:* reference changed or a different engine. *Prevent:* never change ref_michael.wav; no edge-tts. *Check:* `[CODE-TODO]` fm_check V04 (sha256 of the reference against the recorded hash).
- **FM-V05 Wrong pace.** *Symptom:* > 180 or < 140 wpm on a line (proposal band). *Prevent:* re-voice; edit text. *Check:* `[CODE-TODO]` fm_check V05 (word timings).
- **FM-V06 Word timing off.** *Symptom:* keyword captions land early/late. *Prevent:* whisper_words alignment; re-align after any redo. *Check:* `[CODE]` assemble/shotspec.

G - Visuals

- **FM-G01 Empty frame.** *Symptom:* big flat areas, lonely object. *Prevent:* flat area <= 35 %; depth layers on every board. *Check:* `[CODE]` frame_fill.py.
- **FM-G02 Repeated assets.** *Symptom:* the same photo twice, same shot type 3x in a row. *Prevent:* P4; each media key used once unless it is a motif listed in bible.md. *Check:* `[CODE]` craft_check P4/repeats; `[CODE-TODO]` fm_check G02 (media key reuse across chapters).
- **FM-G03 Style drift across chapters.** *Symptom:* chapter 5 looks like a different channel. *Cause:* new templates added late, different seeds. *Prevent:* bible.md palette; only SHOTS.md templates; chapter-1 look approved by owner and frozen. *Check:* `[HUMAN]` side-by-side contact sheet; `[CODE]` motion_check theme contrast.
- **FM-G04 Unreadable text.** *Symptom:* small, low-contrast, moving text. *Prevent:* 76/36/25 px; 4.5:1; read time 1 s per 13 characters (T1). *Check:* `[CODE]` motion_check L2/contrast, craft_check T1.
- **FM-G05 AI artefacts.** *Symptom:* extra fingers, melted objects, impossible signage. *Prevent:* faceless/no-people prompts, CPU QC, look at every AI picture at full size; redo with new seed. *Check:* `[CODE]` worker_images qc; `[HUMAN]`.
- **FM-G06 Text inside generated pictures (stop).** *Symptom:* gibberish letters on signs. *Prevent:* prompts forbid text; words drawn by code. *Check:* `[CODE]` worker_images text QC.
- **FM-G07 Too many AI pictures.** *Symptom:* > 6 per episode. *Prevent:* reuse via parallax/crops; code templates first. *Check:* `[CODE]` craft_check.
- **FM-G08 Fake-looking evidence.** *Symptom:* a recreated document/app screen mistaken for real. *Prevent:* tag ILLUSTRATIVE / RECREATED on every recreation (SHOTS.md tags); never fake a real outlet's headline layout without the real text and source. *Check:* `[CODE-TODO]` fm_check G08 (shots with `recreated/illustrative` types lacking the tag).
- **FM-G09 Wrong map or flag.** *Symptom:* wrong country highlighted, outdated border, wrong flag. *Prevent:* ISO-3 codes from a list; map shows change (route, fill, date, 2+ pins); never two map flights in a row. *Check:* `[CODE]` motion_check E1; `[CODE-TODO]` fm_check G09 (highlight codes valid ISO-3; pins have lat/lon in range).
- **FM-G10 Invented clock times.** *Symptom:* CCTV or flapboard shows a precise time that no source gives. *Prevent:* "–:–" or running counters only (T29/T32). *Check:* `[CODE-TODO]` fm_check G10 (time strings HH:MM in flapboard/cctv rows).
- **FM-G11 Accent overuse / red-green meaning.** *Prevent:* accent <= 15 %; never red vs green alone. *Check:* `[CODE]` motion_check C2.
- **FM-G12 Flashing.** *Prevent:* <= 3 flashes per second. *Check:* `[CODE]` motion_check M10.
- **FM-G13 Picture before voice.** *Prevent:* AGENTS rule 1. *Check:* `[CODE]` motion_check N4.
- **FM-G14 Still too long.** *Prevent:* nothing still > 2.5 s. *Check:* `[CODE]` craft_check P1.
- **FM-G15 Safe area / UI overlap.** *Symptom:* key text under the YouTube progress bar or end-screen elements. *Prevent:* keep key text out of the bottom 10 % and the end-screen zones in the last 20 s **(proposal)**. *Check:* `[CODE-TODO]` fm_check G15.

- **FM-G16 Photo quality.** *Symptom:* blurry, signage-heavy, empty-middle photos. *Check:* `[CODE]` photo_score.

A - Audio

- **FM-A01 SFX lag.** *Symptom:* whoosh after the movement. *Prevent:* sounds within 2 frames of their event. *Check:* `[CODE]` automix S5.
- **FM-A02 Music fights the voice.** *Symptom:* words masked. *Prevent:* static bed 22 dB under the voice, band 18-25 dB; alert when a line is < 8 dB over the bed **(owner)**. *Check:* `[CODE]` automix audio_qc.
- **FM-A03 Banned sounds.** *Prevent:* no coin/ding/cash/game-UI **(owner)**. *Check:* `[CODE]` automix S2.
- **FM-A04 Loudness jump at chapter joins.** *Symptom:* step in level at a seam. *Cause:* chapters mixed separately. *Prevent:* mix and master the joined episode once; one loudness pass. *Check:* `[CODE-TODO]` fm_check A04 (short-term loudness 3 s either side of each chapter start differs > 3 LU -> REVIEW) **(proposal)**.
- **FM-A05 Clipping / true peak.** *Prevent:* master -14 LUFS integrated, true peak <= -1 dBTP (repo master.py/automix; matches YouTube-playback practice and AES streaming peak guidance [18]; Netflix's own spec is -27 LKFS dialogue-gated, -2 dBTP [16]). *Check:* `[CODE]` automix audio_qc `ok`.
- **FM-A06 Dynamic range too wide.** *Symptom:* quiet voice, loud stings. *Prevent:* keep loudness range moderate; Netflix best-practice LRA 4-18 LU for programme [16]; our LRA target 11 (master.py). *Check:* `[CODE]` master loudnorm print.
- **FM-A07 Ambience left running.** *Symptom:* airport hum under a courtroom scene. *Prevent:* `amb` per shot ends with the scene; fades <= 0.5 s **(proposal)**. *Check:* `[CODE-TODO]` fm_check A07 (amb spans across a chapter card).
- **FM-A08 Silence holes.** *Symptom:* dead air > 1.5 s without intent. *Prevent:* only planned silences (before twist). *Check:* `[CODE-TODO]` fm_check A08 (gaps > 1.5 s not on a beat/question line).
- **FM-A09 Music ends mid-part.** *Symptom:* bed runs out and loops audibly. *Prevent:* bed length >= part length or a planned loop point on a bar. *Check:* `[CODE-TODO]` fm_check A09.
- **FM-A10 Uncredited sound.** *Prevent:* kit/sfx + ATTRIBUTION only. *Check:* `[HUMAN]`.

C - Chapter sync and continuity

- **FM-C01 Counter jumps or goes backwards.** *Symptom:* "$4B" in chapter 3, "$2B" in chapter 4 for the same metric. *Prevent:* bible.md counter ledger; chapter exit value = next entry value; every value an F-id figure. *Check:* `[CODE-TODO]` fm_check C01 (counter_to values monotonic unless marked `reset`).
- **FM-C02 Colour change inside a part.** *Prevent:* board/accent change only at a chapter card that starts a part. *Check:* `[CODE-TODO]` fm_check C02 (`color/mood` board changes not on a `chapter` shot).
- **FM-C03 Character look changes.** *Symptom:* composite's coat colour or shape changes. *Prevent:* bible.md look; same seed family and prompt stem. *Check:* `[HUMAN]` contact sheet; `[CODE-TODO]` fm_check C03 (cast prompts share stem).
- **FM-C04 Name/role label changes.** *Symptom:* "co-founder" then "partner". *Prevent:* bible.md labels. *Check:* `[CODE-TODO]` fm_check C04 (name shots: same name, different role).
- **FM-C05 Music key/tempo clash at joins.** *Symptom:* audible key change or tempo jump mid-part. *Prevent:* one bed per part; changes only on chapter cards; `music` list length = parts. *Check:* `[CODE-TODO]` fm_check C05 (len(music) == number of chapter cards + 1).
- **FM-C06 Accidental jump cut at seams.** *Prevent:* handoff shot defined in chapters.md. *Check:* `[HUMAN]` seam review.
- **FM-C07 Same template across a seam 3x.** *Prevent:* P4 across chapter boundaries too. *Check:* `[CODE]` craft_check P4 (runs on whole shots.json).
- **FM-C08 Line ids shift after edits.** *Symptom:* shots point at the wrong line after inserting a line. *Prevent:* never renumber; insert with new ids or update `at` in one scripted pass. *Check:* `[CODE-TODO]` fm_check C08 (every `at` exists in lines.json; ids unique).
- **FM-C09 Recap duplication.** *Prevent:* recap <= one line at a part start. *Check:* `[HUMAN]`.
- **FM-C10 Time-of-day/season inconsistency in story stills.** *Prevent:* bible.md notes for each recurring set. *Check:* `[HUMAN]`.

X - Render and pipeline

- **FM-X01 Cache staleness.** *Symptom:* old picture/line appears after an edit. *Cause:* cache key missing a changed input. *Prevent:* job_hash includes prompt, seed, size, model; shot cache includes spec + inputs; redo_* flags. *Check:* `[CODE]` worker hashing; `[HUMAN]` spot-check edited shots.
- **FM-X02 Non-determinism.** *Symptom:* re-render differs. *Prevent:* crc32 seeds only. *Check:* `[CODE]` motion_check W1, determinism probe W2.
- **FM-X03 Out of memory.** *Symptom:* worker killed mid-render. *Prevent:* render_batch in parallel chunks; frames streamed to ffmpeg; heavy lock. *Check:* `[CODE]` summary.json status.
- **FM-X04 Partial render shipped.** *Symptom:* video shorter than the timeline; missing chapter. *Prevent:* join step verifies frame count = timeline length. *Check:* `[CODE-TODO]` fm_check X04 (video duration vs timeline end, > 0.5 s gap -> FAIL).
- **FM-X05 Audio/video drift.** *Symptom:* lips-free but SFX drift late in the video. *Prevent:* one timeline, 30 fps constant. *Check:* `[CODE-TODO]` fm_check X05 (ffprobe stream durations differ > 0.1 s).
- **FM-X06 Wrong format.** *Prevent:* 1920x1080, 30 fps (edhelpers). *Check:* `[CODE-TODO]` fm_check X06 (ffprobe).
- **FM-X07 Missing font/glyph.** *Symptom:* boxes instead of characters. *Prevent:* kit fonts only; normaliser for special characters. *Check:* `[CODE-TODO]` fm_check X07 (characters outside font coverage in shots text).
- **FM-X08 Cost overrun.** *Prevent:* max_gpu_seconds guard; test first; cost_report per run. *Check:* `[CODE]` cost.py guard.
- **FM-X09 Redo everything.** *Symptom:* full GPU run for a one-line fix. *Prevent:* redo_lines / redo_images only. *Check:* `[HUMAN]` plan line.
- **FM-X10 Paying for a broken plan.** *Prevent:* free checks + local frames before any spend. *Check:* `[CODE]` FAIL stops before money.
- **FM-X11 Same error loop.** *Prevent:* same error 3 times -> stop, open issue `[blocked] <ep> <step>`. *Check:* `[HUMAN]`.
- **FM-X12 Secret leak (stop).** *Symptom:* token in a file, log, commit or prompt. *Prevent:* GitHub secrets only; never echo env. *Check:* `[CODE-TODO]` fm_check X12 (regex scan for token patterns in tracked files) - implemented.
- **FM-X13 Heavy files in git.** *Prevent:* .gitignore for wav/mp4; outputs on branches/artifacts. *Check:* `[CODE-TODO]` fm_check X13 (tracked files > 20 MB).
- **FM-X14 Invalid JSON.** *Prevent:* parse before commit. *Check:* `[CODE-TODO]` fm_check X14 - implemented.
- **FM-X15 Model/tool version change.** *Symptom:* look or voice changes after an update. *Prevent:* pin versions in workflows; note changes in git log. *Check:* `[HUMAN]`.

K - Packaging

- **FM-K01 Title overpromises.** *Prevent:* only facts from `title_facts` (sourced); <= 60 characters (package.py K3). *Check:* `[CODE]` package.py.
- **FM-K02 Thumbnail unreadable on a phone.** *Prevent:* phone mock score; <= 3 words. *Check:* `[CODE]` thumbnail.py score.
- **FM-K03 Title and thumbnail repeat each other.** *Prevent:* they say one promise together, different words (THUMBNAILS.md). *Check:* `[CODE-TODO]` fm_check K03 (word overlap).
- **FM-K04 Description missing sources/credits.** *Prevent:* sources with URLs, TASL credits, music credits, dramatisation and AI note. *Check:* `[CODE-TODO]` fm_check K04 (package/description has F-id URLs, every credits.json entry).
- **FM-K05 Chapters broken.** *Symptom:* chapters do not show. *Prevent:* first timestamp 00:00, >= 3 timestamps ascending, each >= 10 s [25]. *Check:* `[CODE-TODO]` fm_check K05 - implemented on package/chapters.txt or description.
- **FM-K06 Chapter titles mislead.** *Prevent:* a chapter label is a promise about its section; match content. *Check:* `[HUMAN]`.
- **FM-K07 End screen dead stretch.** *Prevent:* end screen in the last 20 s, no "thanks for watching" before it (RETENTION.md). *Check:* `[CODE]` endscreen shot exists; `[HUMAN]`.
- **FM-K08 Wrong AI-disclosure setting at upload.** *Prevent:* PUBLISH_CHECKLIST line; see FM-P03. *Check:* `[HUMAN]`.
- **FM-K09 Captions file missing or wrong.** *Prevent:* upload the script-based SRT, not auto captions. *Check:* `[HUMAN]`.

- **FM-K10 Publish without owner approval (stop).** *Prevent:* FINAL REVIEW PR merged by the owner. *Check:* `[CODE]` gates.yml state.

O - Owner and process

- **FM-O01 Approving for the owner (stop).** *Prevent:* never merge gate PRs. *Check:* `[CODE]` gates.yml.
- **FM-O02 Late big feedback.** *Symptom:* owner changes the look after full render. *Prevent:* chapter-1 look approved before the other chapters are built. *Check:* `[HUMAN]` chapters.md sign-off line.
- **FM-O03 Unrecorded decisions.** *Symptom:* next AI run undoes an owner choice. *Prevent:* owner decisions written at the top of the relevant doc with date. *Check:* `[HUMAN]`.
- **FM-O04 Asking too much.** *Symptom:* owner gets 10 questions. *Prevent:* ask only the DIRECTOR_PROMPT section 7 list, one question with a recommendation. *Check:* `[HUMAN]`.
- **FM-O05 Drift from the repo rules.** *Symptom:* AI follows its own taste over AGENTS.md. *Prevent:* repo docs win; conflicts flagged. *Check:* `[HUMAN]`.

Count: 134 rules (R 13, L 15, P 11, S 14, W 9, V 6, G 16, A 10, C 10, X 15, K 10, O 5).

Sources

[1]-[15], [20], [22], [23], [25], [28], [29], [31], [32]: see `docs/DIRECTOR_PROMPT.md` (Johnny Harris interviews, Vox producer and art-director interviews, Netflix docuseries editor interviews, Murch, YouTube Help pages, Creative Commons, RCFP, Ashurst). [16] Netflix Partner Help Center, "Netflix Sound Mix Specifications & Best Practices v1.6" (-27 LKFS +/-2 LU dialog-gated; peaks <= -2 dBTP; limiter -2.3 dBFS; programme LRA 4-18 LU; dialog LRA <= 10 LU), https://partnerhelp.netflixstudios.com/hc/en-us/articles/360001794307-Netflix-Sound-Mix-Specifications-Best-Practices-v1-6 [R, 2026-11-06] [17] Netflix Partner Help Center, "Loudness and True Peaks: How to Measure and When to Flag" (QC tolerance -1 dBTP), https://partnerhelp.netflixstudios.com/hc/en-us/articles/360050414014-Loudness-and-True-Peaks-How-to-Measure-and-When-to-Flag [S] [18] AES TD1008, "Recommendations for Loudness of Internet Audio Streaming and On-demand Distribution" (speech -18 LUFS; max true peak -1 dBTP), https://aes2.org/wp-content/uploads/2024/01/20210924_TD1008_v3.13.pdf [S] [19] EBU R 128 (programme loudness -23 LUFS; true-peak descriptor), https://tech.ebu.ch/publications/r128/ [S] [21] YouTube Help, "YouTube channel monetization policies" (inauthentic/generic content, reused content, AI personas on finance), https://support.google.com/youtube/answer/1311392 [R, 2026-11-06] [24] YouTube Help, "Thumbnails policy", https://support.google.com/youtube/answer/9229980 [S] [26] YouTube Help, "How Content ID works" https://support.google.com/youtube/answer/2797370 and "Content eligible for Content ID" (CC-licensed and public-domain material ineligible as references) https://support.google.com/youtube/answer/2605065 [S] [27] U.S. Copyright Office, "More Information on Fair Use" (four factors) https://www.copyright.gov/fair-use/more-info.html and Fair Use FAQ (no fixed amount) https://www.copyright.gov/help/faq/faq-fairuse.html [S] [30] Digital Media Law Project, "Fair Report Privilege" http://www.dmlp.org/legal-guide/fair-report-privilege and "Opinion and Fair Comment Privileges" http://www.dmlp.org/legal-guide/opinion-and-fair-comment-privileges [S] Also used: PBS Standards, "Media Law 101: Defamation", https://www.pbs.org/standards/media-law-101/defamation/ [S]; Storybench interview with Vox art director (see [9]).