

Install Tomcat

```
- wget https://dlcdn.apache.org/tomcat/tomcat-8/v8.5.82/bin/apache-tomcat-8.5.82.tar.gz
```

to Untar

```
- tar -zxvf apache-tomcat-8.5.82.tar.gz
```

to run the services

```
- cd apache-tomcat-8.5.82
- cd bin
```

to check the whether it is running

```
- ps -ef | grep tomcat
```

to check the permissions

```
ls -l
```

To update the permssions]

```
- chmod +x startup.sh
- chmod +x shutdown.sh
```

to start the services

go to

```
- cd bin
- ./startup.sh
```

to change the port no

```
- cd conf
- vi server.xml
- chanage the port no to 8090
```

Restart the server

```
- ./shutdown.sh
- ./startup.sh
```

You are not authorized to view this page.

By default the Manager is only accessible from a browser running on the same machine as Tomcat. If you wish to modify this restriction, you'll need to edit the Manager's context.xml file.

```
- find / -name context.xml
```

Usually it will under 2 places, and it needs to be changed in both the places

tomcat/apache-tomcat-8.5.82/webapps/host-manager/META-INF/context.xml

tomcat/apache-tomcat-8.5.82/webapps/manager/META-INF/context.xml

```
- vi context.xml
```

And comment the value using below codees

```
<!-- -->
```

Sample

```
<!-- <Valve className="org.apache.catalina.valves.RemoteAddrValve"
allow="127\.\d+\.\d+\.\d+|::1|0:0:0:0:0:0:0:1" /> -->
```

Update users information in the tomcat-users.xml file goto tomcat home directory and Add below users to

tomcat/apache-tomcat-8.5.82/conf/tomcat-users.xml file

- cd conf

```
<role rolename="manager-gui"/>
<role rolename="manager-script"/>
<role rolename="manager-jmx"/>
<role rolename="manager-status"/>
<user username="admin" password="admin" roles="manager-gui, manager-script, manager-jmx, manager-
status"/>
<user username="deployer" password="deployer" roles="manager-script"/>
<user username="tomcat" password="s3cret" roles="manager-gui"/>
```