

Logic Building Assignment: 4

Calculate Time Complexity of each program.

1. Write a program which accept number from user and display its multiplication of factors.

```
Input:
           12
Output:
           144
                     (1*2*3*4*6)
Input:
           13
Output:
                     (1)
           1
Input:
           10
Output:
                     (1*2*5)
           10
#include<stdio.h>
int MultFact(int iNo)
{
     // Logic
}
int main()
{
     int iValue = 0;
     int iRet = 0;
     printf("Enter number");
     scanf("%d",&iValue);
     iRet = MultFact(iValue);
     printf("%d",iRet);
     return 0;
}
```

2. Write a program which accept number from user and display its factors in decreasing order.

Input: 12

Output: 6 4 3 2 1



```
Input:
           13
Output:
           1
Input:
           10
Output:
           5
                2
                      1
#include<stdio.h>
void FactRev(int iNo)
{
     // Logic
}
int main()
{
     int iValue = 0;
     printf("Enter number");
     scanf("%d",&iValue);
     FactRev(iValue);
     return 0;
}
3. Write a program which accept number from user and display all its non factors.
Input:
           12
Output:
           5
                7
                      8
                           9
                                 10
                                       11
Input:
           13
Output:
           2
                3
                           5
                                 6
                                       7
                                            8
                                                  9
                                                       10
                                                             11
                                                                  12
                      4
Input:
           10
Output:
                4
                      6
                           7
                                 8
                                      9
           3
#include<stdio.h>
void NonFact(int iNo)
{
     // Logic
}
```



```
int main()
{
     int iValue = 0;
     printf("Enter number");
     scanf("%d",&iValue);
     NonFact(iValue);
     return 0;
}
4. Write a program which accept number from user and return summation of all its
  non factors.
Input:
           12
Output:
           50
Input:
           10
Output:
           37
#include<stdio.h>
```

```
int SumNonFact(int iNo)
{
     // Logic
}
int main()
{
     int iValue = 0;
     int iRet = 0;
     printf("Enter number");
     scanf("%d",&iValue);
     iRet = SumNonFact(iValue);
     printf("%d",iRet);
     return 0;
}
```

5. Write a program which accept number from user and return difference between summation of all its factors and non factors.



```
Input:
           12
Output:
           -34
                     (16 - 50)
Input:
           10
           -29 (8 - 37)
Output:
#include<stdio.h>
int FactDiff(int iNo)
{
     // Logic
}
int main()
{
     int iValue = 0;
     int iRet = 0;
     printf("Enter number");
     scanf("%d",&iValue);
     iRet = FactDiff(iValue);
     printf("%d",iRet);
     return 0;
}
```