

ALUMINIUM PROFILES

Profile 15x30




999 100 038

Quantity/Box 192M
 Weight/M 0.567 kgs
 Weight/Box 56 kgs
 Moment of Inertia (Ix) 0.8cm⁴
 (Iy) 0.8cm⁴
 Profile Surface 211mm²

Application:

Machinery
 3D Printers



1

Profile 15x120




999 100 001

Quantity/Box 48M
 Weight/M 2.11kgs
 Weight/Box 101kgs
 Moment of Inertia (Ix) 110.4cm⁴
 (Iy) 2.2cm⁴
 Profile Surface 794mm²

Application:

Machinery
 3D Printers



Profile 20x20 T-Slot




999 100 002

Quantity/Box 216M
 Weight/M 0.420kgs
 Weight/Box 92kgs
 Moment of Inertia (Ix) 0.7cm⁴
 (Iy) 0.7cm⁴
 Profile Surface 146mm²

Application:

Decorations
 workstations
 Machinery
 Automation parts



DRILL Ø4.2mm For M5 Tap

DRILL Ø5mm For M6 Tap



6 AUTOMATION





ALUMINIUM PROFILES

999 100 045

Profile 20x20 T-Slot Radius

1



DRILL Ø5mm For M6 Tap

Quantity/Box	216M
Weight/M	0.429kgs
Weight/Box	94 kgs
Moment of Inertia	(Ix)0.65cm ⁴ (Iy)0.65cm ⁴
Profile Surface	297.18mm ²


Application:

Robot Frame
Automation parts

For corner Bracket : M7 Tap

999 100 004

Profile 20x40T-Slot



DRILL Ø5mm For M6 Tap


Quantity/Box	108M
Weight/M	0.75kgs
Weight/Box	83kgs
Moment of Inertia	(Ix) 4.6cm ⁴ (Iy) 1.2cm ⁴
Profile Surface	279mm ²

Application:

Robot Frame
Automation parts

999 100 034

Profile 20x60 T-Slot



DRILL Ø5mm For M6 Tap

Quantity/Box	72M
Weight/M	1.09 kgs
Weight/Box	81kgs
Moment of Inertia	(Ix)13.9cm ⁴ (Iy)1.5cm ⁴
Profile Surface	406.3 mm ²

Application:

Robot Frame
Automation parts

ALUMINIUM PROFILES

Profile 20x20 V-Slot


999 100 003

Quantity/Box 216M
Weight/M 0.442kgs
Weight/Box 97 kgs
Moment of Inertia (Ix) 0.7cm⁴
(Iy) 0.7cm⁴

Profile Surface 132mm²

Application:

Decorations
workstations
Machinery
Automation parts



DRILL Ø5mm For M6 Tap



1


Profile 20x40V-Slot

999 100 005

Quantity/Box 108M
Weight/M 0.75kgs
Weight/Box 83kgs
Moment of Inertia (Ix) 4.6cm⁴
(Iy) 1.2cm⁴
Profile Surface 289mm²

Application:

Robot Frame
Automation parts



DRILL Ø5mm For M6 Tap




Profile 20x40x80 V-Slot C Type

999 100 036


Quantity/Box 30M
Weight/M 2.03kgs
Weight/Box 62kgs
Moment of Inertia (Ix) 48.31cm⁴
(Iy) 21.42cm⁴
Profile Surface 754mm²

Application:

Robot Frame
Automation parts



DRILL Ø5mm For M6 Tap




ALUMINIUM PROFILES

1

999 100 006

Profile 30x30




Quantity/Box 96M
Weight/M 0.763kgs
Weight/Box 75kgs
Moment of Inertia (Ix) 2.7 cm⁴
(Iy) 2.7 cm⁴
Profile Surface 284mm²

Application:

Machine cover
Show board
Design Line

999 100 007

Prfoile 30x30R



Quantity/Box 96M
Weight/M 0.76kgs
Weight/Box 25kgs
Moment of Inertia (Ix) 2.4 cm⁴
(Iy) 2.4 cm⁴


Profile Surface 300mm²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap

999 100 008

Profile 30x30 2-Slot(2SideClosed)



Quantity/Box 96M
Weight/M 0.859kgs
Weight/Box 84kgs
Moment of Inertia (Ix) 3.1 cm⁴
(Iy) 3.1 cm⁴

Profile Surface 333mm²

Application:

Light structures
Enclosures
Workstations

9 AUTOMATION



ALUMINIUM PROFILES

Profile 30x60




999 100 009

1

Quantity/Box 48M
Weight/M 1.40kgs
Weight/Box 69kgs
Moment of Inertia (Ix) 18.8cm⁴
(Iy) 6.0cm⁴
Profile Surface 1002mm²

Application:

Assembly line
Flat belt conveyor
Machine cover



Profile 30x90




999 100 035

Quantity/Box 36M
Weight/M 1.99 kgs
Weight/Box 73 kgs
Moment of Inertia (Ix) 58.2cm⁴
(Iy) 7.5cm⁴
Profile Surface 739mm²

Application:

Assembly line
work station
Table
Protection barrier



Profile 40x40




999 100 010

Quantity/Box 54M
Weight/M 1.16kgs
Weight/Box 64kgs
Moment of Inertia (Ix) 7.9cm⁴
(Iy) 7.9cm⁴
Profile Surface 430mm²

Application:



Assembly line
work station
Table
Protection barrier



ALUMINIUM PROFILES

999 100 046

40x40 Light




Quantity/Box	54M
Weight/M	1.062kgs
Weight/Box	58kgs
Moment of Inertia	(Ix) 6.2 cm ⁴ (Iy) 6.2 cm ⁴
Profile Surface	387.81mm ²

Application:
Assembly line
Workstation
Table

1

999 100 011

Profile 40x40 1-Slot (3 Side Closed)




Quantity/Box	54M
Weight/M	1.44kgs
Weight/Box	80kgs
Moment of Inertia	(Ix) 9.8 cm ⁴ (Iy) 10.3 cm ⁴
Profile Surface	533mm ²

Application:

Assembly line
Workstation
Table

999 100 012

Profile 40x40 2-Slot (2 Side Closed)



Quantity/Box	54M
Weight/M	1.39kgs
Weight/Box	77kgs
Moment of Inertia	(Ix) 9,7 cm ⁴ (Iy) 9,7 cm ⁴
Profile Surface	515mm ²

Application:

Assembly line
Workstation

11 AUTOMATION



ALUMINIUM PROFILES

Profile 40x40 3-Slot(1 Side Closed) 


999 100 013

1

Quantity/Box 54M
Weight/M 1.21kgs
Weight/Box 67kgs
Moment of Inertia (Ix) 9,7 cm⁴
(Iy) 9,0 cm⁴
Profile Surface 447mm²

Application:

Assembly line
Workstation
Table




Profile 40x40 R 

999 100 014

Quantity/Box 24M
Weight/M 1.09kgs
Weight/Box 35kgs
Moment of Inertia (Ix) 7,2 cm⁴
(Iy) 7,2 cm⁴
Profile Surface 405mm²

Application:

Work bench
Table
machine cover
Design line




Profile 40x40 Heavy 

999 100 015

Quantity/Box 54M
Weight/M 1.56kgs
Weight/Box 86kgs
Moment of Inertia (Ix) 12,1 cm⁴
(Iy) 12,1 cm⁴
Profile Surface 581mm²

Application:

Heavy rigid machine frame
work bench




ALUMINIUM PROFILES

999 100 016



Profile 40x80





Quantity/Box 30M
Weight/M 2.29kgs
Weight/Box 57kgs
Moment of Inertia (Ix) 59,6cm⁴
(Iy) 16,3cm⁴
Profile Surface 849mm²

Application:

Rigid machine frame
work bench

999 100 043

Profile 40x80 Heavy 



Quantity/Box 30M
Weight/M 2.76 kgs
Weight/Box 84 kgs
Moment of Inertia (Ix) 94 cm⁴
(Iy) 25.95 cm⁴

Profile Surface 1021.99 mm²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap

ALUMINIUM PROFILES

Profile 40x120




999 100 017

Quantity/Box 18M
Weight/M 3.18kgs
Weight/Box 59kgs
Moment of Inertia (Ix) 203,2cm⁴
(Iy) 27,8cm⁴

Profile Surface 1177mm²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap



Profile 40x160




999 100 018

Quantity/Box 12M
Weight/M 4.9kgs
Weight/Box 90kgs
Moment of Inertia (Ix) 446.7cm⁴
(Iy) 37cm⁴

Profile Surface 1816mm²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap



Profile 45x45




999 100 019

Quantity/Box 54M
Weight/M 1.35kgs
Weight/Box 66kgs
Moment of Inertia (Ix) 11,0cm⁴
(Iy) 11,0cm⁴

Profile Surface 498mm²

Application:

Assembly line
work station
Table
Protection barrier
Machine cover





ALUMINIUM PROFILES

999 100 047

45x45 Light



1




Quantity/Box	54M
Weight/M	1.232kgs
Weight/Box	68kgs
Moment of Inertia (Ix)	9.1cm ⁴
(Iy)	9.1cm ⁴
Profile Surface	447.98mm ²

Application:

Protection barrier
Light weight design
Exhibition stand construction
Design line

999 100 020

Profile 45x45 1-Slot(3 Side Closed)




Quantity/Box	54M
Weight/M	1.67kgs
Weight/Box	60.12kgs
Moment of Inertia (Ix)	13.5cm ⁴
(Iy)	13.4cm ⁴
Profile Surface	619mm ²

Application:

Protection barrier
Light weight design
Table
Exhibition stand construction
Design line

999 100 021

Profile 45x45 2-Slot(2 Side Closed)



Quantity/Box	54M
Weight/M	1.62kgs
Weight/Box	70kgs
Moment of Inertia (Ix)	13.7cm ⁴
(Iy)	13.7cm ⁴
Profile Surface	601mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap

ALUMINIUM PROFILES

Profile 45x45 Heavy




999 100 022

Quantity/Box	48M
Weight/M	1.95kgs
Weight/Box	72kgs
Moment of Inertia	(Ix) 13.8cm ⁴ (Iy) 13.8cm ⁴
Profile Surface	724mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap



1

Profile 45x45R




999 100 023

Quantity/Box	24M
Weight/M	1.30kgs
Weight/Box	72kgs
Moment of Inertia	(Ix) 8.8cm ⁴ (Iy) 8.8cm ⁴
Profile Surface	482mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap



Prfoile 45x60




999 100 024

Quantity/Box	24M
Weight/M	2.51kgs
Weight/Box	62kgs
Moment of Inertia	(Ix) 37.23cm ⁴ (Iy) 22.83cm ⁴
Profile Surface	932mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap




ALUMINIUM PROFILES

999 100 025

Profile 45x90



1





Quantity/Box	24M
Weight/M	2.55 kgs
Weight/Box	62.5 kgs
Moment of Inertia	(Ix) 84,2cm ⁴ (Iy) 23,7cm ⁴
Profile Surface	945.36mm ²

Application:

Rigid machine frame
Work bench
Robot cell

999 100 042

Profile 45x90 Heavy




Quantity/Box	24M
Weight/M	4.04kgs
Weight/Box	98kgs
Moment of Inertia	(Ix) 120.2cm ⁴ (Iy) 30.7cm ⁴
Profile Surface	1498.99 mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap

999 100 026

Profile 50x50



Quantity/Box	24M
Weight/M	2.35kgs
Weight/Box	72kgs
Moment of Inertia	(Ix) 22.18cm ⁴ (Iy) 22.18cm ⁴
Profile Surface	866mm ²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap

ALUMINIUM PROFILES

Profile 50x100




999 100 027

Quantity/Box 24M
Weight/M 4.1 kgs
Weight/Box 100kgs
Moment of (Ix) 162,8 cm⁴
Inertia (Iy) 42,2 cm⁴
Profile Surface 1465 mm²

Application:

Light weight
Tripods
Laboratory Fixtures
Cover cap



Profile 60x60-4 Slot




999 100 028

Quantity/Box 24M
Weight/M 2.56kgs
Weight/Box 63kgs
Moment of (Ix) 38,7 cm⁴
Inertia (Iy) 38,7 cm⁴
Profile Surface 1010 mm²

Application:

Rigid machine frame
Work bench
Robot cell



Profile 60x60 4-Slot Heavy





999 100 037

Quantity/Box 24M
Weight/M 3.5kgs
Weight/Box 85kgs
Moment of (Ix) 50.3 cm⁴
Inertia (Iy) 50.3 cm⁴
Profile Surface 1296.38 mm²

Application:

Rigid machine frame
Work bench
Robot cell



18 AUTOMATION




999 100 029

Profile 60x60-8Slot



1





Quantity/Box	24M
Weight/M	2.44 kgs
Weight/Box	60 kgs
Moment of Inertia (Ix)	39.2 cm ⁴
Moment of Inertia (Iy)	39.2 cm ⁴
Profile Surface	894 mm ²

Application:

Machine frames
Work bench
Robot cell
Safety gaurds

999 100 044

Profile 60x120




Quantity/Box	24M
Weight/M	4.6 kgs
Weight/Box	101.5 kgs
Moment of Inertia (Ix)	30 cm ⁴
Moment of Inertia (Iy)	60 cm ⁴
Profile Surface	1706.8 mm ²

Application:

Rigid machine frame
Heavy duty workbench
Robot cell
Structure base beams

999 100 030

Profile 80x80



Quantity/Box	12M
Weight/M	4.22 kgs
Weight/Box	76 kgs
Moment of Inertia (Ix)	117 cm ⁴
Moment of Inertia (Iy)	117 cm ⁴
Profile Surface	1565 mm ²

Application:

Rigid machine frame
Heavy duty workbench
Robot cell
Structure base beams

TELESCOPIC PROFILE

Profile 80x120




999 100 031

Quantity/Box 6M
 Weight/M 6.07kgs
 Weight/Box 75kgs
 Moment of Inertia (Ix) 389,2 cm⁴
 (Iy) 192,8 cm⁴
 Profile Surface 1970mm²

Application:

Tripods
 Laboratory Fixtures
 Structure base beams
 Workstations
 Safety gaurding



1

Profile 80x160




999 100 032

Quantity/Box 6M
 Weight/M 10kgs
 Weight/Box 60kgs
 Moment of Inertia (Ix) 850.7 cm⁴
 (Iy) 253.4 cm⁴
 Profile Surface 3707mm²

Application:

Workstations
 Conveyors
 Structure base beams
 Tripods
 Laboratory Fixtures



Profile 90x90




999 100 033

Quantity/Box 12M
 Weight/M 4.93kgs
 Weight/Box 90kgs
 Moment of Inertia (Ix) 195 cm⁴
 (Iy) 195 cm⁴
 Profile Surface 1826mm²

Application:

Rigid machine frame
 Heavy duty workbench
 Safety Gaurding
 Structure base beams
 Robot cell




20 AUTOMATION



999 100 041

Profile 100x100 



Quantity/Box	6M
Weight/M	7.98kgs
Weight/Box	50kgs
Moment of Inertia	(Ix) 309.1cm ⁴ (Iy) 309.1cm ⁴
Profile Surface	2957.63mm ²

Application:

Tripods
Laboratory Fixtures
Structure base beams
Workstations
Safety gaurding