## SHRINIDHI 231901050

#### Ex. No.: 2 Date:13.08.2024 CRACK THE HASHES

#### Aim:

To install and crack the hashed passwords using John-the-Ripper tool in Kali Linux.

### Algorithm:

- 1. Install John-the-Ripper on your system using sudo apt install john
- 2. Prepare the hash file hashes.txt that is to be cracked.
- 3. Run John-the-Ripper specifying the path to the wordlist.txt and hashes.txt
- 4. Monitor the cracking process using status option in another terminal

```
root@ip-10-10-88-66: ~
root@ip-10-10-88-66:-# sudo apt-get install john
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer required:
  docutils-common gir1.2-goa-1.0 gir1.2-snapd-1 libpkcs11-helper1
  linux-headers-4.15.0-115 linux-headers-4.15.0-115-generic
  linux-image-4.15.0-115-generic linux-modules-4.15.0-115-generic
  linux-modules-extra-4.15.0-115-generic python-bs4 python-chardet
  python-dicttoxml python-dnspython python-html5lib python-jsonrpclib
  python-lxml python-mechanize python-olefile python-pypdf2 python-slowaes
  python-webencodings python-xlsxwriter python3-botocore python3-docutils
  python3-jmespath python3-pygments python3-roman python3-rsa
 python3-s3transfer
    'sudo apt autoremove' to remove them.
The following additional packages will be installed:
  john-data
The following NEW packages will be installed
  john john-data
0 to upgrade, 2 to newly install, 0 to remove and 356 not to upgrade.
Need to get 4,466 kB of archives.
After this operation. 7.875 kB of additional disk
```

```
root@ip-10-10-233-209: ~
root@ip-10-10-233-209:-# echo -n joshua1993| md5sum | awk '{print $1}' > hashes.
txt
root@ip-10-10-233-209:-# cat hashes.txt
046df2d40bc0a99fd11a1cc0a8e67434
root@ip-10-10-233-209:~# john  --format=raw-md5 --wordlist=/usr/share/wordlists/
rockyou.txt hashes.txt
Using default input encoding: UTF-8
Loaded 1 password hash (Raw-MD5 [MD5 256/256 AVX2 8x3])
Warning: no OpenMP support for this hash type, consider --fork=2
Press 'q' or Ctrl-C to abort, almost any other key for status
1g 0:00:00:00 DONE (2024-06-19 07:30) 33.33g/s 6668Kp/s 6668Kc/s 6668KC/s kensle
y..joseph85
Use the "--show --format=Raw-MD5" options to display all of the cracked password
s reliably
Session completed.
root@ip-10-10-233-209:-#
```

CSE(Cyber

# Security) 2nd year

#### **Result:**

Thus, successfully installed John-the-Ripper tool and cracked the password hashes.