

Table 11.5.1 Self-reported health problems: Women

Percentage of women age 15-49 who reported that they have diabetes, asthma, goitre or any other thyroid disorder, any heart disease, or cancer and whether they have sought treatment for each reported health problem, by background characteristics, India, 2019-21

| Background characteristic | Diabetes | | Asthma | | Goitre or any other thyroid disorder | | Any heart disease | | Cancer | | Number of women |
|---|--------------------------|--|------------------------|--|---|--|-------------------------------|---|------------------------|--|-----------------|
| | Percentage with diabetes | Percentage with diabetes who have sought treatment | Percentage with asthma | Percentage with asthma who have sought treatment | Percentage with goitre/ thyroid disorders | Percentage with goitre/ thyroid disorder who have sought treatment | Percentage with heart disease | Percentage with heart disease who have sought treatment | Percentage with cancer | Percentage with cancer who have sought treatment | |
| Age | | | | | | | | | | | |
| 15-19 | 0.4 | 52.0 | 0.8 | 61.6 | 0.6 | 79.5 | 0.3 | 69.8 | 0.1 | 70.9 | 122,544 |
| 20-34 | 0.8 | 66.5 | 1.2 | 66.5 | 2.3 | 88.6 | 0.5 | 72.4 | 0.1 | 74.6 | 336,968 |
| 35-49 | 3.9 | 85.8 | 2.5 | 72.9 | 4.1 | 90.6 | 1.2 | 77.5 | 0.2 | 88.0 | 264,603 |
| Residence | | | | | | | | | | | |
| Urban | 2.6 | 85.1 | 1.6 | 74.2 | 4.2 | 91.7 | 0.7 | 76.9 | 0.1 | 87.8 | 235,279 |
| Rural | 1.5 | 77.1 | 1.6 | 67.4 | 2.0 | 87.1 | 0.7 | 74.5 | 0.1 | 78.7 | 488,836 |
| Schooling | | | | | | | | | | | |
| No schooling | 2.1 | 79.8 | 1.8 | 67.1 | 1.7 | 84.3 | 1.0 | 75.4 | 0.2 | 82.9 | 163,492 |
| <5 years complete | 2.7 | 83.0 | 2.6 | 67.5 | 2.6 | 84.1 | 1.2 | 76.9 | 0.1 | 74.0 | 37,549 |
| 5-7 years complete | 2.3 | 81.8 | 1.9 | 69.4 | 2.7 | 88.7 | 0.9 | 76.5 | 0.1 | 77.4 | 96,806 |
| 8-9 years complete | 1.7 | 79.9 | 1.5 | 66.3 | 2.4 | 89.1 | 0.7 | 72.7 | 0.1 | 75.9 | 129,094 |
| 10-11 years complete | 1.8 | 82.8 | 1.4 | 73.4 | 3.1 | 89.9 | 0.6 | 71.4 | 0.1 | 86.4 | 109,777 |
| 12 or more years complete | 1.4 | 79.3 | 1.3 | 74.2 | 3.6 | 92.4 | 0.4 | 78.5 | 0.1 | 84.7 | 187,396 |
| Marital status | | | | | | | | | | | |
| Never married | 0.4 | 60.4 | 0.9 | 65.8 | 0.9 | 84.3 | 0.3 | 72.6 | 0.1 | 77.2 | 172,075 |
| Currently married | 2.2 | 81.7 | 1.8 | 70.5 | 3.2 | 89.9 | 0.8 | 75.9 | 0.1 | 82.6 | 521,352 |
| Widowed/divorced/ separated/deserted | 3.8 | 83.3 | 2.7 | 67.2 | 3.3 | 89.6 | 1.5 | 73.0 | 0.2 | 79.1 | 30,688 |

Continued...

Table 11.5.1 Self-reported health problems: Women—*Continued*

Percentage of women age 15-49 who reported that they have diabetes, asthma, goitre or any other thyroid disorder, any heart disease, or cancer and whether they have sought treatment for each reported health problem, by background characteristics, India, 2019-21

| Background characteristic | Diabetes | | Asthma | | Goitre or any other thyroid disorder | | Any heart disease | | Cancer | | Number of women |
|---------------------------|--------------------------|--|------------------------|--|---|--|-------------------------------|---|------------------------|--|-----------------|
| | Percentage with diabetes | Percentage with diabetes who have sought treatment | Percentage with asthma | Percentage with asthma who have sought treatment | Percentage with goitre/ thyroid disorders | Percentage with goitre/ thyroid disorder who have sought treatment | Percentage with heart disease | Percentage with heart disease who have sought treatment | Percentage with cancer | Percentage with cancer who have sought treatment | |
| Religion | | | | | | | | | | | |
| Hindu | 1.8 | 80.0 | 1.5 | 70.0 | 2.6 | 89.6 | 0.7 | 74.8 | 0.1 | 82.1 | 589,164 |
| Muslim | 2.3 | 81.8 | 1.9 | 70.1 | 3.0 | 89.0 | 1.0 | 78.9 | 0.1 | 76.4 | 97,595 |
| Christian | 2.8 | 89.6 | 2.5 | 72.4 | 4.3 | 90.7 | 0.9 | 76.3 | 0.1 | 89.5 | 16,995 |
| Sikh | 2.3 | 86.1 | 1.4 | 61.4 | 3.3 | 81.7 | 1.0 | 58.2 | 0.1 | 84.9 | 11,404 |
| Buddhist/Neo-Buddhist | 1.2 | 81.1 | 2.6 | 39.2 | 2.1 | 86.0 | 0.4 | 69.8 | 0.1 | 69.6 | 4,571 |
| Jain | 1.7 | 89.5 | 2.6 | 68.4 | 4.4 | 96.0 | 0.3 | 100.0 | 0.0 | 100.0 | 1,632 |
| Other | 1.0 | 62.5 | 1.1 | 66.9 | 1.1 | 95.4 | 0.6 | 72.8 | 0.1 | 96.4 | 2,754 |
| Caste/tribe | | | | | | | | | | | |
| Scheduled caste | 1.8 | 79.8 | 1.6 | 65.0 | 2.5 | 88.4 | 0.7 | 75.6 | 0.1 | 76.0 | 158,483 |
| Scheduled tribe | 1.0 | 69.6 | 1.2 | 63.0 | 1.0 | 85.2 | 0.5 | 71.5 | 0.1 | 86.6 | 67,263 |
| Other backward class | 1.8 | 80.5 | 1.4 | 71.1 | 2.5 | 89.5 | 0.6 | 74.5 | 0.1 | 84.5 | 310,783 |
| Other | 2.4 | 83.1 | 2.0 | 72.8 | 3.9 | 90.6 | 0.9 | 76.9 | 0.1 | 78.2 | 182,474 |
| Don't know | 2.2 | 87.4 | 2.2 | 61.7 | 2.1 | 73.6 | 0.8 | 74.6 | 0.1 | 76.2 | 5,112 |
| Wealth index | | | | | | | | | | | |
| Lowest | 1.1 | 68.1 | 1.6 | 61.6 | 1.1 | 75.7 | 0.8 | 69.9 | 0.1 | 75.0 | 133,973 |
| Second | 1.3 | 72.2 | 1.6 | 66.2 | 1.5 | 84.1 | 0.9 | 75.2 | 0.1 | 77.2 | 144,813 |
| Middle | 1.8 | 79.1 | 1.8 | 70.7 | 2.5 | 89.5 | 0.7 | 73.1 | 0.1 | 82.6 | 148,616 |
| Fourth | 2.4 | 84.6 | 1.7 | 73.3 | 3.4 | 91.0 | 0.7 | 77.4 | 0.1 | 85.4 | 150,680 |
| Highest | 2.7 | 87.2 | 1.4 | 76.4 | 4.7 | 92.8 | 0.5 | 82.4 | 0.1 | 88.3 | 146,032 |
| Total | 1.9 | 80.7 | 1.6 | 69.7 | 2.7 | 89.4 | 0.7 | 75.2 | 0.1 | 81.4 | 724,115 |

Table 11.5.2 Self-reported health problems: Men

Percentage of men age 15-49 who reported that they have diabetes, asthma, goitre or any other thyroid disorder, any heart disease, or cancer and whether they have sought treatment for each reported health problem, by background characteristics, India, 2019-21

| Background characteristic | Diabetes | | Asthma | | Goitre or any other thyroid disorder | | Any heart disease | | Cancer | | Number of men |
|-------------------------------------|--------------------------|--|------------------------|--|--|---|-------------------------------|---|------------------------|--|---------------|
| | Percentage with diabetes | Percentage with diabetes who have sought treatment | Percentage with asthma | Percentage with asthma who have sought treatment | Percentage with goitre/thyroid disorders | Percentage with goitre/thyroid disorder who have sought treatment | Percentage with heart disease | Percentage with heart disease who have sought treatment | Percentage with cancer | Percentage with cancer who have sought treatment | |
| Age | | | | | | | | | | | |
| 15-19 | 0.5 | 55.9 | 0.6 | 79.2 | 0.3 | 69.7 | 0.3 | 58.0 | 0.1 | 94.9 | 16,385 |
| 20-34 | 1.1 | 63.8 | 0.9 | 65.9 | 0.4 | 75.4 | 0.7 | 66.9 | 0.2 | 83.8 | 41,688 |
| 35-49 | 3.9 | 75.1 | 1.8 | 61.5 | 0.7 | 79.3 | 1.4 | 78.5 | 0.2 | 80.1 | 35,071 |
| Residence | | | | | | | | | | | |
| Urban | 2.5 | 75.4 | 1.0 | 72.9 | 0.5 | 78.4 | 0.7 | 82.0 | 0.2 | 92.0 | 32,852 |
| Rural | 1.8 | 68.6 | 1.3 | 60.9 | 0.5 | 75.7 | 1.0 | 69.7 | 0.2 | 77.6 | 60,291 |
| Schooling | | | | | | | | | | | |
| No schooling | 2.1 | 67.7 | 2.0 | 64.3 | 0.7 | 63.9 | 1.5 | 73.0 | 0.2 | 82.9 | 9,982 |
| <5 years complete | 2.1 | 68.2 | 2.4 | 56.7 | 1.1 | 82.7 | 2.1 | 55.6 | 0.1 | 60.3 | 5,842 |
| 5-7 years complete | 2.1 | 69.9 | 1.4 | 66.4 | 0.5 | 77.0 | 0.9 | 77.7 | 0.2 | 58.3 | 12,082 |
| 8-9 years complete | 1.8 | 60.3 | 1.2 | 58.5 | 0.4 | 69.4 | 1.0 | 64.0 | 0.3 | 90.6 | 18,472 |
| 10-11 years complete | 2.2 | 78.4 | 1.0 | 67.3 | 0.4 | 79.7 | 0.6 | 77.7 | 0.1 | 71.5 | 16,735 |
| 12 or more years complete | 2.1 | 75.7 | 0.7 | 72.9 | 0.4 | 83.8 | 0.6 | 89.3 | 0.2 | 94.5 | 30,032 |
| Marital status | | | | | | | | | | | |
| Never married | 0.8 | 49.7 | 0.8 | 72.2 | 0.4 | 70.1 | 0.5 | 69.4 | 0.1 | 87.0 | 36,503 |
| Currently married | 2.9 | 75.3 | 1.4 | 61.9 | 0.6 | 79.7 | 1.2 | 73.8 | 0.2 | 81.4 | 55,475 |
| Widowed/divorced/separated/deserted | 3.0 | 72.2 | 1.4 | 58.4 | 0.2 | 16.4 | 0.8 | 97.6 | 0.0 | 100.0 | 1,165 |

Continued...

Table 11.5.2 Self-reported health problems: Men—*Continued*

Percentage of men age 15-49 who reported that they have diabetes, asthma, goitre or any other thyroid disorder, any heart disease, or cancer and whether they have sought treatment for each reported health problem, by background characteristics, India, 2019-21

| Background characteristic | Diabetes | | Asthma | | Goitre or any other thyroid disorder | | Any heart disease | | Cancer | | Number of men |
|---------------------------|--------------------------|--|------------------------|--|--|---|-------------------------------|---|------------------------|--|---------------|
| | Percentage with diabetes | Percentage with diabetes who have sought treatment | Percentage with asthma | Percentage with asthma who have sought treatment | Percentage with goitre/thyroid disorders | Percentage with goitre/thyroid disorder who have sought treatment | Percentage with heart disease | Percentage with heart disease who have sought treatment | Percentage with cancer | Percentage with cancer who have sought treatment | |
| Religion | | | | | | | | | | | |
| Hindu | 2.2 | 71.1 | 1.2 | 63.3 | 0.5 | 74.1 | 0.8 | 76.4 | 0.2 | 79.1 | 73,632 |
| Muslim | 1.4 | 70.5 | 1.0 | 70.9 | 0.7 | 84.8 | 1.3 | 63.5 | 0.3 | 94.6 | 14,633 |
| Christian | 1.8 | 62.5 | 1.7 | 75.5 | 0.2 | 68.1 | 0.5 | 74.0 | 0.0 | 31.7 | 2,426 |
| Sikh | 4.1 | 83.8 | 0.7 | 41.1 | 0.3 | 83.6 | 0.4 | 100.0 | 0.1 | 100.0 | 886 |
| Buddhist/Neo-Buddhist | 1.1 | 60.4 | 0.5 | 35.2 | 0.6 | 98.9 | 0.3 | 9.0 | 0.2 | 95.9 | 1,017 |
| Jain | 2.7 | 100.0 | 0.0 | nc | 0.0 | nc | 0.0 | nc | 0.0 | nc | 280 |
| Other | 9.4 | 96.3 | 1.3 | 78.9 | 0.4 | 77.1 | 1.3 | 67.0 | 0.0 | 0.0 | 269 |
| Caste/tribe | | | | | | | | | | | |
| Scheduled caste | 1.7 | 77.1 | 1.1 | 62.2 | 0.5 | 76.9 | 0.9 | 82.3 | 0.1 | 80.4 | 18,977 |
| Scheduled tribe | 1.7 | 64.3 | 1.5 | 60.5 | 0.6 | 64.0 | 1.0 | 60.7 | 0.2 | 90.5 | 8,441 |
| Other backward class | 2.0 | 67.4 | 1.0 | 66.8 | 0.4 | 75.9 | 0.7 | 73.5 | 0.2 | 72.1 | 38,986 |
| Other | 2.5 | 75.7 | 1.4 | 63.0 | 0.7 | 81.3 | 1.1 | 69.9 | 0.2 | 92.4 | 26,244 |
| Don't know | 5.4 | 55.2 | 3.9 | 100.0 | 0.2 | 0.0 | 3.4 | 96.3 | 0.0 | nc | 496 |
| Wealth index | | | | | | | | | | | |
| Lowest | 1.1 | 61.4 | 1.5 | 55.0 | 0.5 | 75.9 | 1.3 | 69.9 | 0.1 | 74.6 | 15,606 |
| Second | 1.5 | 60.7 | 1.5 | 58.3 | 0.6 | 72.3 | 1.3 | 60.8 | 0.2 | 80.5 | 18,497 |
| Middle | 2.0 | 69.2 | 1.3 | 77.6 | 0.6 | 65.4 | 0.8 | 74.7 | 0.2 | 68.8 | 19,829 |
| Fourth | 2.4 | 72.5 | 1.0 | 58.5 | 0.5 | 87.2 | 0.7 | 83.6 | 0.2 | 93.9 | 20,658 |
| Highest | 3.1 | 80.3 | 0.8 | 77.4 | 0.3 | 87.6 | 0.6 | 89.4 | 0.1 | 98.2 | 18,553 |
| Total age 15-49 | 2.1 | 71.5 | 1.2 | 64.6 | 0.5 | 76.7 | 0.9 | 73.2 | 0.2 | 82.8 | 93,144 |
| Age 50-54 | 9.5 | 80.3 | 3.3 | 67.4 | 0.8 | 83.8 | 2.6 | 90.0 | 0.4 | 90.1 | 8,695 |
| Total age 15-54 | 2.7 | 74.1 | 1.4 | 65.2 | 0.5 | 77.6 | 1.0 | 76.8 | 0.2 | 84.0 | 101,839 |

nc = No cases