K.Srinivasan - ஸ்ரீநிவாஸன் கண்ணன் - श्रीनिवासन् कण्णन्

(also spelt as: Srinivasan Kannan, Ka.Shrinivaasan, Shrinivas Kannan)

Permanent Address:

Srinivasan Kannan,

S/O. (Late) P.R.ES.Kannan,

172, Gandhi Adigal Salai,

Kumbakonam-612001, TamilNadu, India.

e-mail: ka.shrinivaasan@gmail.com

shrinivas.kannan@gmail.com

kashrinivaasan@live.com

Mobile: 9789346927

Name spellings in

consultancy/employer/academic

records: K.Srinivasan (academics, BaaN,Sun

Microsystems), Kannan Srinivasan (Sun

Microsystems),

Srinivasan Kannan (Verizon, Clockwork Interviews, CloudEnablers), Shrinivas

Kannan(webMethods/SoftwareAG and

CMI), Ka.Shrinivaasan (Global Analytics)



Personal website(research) :- https://acadpdrafts.readthedocs.io

NeuronRain Documentation: https://neuronrain-documentation.readthedocs.io/en/latest/

Krishna iResearch Open Source Repositories:

https://sourceforge.net/users/ka shrinivaasan,

https://github.com/shrinivaasanka,

https://gitlab.com/shrinivaasanka

OpenHub profile:

https://www.openhub.net/accounts/ka_shrinivaasan

Krishna iResearch GitHub Organization:

https://github.com/Krishna-iResearch

BRIHASPATHI - Private Virtual Classrooms:

GitHub -

Private repositories of virtual classrooms for various commercial online courses (for graduate students and professionals - requires GitHub student logins) - BigData and Machine Learning, Topics in Mathematics and Computer Science, Linux Kernel and

Cloud, Vedic Astrology, English, Hindi

- https://github.com/Brihaspathi - Consultancy offered on BigData-Machine Learning, Linux Kernel-Cloud and other IT arena, Vedic Astrology (Brihaspathi Jyotish Vigyan Kendra - https://github.com/Brihaspathi/BrihaspathiJyotishVigyanKendra - ப்ரிஹஸ்பதி ஜ்யோதிஷ் விக்யாந் கேந்த்ரா - Personal reading, Matrimonial matchmaking,...)

JAIMINI Closed Source Derivative of NeuronRain:

GitHub - https://github.com/Brihaspathi/jaimini

SourceForge - https://sourceforge.net/projects/jaimini/

GitLab - https://gitlab.com/shrinivaasanka/jaimini

LatexPDF CV:

https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/CV.pdf

Date of Birth as per records: 19 May 1977

Passport: M9583737

PAN: AOVPS2844F

Aadhaar: 772717942542

Marital status: Unmarried (Never Married)

COVID19 Vaccination status: Unvaccinated

COMPLETE ACADEMIC AND WORK HISTORY

ACADEMICS

- 1. Elementary Schooling, RC Morning Star, Kumbakonam (1982-1987)
- 2. Higher Secondary, Town Higher Secondary School, Kumbakonam (1987-1994) (SSLC -470/500 and Plus Two 1115/1200)
- 3. B.A Hindi Praveen Uttarardh Dakshin Bharat Hindi Prachar Sabha, Chennai (privately tutored from Kumbakonam) (1988-1992)
- 4. Bachelor of Engineering (Computer Science & Engg) (1995-99), PSG College of Technology, Coimbatore-641004 INDIA (CGPA/Percentage: 8.8/87.75)
- 5. M.Sc (Computer Science), Chennai Mathematical Institute, Chennai (2008 10) CGPA 8.08 (coursework excluding MSc thesis), 8.06(including MSc thesis)
- 6. Ph.D (Research Scholar in Computer Science), Chennai Mathematical Institute, Chennai (coursework, TAC 2010 expansion of MSc thesis above and Complement Function miniproject August 2010 August 2011) resigned due to

personal reasons and went back to Industry. Presently pursuing independent research.

COURSES DONE IN M.Sc and Ph.D and Self-study

M.Sc courses [CMI and IIT-Chennai] and self-study (2008-2010):

Haskell, Operating systems, Distributed systems, Theory of computation, Databases, Logic-1, Complexity-1, Principles of Programming Languages (Java and lambda calculus), Algorithms, Graph theory, Cryptography, Datamining-1, Information Retrieval, AutomataConcurrencyTimedSystems

Ph.D courses[CMI and IMSc] and self study (August 2010 - October 2011):

Complexity-2, Topics in data mining(Recommender Systems,Streaming Algorithms), Randomized algorithms(including PTAS), Logspace computation, Program Verification, Program Analysis, Program Slicing, Computational number theory and algebra, Computational geometry, Expander graphs, Combinatorics(Generating functions), Probabilistic method, Communications Complexity, Linear Programming And Combinatorial Optimization and Computational Biology

(BioInformatics) algorithms for sequence alignment.

PUBLICATIONS

(Google Scholar URL - http://scholar.google.co.in/citations? user=eLZY7CIAAAAJ&hl=en)

- 1.(During PhD) Decidability of Existence and Construction of a Complement of a function with Prof.Meena Mahajan, IMSc, 2011 (http://arxiv.org/abs/1106.4102)
- Some unreviewed draft additions to the above for Complement Function Circuit and its connection to Riemann Zeta Function, Ramanujan graphs and Ihara Zeta Functions are at: http://sourceforge.net/p/asfer/code/HEAD/tree/AstroInferDesign.t xt with some illustrations:

https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
RamanujanGraphsRiemannZetaFunctionAndIharaZetaFunction.p
df?attredirects=0&d=1 and

https://github.com/shrinivaasanka/

Krishna iResearch DoxygenDocs/blob/master/

kuja27 website mirrored/site/kuja27/

RZFAndIZF 25October2014.pdf?attredirects=0&d=1

2.(Master's Thesis) Few Algorithms for Ascertaining Merit of a

document (Citation graph Maxflow, Recursive Gloss Overlap Algorithm and Interview algorithm applying either of the previous two with applications of them) with Profs. Ravindran(IIT Chennai) and Madhavan Mukund (CMI) in 2009-2010 – http://arxiv.org/abs/1006.4458.

3. (During PhD) Evaluated NIST TAC 2010 dataset (Summarization track) for Update Summarization by applying Interview Algorithm - appeared in proceedings of TAC 2010 at: http://www.nist.gov/tac/publications/2010/participant.papers/ CMI IIT.proceedings.pdf

RESEARCH STATEMENTS:

- 4. Research Statement 1 https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/ ResearchStatement2.pdf?attredirects=0
- 5. Research Statement 2 with some proof sketches (includes a new timeout manager algorithm implemented in Global Analytics Decision Platform 3.0) -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
PhDThesisProposal.pdf?attredirects=0

6. Research Statement 3 – with some proof sketches
https://github.com/shrinivaasanka/Krishna iResearch DoxygenD

ocs/blob/master/kuja27 website mirrored/site/kuja27/

Research Writeup.pdf?attredirects=0&d=1

NeuronRain Theory Drafts (2003-present) - private unaffiliated research - theory aligned to features of NeuronRain opensource products

Complexity Theoretic Analysis of Non-majority and Majority Social Choice, Majority Voting Boolean Composition Circuit and KRW Conjecture, P versus NP, ABC Conjecture, Four color Theorem, Zorn Lemma, Axiom of Choice (AOC), XOR Lemma and Hardness Amplification, Circuit Lowerbounds,

Pseudorandomness(generators and extractors), Goodness of **Voting and Margulis-Russo Threshold/Condorcet Jury Theorem** (and its recent versions by [Black], [Ladha]), Theoretical **Electronic Voting Machines and Pre-poll -Post-poll Analytics**, **Vowelless Syllable Boundary Text Compression and** Compressed Sensing, Computational Chaos, Polynomial **Reconstruction Problem, Complement Functions -**Complementary Sets and their Function Representation(e.g. Beatty Functions), Combinatorics (Ramsey coloring of sequences), PAC Learning, Prime-Composite complementation and pattern in primes, Goldbach conjecture, Arithmetic Progressions, Diophantine Analysis and Representation, Riemann Zeta Function, Hypergeometric Functions, Clouds -Logical time and causality(EventNet), Formal Languages (Turing degrees, Embedding in vector space, Lambda Calculus, Category Theory, Logic) and learning lambda expressions from Natural Language Text, Cognitive Psychology - Grounded Cognition and ThoughtNet Evocation, Partial order intrinsic merit rankings and Galois connections, Graph theoretic/Computational **Neurolinguistic/Question-Answering Interview Intrinsic** Merit/Fitness/Fame and Experiential Learning in the context of WWW (people, text, audio - speech and music, visuals-video and images, economies) and Social/Economic networks, Social **Network Models - Cellular Automaton and Random Graph**

Diffusion of Concepts-Memes-Fads-Cybercrimes, Game Theory, BKS Conjecture and Question-Answering, Machine Translation, Algorithmic Graph Theoretic Learning Models, Computational Learning Theory, Software Analytics/Program Analysis/Debug Analytics, Operating System Kernel and Scheduler Analytics, Astronomical Analytics of Celestial Bodies and correlations to Seismic-Atmospheric-Oceanic events, Urban planning analytics, Computational Astrophysics - N-body problem, Media Analytics and Advertisement Analytics, Preferential Attachment, Brand Loyalty and Business Intelligence, People Analytics/HR Analytics, Sports Analytics, Handwriting and Face Recognition for unique identification, Fame/Merit Equilibrium (Welfare Functions, Flow Market Equilibrium and

Convex-Concave Programming in Algorithmic Economics applied to Fame-Merit) and Economic Merit(Intrinsic pricing), Cryptocurrencies and Money Trail (EventNet Graph), Optimal Denomination and Money Changing - Coin Problem, Mechanism Design, Time series analysis (economic and weather forecasts), Neural Networks and Deep Learning, Quantum mechanics and Intrinsic Fitness/Merit(Bose-Einstein condensation in networks), Locality Sensitive Hashing and Separate Chaining Hash tables, Multiple Agent Resource Allocation, Integer Partitions(additive and multiplicative), Set

Partitions, Space filling/Lagrangian Four Square Theorem
Tiling/Circle Packing, Exact Cover, Random Closed Packing,
Number Theory, Quadratic and Linear Programming, Cellular
Automata, Satisfiability (Least Square SAT Solvers and QBFSAT),
Random restrictions and Hastad Switching Lemma, Classical NCPRAM-BSP (k-mergesort, segment tree, wavelet tree, ray
shooting queries, planar point location, sorting networks,local
search of rasterized hyperbolic segment arithmetic
progressions), Randomized NC and Quantum NC Computational
Geometric Integer Factoring, Rasterization of Algebraic Curves,
Algebraic Geometry, Knot Theory, Topology and Connections
amongst them -

(most recent draft updates to all publications previously and earlier drafts below - in text

format - nonlinear theoretical writeups interspersed between
NeuronRain code commits in SourceForge, GitLab and GitHub links to relevant feature implementations and theory drafts in
design notes of NeuronRain repositories -

AstroInfer,USBmd,VIRGO,KingCobra,GRAFIT,Krishna_iResearch
_Doxygen_Docs,Acadpdrafts):

Krishna iResearch DoxygenDocs (GitHub)

Krishna iResearch DoxygenDocs (GitLab)

Krishna iResearch DoxygenDocs (SourceForge)

Earlier Drafts:

7.(draft1) IntegerPartitions and Hash Functions

(https://github.com/shrinivaasanka/Krishna_iResearch_DoxygenDocs/blob/master/kuja27_website_mirrored/site/kuja27/

IntegerPartitionAndHashFunctions.pdf?attredirects=0)

8.(draft2) IntegerPartitions and Hash Functions
(https://github.com/shrinivaasanka/Krishna_iResearch_Doxygen
Docs/blob/master/kuja27_website_mirrored/site/kuja27/
IntegerPartitionAndHashFunctions 2014.pdf?attredirects=0&d=1)

9.(draft1) Interview Algorithm is in IP=PSPACE (https://github.com/shrinivaasanka/Krishna_iResearch_Doxygen Docs/blob/master/kuja27_website_mirrored/site/kuja27/ InterviewAlgorithmInPSPACE.pdf?attredirects=0)

10.(draft1) Few Non-trivial questions and Shell Turing Machines

(https://github.com/shrinivaasanka/Krishna_iResearch_Doxygen Docs/blob/master/kuja27_website_mirrored/site/kuja27/ UndecidabilityOfFewNonTrivialQuestions.pdf?attredirects=0)

11. (draft1) Lower Bounds for Majority Voting and Pseudorandom choice -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
LowerBoundsForMajorityVotingPseudorandomChoice.pdf

12. (draft1) Circuits for computation of error probability in majority voting -

https://github.com/shrinivaasanka/Krishna_iResearch_DoxygenD ocs/blob/master/kuja27_website_mirrored/site/kuja27/ CircuitForComputingErrorProbabilityOfMajorityVoting.pdf

13. (draft2) Circuits for computation of error probability in majority voting -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
CircuitForComputingErrorProbabilityOfMajorityVoting 2014.pdf

14. (draft1) Indepth analysis of a variant of Majority Voting with relation to ZFC -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/
IndepthAnalysisOfVariantOfMajorityVotingwithZFAOC.pdf?
attredirects=0

15. (draft2) Indepth analysis of a variant of Majority Voting with relation to ZFC -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/
IndepthAnalysisOfVariantOfMajorityVotingwithZFAOC 2014.pdf?
attredirects=0

16.(draft1) A Chaos theoretic Parallel Pseudorandom generator in RNC For Majority Voting and Pseudorandom Choice

(https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/ChaoticPRG.pdf?attredirects=0)

17. (draft1) Analysis of a Randomized Space Filling Algorithm and its <u>Linear Program Formulation</u>

(https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/Analysis%20of%20a%20Randomized%20Space%20Filling%20Algorithm%20and%20its%20Linear%20Program%20Formulation.pdf?attredirects=0)

18. (draft2) Analysis of a Randomized Space Filling Algorithm and its Linear Program Formulation (Parallel PRG and Cellular Automaton algorithm) -

http://sourceforge.net/p/asfer/code/HEAD/tree/AstroInferDesign.t

19. (draft1) Discrete Hyperbolic Polylogarithmic Sieve For Integer Factorization (version 1) - https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization.

pdf?attredirects=0&d=1

- 20. (draft2) Discrete Hyperbolic Polylogarithmic Sieve For Integer Factorization with Interpolation Search (version 2) https://github.com/shrinivaasanka/Krishna_iResearch_DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/ DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization updated interpolation search.pdf?attredirects=0&d=1
- 21. (draft3) Discrete Hyperbolic Polylogarithmic Sieve For Integer Factorization with Interpolation Search (version 3) -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/
DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization updated interpolation search 30June2013.pdf?attredirects=0&d=1

22. (draft4) Discrete Hyperbolic Polylogarithmic Sieve For Integer Factorization - with Interpolation Search (version 4 and version 5 with handwritten illustrations and calculations) - http://sourceforge.net/projects/acadpdrafts/files/DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization updated interpolation sear-

ch.pdf/download

- 23. (draft5) Discrete Hyperbolic Polylogarithmic Sieve For Integer

 Factorization using Rectangular Binary (or) Interpolation Search

 http://sourceforge.net/projects/acadpdrafts/files/

 DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization

 updated rectangular interpolation search.pdf/download
- 24. (draft6) Informal Notes on Derivation of Upperbound for

 Discrete Hyperbolic Factorization with Stirling Formula using

 Rectangular Binary or Interpolation Search (

 http://sourceforge.net/projects/acadpdrafts/files/

 DiscreteHyperbolicFactorization UpperboundDerivedWithStirlingForm

 ula 2013-09-10.pdf/download)

25. (draft7) Discrete Hyperbolic Polylogarithmic Sieve For Integer Factorization – using Rectangular Binary (or) Interpolation Search and Upperbound derived with Stirling Formula <a href="http://sourceforge.net/projects/acadpdrafts/files/DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization updated rectangular interpolation search and StirlingFormula Upperbound.pdf/download

(a C++ implementation of this algorithm is at:

http://sourceforge.net/p/asfer/code/HEAD/tree/cpp-src/miscellane ous/DiscreteHyperbolicFactorizationUpperbound.cpp and factorization result logs at:

http://sourceforge.net/p/asfer/code/HEAD/tree/cpp-src/miscellane ous/)

26. (draft8) An NC algorithm and some Sequential Search
Algorithms for Discrete Hyperbolic Polylogarithmic Sieve For
Factorization using Binary or Interpolation Search with Stirling
Formula and Logarithmic Sorted Tile Merge in PRAM model <a href="http://sourceforge.net/projects/acadpdrafts/files/DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization_PRAM_TileMergeAndSearch_NotePolylogarithmicSieveForIntegerFactorization_PRAM_TileMergeAndSearch_And_Stirling_Upperbound.pdf/download

27. (draft 9) Parallel RAM algorithm for Discrete Hyperbolic

Factorization - AsFer PRAM implementation design notes with tile

id(s)

(http://sourceforge.net/p/asfer/code/HEAD/tree/asfer-docs/ImplementationDesignNotesForDiscreteHyperbolicFactorizationInPRAM.jpg)

28. (draft10) Computational Geometric Factorization - An NC algorithm and some Sequential Search Algorithms for Discrete Hyperbolic Polylogarithmic Sieve For Factorization using Binary or Interpolation Search with Stirling Formula and Logarithmic Sorted Tile Merge in PRAM model - updated draft with PRAM to NC reduction and input size details and references - <a href="http://sourceforge.net/projects/acadpdrafts/files/DiscreteHyperbolicPolylogarithmicSieveForIntegerFactorization PRAM TileMerge AndSearch And Stirling Upperbound updateddraft.pdf/download

29. Individual Invention Disclosure for Survival Index Based Transaction Timeout

Manager (Sun Microsystems) - 2002-2003

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/

<u>SurvivalIndexBasedTxnTimeoutManager.pdf?attredirects=0</u>

30. AstroInfer (AsFer) Open Source Product Design with theoretical interludes which substantially expand on the publications above -

http://sourceforge.net/p/asfer/code/HEAD/tree/asfer-docs/AstroInferDesign.txt

31. VIRGO Open Source Product Design with theoretical interludes -

http://sourceforge.net/p/virgo-linux/code-0/HEAD/tree/trunk/virgo-docs/VirgoDesign.txt

- 32. King Cobra Byzantine distributed request servicing software design with queues and arbiters theoretical interludes https://sourceforge.net/p/kcobra/code-svn/KingCobraDesignNotes.txt
- 33. (draft1) Informal notes 1 : on Implication Graphs, Error

 probability of Majority Voting and P Versus NP Question

 http://sourceforge.net/projects/acadpdrafts/files/

 ImplicationGraphsPGoodEquationAndPNotEqualToNPQuestion

 excerpts.pdf/download
- 34. (draft1) Informal notes 2 : on Minimum Convex Hulls of

Implication Graphs and Hidden Markov Model on class nodes of Concept Hypergraph

- **35.** (draft1) Informal notes 3 : on Minimum Convex Hulls of Implication Random Growth Networks and Perfect Voter Decidability
- 36. (draft1) Informal handwritten notes on Philosophical Analysis of Democracy Circuit and Pseudorandom Choice
 https://github.com/shrinivaasanka/Krishna iResearch DoxygenD
 ocs/blob/master/kuja27 website mirrored/site/kuja27/
 PhilosophicalAnalysisOfDemocracyCircuitAndPRGChoice 201403-26.pdf
- 37. (draft1) Informal Handwritten Notes Distinct Partitions, Hash collision chains and Schur Theorem https://github.com/shrinivaasanka/Krishna iResearch DoxygenD ocs/blob/master/kuja27 website mirrored/site/kuja27/
 SchurTheoremMCPAndDistinctPartitions 2014-04-17.pdf
- 38. (draft1) Document Summarization from WordNet Subgraph obtained by Recursive Gloss Overlap -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/

<u>DocumentSummarization using SpectralGraphTheory RGOGraph 2</u> <u>014.pdf?attredirects=0&d=1</u>

39. (draft1) Arrow's Theorem, Circuit For Democracy and Pseudorandom Choice and P Versus NP -

https://github.com/shrinivaasanka/Krishna iResearch DoxygenDocs/blob/master/kuja27 website mirrored/site/kuja27/
CircuitsForDemocracyAndPseudorandomChoice and PVsNP.pdf?
attredirects=0&d=1

40. (draft1) Krishna iResearch Open Source Products (AsFer, USBmd, VIRGO, KingCobra, Acadpdrafts) - High Level Handdrawn Architecture Diagram -

http://sourceforge.net/p/acadpdrafts/code/ci/master/tree/
Krishna iResearch opensourceproducts archdiagram.pdf

41. (draft1) Miscellaneous notes on Krishna iResearch Open Source products design, Democracy Circuit, Complement Function circuit and Parallel RAM to NC reduction for ANSV algorithm in Discrete Hyperbolic Factorization

TEAM PATENTS (Sun Microsystems-

Oracle)	
1 <u>8,521,</u> <u>875</u>	Identity for data sources
2 <u>8,145,</u> <u>759</u>	Dynamically configurable resource pool
3 <u>7,743,</u> <u>083</u>	Common transaction manager interface for local and global transactions
4 <u>7,739,</u> <u>252</u>	Read/write lock transaction manager freezing
5 <u>7,640,</u> <u>545</u>	Transaction manager freezing
6 <u>7,610,</u> <u>305</u>	Simultaneous global transaction and local transaction management in an application server
7 <u>7,165,</u> <u>061</u>	Transaction optimization of read-only data sources
8 <u>7,134,</u> <u>008</u>	Utility for configuring and verifying data sources

<u>Disclosure - Patent Pending (Copyright: Sun</u> <u>Microsystems/Oracle - 2002 - Reference Number: P8490)</u>

9 7,082, Specifying transaction manager type at various

application levels

<u>432</u>

Survival Index Based Transaction Timeout Manager (Java PoC implemented on SunOne-iPlanet Application Server 6.5 J2EE-JTS

<u>Transaction Manager - now GlassFish</u>

- https://github.com/javaee/glassfish/tree/master/appserver)

DETAILS OF WORK (1999 - Present)

C/C++/Java/Python on Windows and various Unix flavours

PRODUCTS

Netscape Application Server 4.0, iPlanet/SunONE Application Server 6.x, SunONE Web/Proxy Server 3.6/4.0, Apache web server 1.4.x/2.0.x, webMethods Broker Messaging Server 5.x/6.x/7.x, ASFER Classification and Inference Software for Large Data Sets (10.0,12.0,14.9.9,15.1.8,15.6.15), USBmd (1.0,3.0,14.9.9,15.1.8,15.6.15), VIRGO Linux Kernel Extensions for Cloud (5.0,6.0,7.0,8.0,10.0,12.0,14.9.9,15.1.8,15.6.15), Global Decision Platform(GDP) 2.3.0/ 2.3.1/ 2.5.0/ 2.5.1/ 2.7 /2.7.1/3.0, KingCobra (1.0,14.9.9,15.1.8,15.6.15), Automated Modelling Platform(AMP), Python 2.4.3 and 2.7 source code, Linux kernel [3.2.0, 3.7.8, 3.9.x, 3.15.5, 4.0.5, 4.1.5, 4.10.3, 4,13,3], Maitreya's

Dreams 7.0.3, STL, BOOST, wxWidgets library, Swiss Ephemeris API (based on NASA JPL DE406 Ephemeris).

LANGUAGES/PLATFORMS/TOOLS

C/C++, Java 1.5-1.8, J2EE, Python, R and rpy2, Haskell, Solaris 6-10, Windows 2000, HP-UX 11.23 (PA-RISC and IA64), AIX, Linux, Sun Studio, CORBA (Visibroker), VAX FORTRAN, VAX VMS, GNU collection, MS Visual Studio .NET C++, WinDbg, DDD, Visual Basic and ASP, OptimizIt, Eclipse, EclipseCDT, Code::Blocks, ActiveState Python, Cython, IDLE, Haskell FP, Insight, GreatCircle, Valgrind, Callgrind, Python Dumbo MapReduce on Hadoop, Python NLTK, Java MapReduce on Hadoop, Apache HBase, Apache Pig, Apache Hive, Apache Cassandra, Apache Mahout, Apache Spark, Pygraphs, GraphViz, DOT, PiCloud, ActiveMQ, RabbitMQ, Pyutilib workflow, PyF workflow, Linux kernel - [3.2.0, 3.7.8, 3.9.x,3.15.5,4.0.5,4.1.5,4.10.3,4.13.3], Maitreva's Dreams 7.0.3, wxWidgets library, Swiss Ephemeris API (based on NASA JPL DE406 Ephemeris), BioInformatics Sequence Alignment Tools (BioPython, ClustalOmega), ROOT(CERN), Geolocation Python API, Beautiful Soup, CRF tools, GATE, SentiWordNet, Stanford CoreNLP, ENT, MongoDB, WEKA, Jinja2, Flask, Cloud related - Corestack, Openstack, Mistral, Jclouds, Libcloud, Docker etc., Tornado, ZeroMQ, Kafka

May 2003 - present - Krishna iResearch (parallel, self-started, not-for-profit, non-funded, open-source long-term research initiative) - https://sourceforge.net/users/ka_shrinivaasan, https://github.com/shrinivaasanka,

https://gitlab.com/shrinivaasanka

Working on Research, Design and Development of open source projects – a machine-

learning, cloud and queue augmented Linux kernel - NeuronRain - started by self, copyleft licensed under GPL v3. Premium technical support is available for above opensource codebases. The GitHub repositories implement NeuronRain Green (for cloud and generic datasets), SourceForge repositories implement NeuronRain Research (for astronomical datasets) and GitLab repositories implement NeuronRain Antariksh (for Drone development). An introductory presentation on NeuronRain based Analytics is at:

https://github.com/shrinivaasanka/Grafit/blob/master/
EnterpriseAnalytics with NeuronRain.pdf
Latest version 2022#04#21:

- 1. NEURONRAIN Krishna iResearch DoxygenDocs FAQ and Documentation for AsFer, VIRGO, KingCobra, Acadpdrafts and USBmd open source product codebases which are subsystems of Krishna iResearch Intelligent Cloud OS NeuronRain (https://github.com/shrinivaasanka/
 Krishna iResearch DoxygenDocs , http://neuronraindocumentation.readthedocs.io/en/latest/)
- 2. <u>NEURONRAIN</u> <u>AsFer AstroInfer astronomy and astrology</u> machine learning inference open source software which uses algorithms viz.,
 - 2.1 Bayesian Classifier,
 - 2.2 Support Vector Machines,
 - 2.3 Decision Tree Classifier,
- 2.4 String mining Pairwise String Sequence Alignment (Needleman-Wunsch),
- 2.5 String mining Multiple String Sequence Alignment(BioPython,ClustalOmega),
 - 2.6 String mining Powerset construction (C++) and String matching implementation in python(Jellyfish distance measures like Jaro-winkler, Edit-distance, Phonetic Matching rate etc.,) and
 - 2.7 Parsers and Encoding features for USGS and NOAA HURDAT2 data

2.8 Automated Generation of Training and Test set for Classifiers that segregate the datasets into Event Classes and Automated generation of encoded astronomical object files specific to each Event Class.

Computational Geometric Factorization -

2.9

- Implementation of Bitonic K-MergeSort of Tiles in Pixelated Hyperbolic Arc (Sequential and PRAM) (for drafts in https://github.com/shrinivaasanka/Krishna iResearch Do xygenDocs/blob/master/kuja27 website mirrored/site/ kuja27/) A Spark-Python-C++ implementation of Parallel NC Factorization has been included which internally executes NC Bitonic tiles Parallel Merge Sort on Spark Cloud.
- 2.10 A Concept Hypergraph and HMM(Hidden Markov Model) based Experimental Inference Model Design inspired by Cognitive Psychology a minimal sentiwordnet evocatives implementation of this sans HMM named ThoughtNet is part of AsFer
- 2.11 Design for extracting patterns from numerical data
- 2.12 Time Series Analysis A Chaos Attractor implementation that generates a sequence of numbers using logistic equation and uses Python and R to compute a correlation coefficient between a non-Chaotic

- and Chaotic sequence of numbers.
- 2.13 Discrete Fourier Transform computation for a parsed numerical input sequence using Python and R
- 2.14 Time Series Analysis Spline interpolation, LOESS regression, Approximate Linear Polynomial interpolation and graph plot for a parsed numerical input sequence using Python and R (at present implemented for Dow Jones Industrial Average historical dataset and Riemann Zeta Function Zeros dataset)
- 2.15 An Experimental Text Compression algorithm that uses Hidden Markov Model Maximum Likelihood Estimation based on a String Complexity measure that compresses vowels in text
- 2.16 An Experimental Minimum Description Length implementation that uses the previous string complexity measure, computes MDL using Kraft inequality and Shannon entropy.
- 2.17 Probabilistic Approximate Correct PAC Learning Implementation related to http://arxiv.org/abs/1106.4102
- 2.18 Wagner-Fischer edit distance implementation for pairwise similarity of encoded strings
- 2.19 An example implementation of Interview Algorithm and Intrinsic Merit Ranking for :

http://arxiv.org/abs/1006.4458 and

http://www.nist.gov/tac/publications/2010/participant.papers/CMI_IIT.proceedings.pdf

- 2.20 An experimental Expirable Objects implementation
 - 2.21 Linear and Logistic Regression
 - 2.22 K-Means clustering implementation
- 2.23 K-Nearest Neighbours supervised classifier implementation
 - 2.24 Linear Perceptron with Gradient Descent Learning
- 2.25 Encoding of Maitreya Dreams to strings and some bugfixes for SWISS Ephemeris degree computation errors
- 2.26 An experimental logical clock for cloud EventNet using Python pygraphs and C++ boost::graph with GraphViz rendering (from dot files)
- 2.27 Longest Common Substring implementation for extracting common patterns in already classified and clustered encoded strings dataset
- 2.28 Python script for translating the Pairwise Longest Common Substrings obtained from a cluster of Kmeans or KNN clustered astronomical dataset into rules that correlate location of astronomical entities to a class of events.
- 2.29 Utility Knuth-Morris-Pratt String Match algorithm implementation
 - 2.30 Multipurpose bigdata analytics subsystem

(storage abstraction on Cassandra/Hbase/Hive/File) for computing metrics from datasets before and after processing by above ML algorithms.

- 2.31 Streaming Algorithms Flajolet-Martin LogLog and HyperLogLog Counter implementations for computing cardinality (distinct elements) in streamed multiset data
- 2.32 Streaming Algorithms CountMinSketch implementation for computing frequencies (heavy hitters) of elements in streamed multiset data
- 2.33 Streaming Algorithms Bloom Filter implementation for membership query in streamed multiset data stored in Apache Cassandra/Hbase/Hive/File NoSQL tables or disk and stream-simulated through python Generator/Iterable abstraction
- 2.34 Pig script clients for Hbase/Hive and Python clients for Hive/Cassandra/Hbase
- 2.35 Apache Spark Python RDD Transformation MapReduce script for mining Linux kernel logs and exporting the mined data as config to VIRGO kernel_analytics module. This integrates the AsFer or other Machine Learning algorithms into VIRGO Linux Kernel (with USBmd, KingCobra modules).
- 2.36 Sequence Mining of ordered encoded strings (Apriori GSP Algorithm) for inferring Class Association Rules for USGS Earthquake datasets
 - 2.37 Named Entity Recognition using Conditional Random

Fields and Hidden Markov Models (skew normal distribution - by finding Viterbi path through Viterbi Dynamic Programming Algorithm)

2.38 Graph Search - Mine for Graph Relations (and render them in graphics) in Text Data by constructing the WordNet subgraph using the recursive gloss overlap algorithm in http://arxiv.org/abs/1006.4458 and

http://www.nist.gov/tac/publications/2010/participant.papers/CMI IIT.proceedings.pdf

- 2.39 New Unsupervised text classification algorithm implementation that computes nodes with prominent core numbers and PageRanks (nodes with high core-numbers and PageRanks are names of the classes) in the definition graphs obtained by Recursive Gloss Overlap algorithm above.
- 2.40 Lambda Expression Compositionality from the depth first search closure of Recursive Gloss Overlap graph obtained from a text projected to WordNet.
- 2.41 Social Network Analysis Graph creation from social networking sites data (LinkedIn profiles, Twitter Followers etc.,) and their Psycho-Social-Sentiment Analysis (Bonacich Power Centrality, Eigen Vector Centrality, Recursive Gloss Overlap Graph Sentiment Belief Propagation and SentiWordNet based sentiment scoring etc.,)
 - 2.42 Cloud Object Move (or) Cloud Perfect Forwarding

implementation – This is a standalone client-server implementation that extends C++ std::move() and rvalue references to moving objects across cloud without copies. Functionality similar to this is required in KingCobra Neuro currency object transactional move without duplication.

- 2.43 Deep Learning Convolution Neural Networks implementation (multifeature kernel maps) for a primitive pattern recognition
- 2.44 Deep Learning Backpropagation in Multilayered Neural Networks implementation applied to a Software Analytics usecase of CPU and Memory usage
- 2.45 Sequence Mining of ordered encoded strings (Apriori GSP Algorithm) for inferring Class Association Rules for HURDAT2 NOAA Hurricane datasets
- 2.46 Dependency Injection based BigData Storage Backend Abstraction subsystem for SQL and NoSQL (MySQL, MongoDB etc.,)
- 2.47 C++-Python Embedding Python CAPI Embedding which executes python machine learning scripts from C++
- 2.48 Config File Support for selectively enabling/disabling AsFer algorithms.
- 2.49 Web Spider implementation for crawl-scrape of URLs (e.g streamed news updates) with Scrapy Framework
 - 2.50 Sentiment Analyzer implementation (with RGO

- algorithm etc.,) for Spidered Texts (e.g streamed news updates)
- 2.51 Streaming Frequency Estimation (Heavy Hitters) with CountMeanMinSketch implementation
- 2.52 An expanded implementation of Interview Algorithm and Intrinsic Merit Ranking with added complexity-machine learning theoretical analysis for :

http://arxiv.org/abs/1006.4458 and http://www.nist.gov/tac/publications/2010/participant. papers/CMI_IIT.proceedings.pdf

that ranks a crawled-spidered webpage, writes a DOT file of the graph, visualizes the RGO NetworkX graph in matplotlib, constructs a junction tree and computes standard qualitative graph complexity measures (viz., connectivity, mincut, treewidth of junction tree etc.,) where as intrinsic merit is quantitative (depends on number of edges, vertices, extent of overlap and depth of recursion)

- 2.53 A rule search script that sifts through a range of astronomical data (with Maitreya-Swiss Ephemeris) and matches sequence mined rules from past training data to predict future weather phenomena (experimental).
- 2.54 Python Tornado based WebService that exposes REST API via a browser GUI in URL http://host:33333/neuronrain_auth At present a login and simple template that accepts AsFer scripts and arguments as inputs and executes, has been implemented

(and an experimental redundant AngularJS client interface) With this NeuronRain is a SaaS and PaaS product that can be deployed on Cloud OS and Containers like Docker.

2.55 Apache Spark MapReduce implementation of Interview Algorithm and Intrinsic Merit Ranking (Global MemCache and Local dict() cache enabled) that parallelizes Recursive Gloss Overlap graph construction algorithm in:

http://arxiv.org/abs/1006.4458 and http://www.nist.gov/tac/publications/2010/participant.papers/CMI_IIT.proceedings.pdf

and is thus deployable on large scale clouds. Presently benchmarked on single node Spark cluster with local threads SparkContext and various spark-defaults.conf settings.

- 2.56 Singular Value Decomposition and Principal Component Analysis R+rpy2 wrapper implementation.
- 2.57 Approximation with a Probability Distribution Kullback-Leibler Divergence
 - 2.58 Basic statistics L1,L2 norms, median etc.,
- 2.59 A Generic Theory and Implementation of Recursive Lambda Function Growth Learning Algorithm based on Cognitive and Psycholinguistics of which Recursive Gloss Overlap implementation is a special case.
- 2.60 Python-C-VIRGO Kernel Cpython extensions invoking VIRGO system calls (both VIRGO32 and VIRGO64

kernels) from Python userspace for dynamic setting of kernel analytics config key-value pairs

- 2.61 Python-C++-VIRGO Kernel Boost::Python extensions invoking VIRGO system calls(both VIRGO32 and VIRGO64 kernels) from Python userspace for dynamic setting of kernel analytics config key-value pairs
- 2.62 Cython Python-C compiler Optimization of previous PySpark Interview Algorithm implementation that has been benchmarked on single node cluster to have substantial performance gains.
- 2.63 Software Analytics SATURN Program Analysis Software integrated with VIRGO SATURN error logs are analyzable by AsFer.
- 2.64 Perl WordNet::Similarity support and WordNet hypernym-hyponym path subroutine for 2 text words.
- 2.65 Bitonic Sort implementation Serial and Parallel on Spark This can be used as a bigdata sorting tool for numeric data which is in NC when run on Cloud and is O(nlogn) in serial. In the absence of PRAM implementation, NC Bitonic Sort has been invoked as a suitable alternative in parallel tile merge sort step of Parallel Discrete Hyperbolic Factorization Implementation.
- 2.66 Long Term Short Term Memory Recurrent Neural Networks implementation

- 2.67 Reinforcement Learning Contextual Multi Armed
 Bandit Evocation based on ThoughtNet Monte Carlo Policy
 Search implementation and ThoughtNet evocative actions based implementation
- 2.68 File and Neo4j Graph Database ThoughtNet hypergraph storage backend (which can be generalized to store any graph relations including WordNet subgraphs constructed by Recursive Gloss Overlap and can be queried in NoSQL)
- 2.69 Automatic ThoughtNet Hypergraph Creation from Recursive Gloss Overlap classified edges input from environment.
- 2.70 Software Analytics Spark computed Cyclomatic Complexity of codebases from VIRGO linux SATURN driver generated .dot graph files
- 2.71 Audio Pattern Mining Machine learning of patterns in music samples by computing Jensen-Shannon Divergence Distance between Fast Fourier Transform Frequency Probability Distributions of music data
- 2.72 Patterns within Strings Longest Repeated Substring Implementation by Suffix Arrays as a special case pattern in binary encoded time series data is retrieved.
- 2.73 Locality Sensitive Hashing Implementation for clustering similar documents and nearest neighbour search.
 - 2.74 ZeroMQ CLI client and server frontend for concurrent

requests to NeuronRain

- 2.75 Kafka Message Queue backend for AsFer datasource abstraction which includes KingCobra request-reply disk persisted queue.
- 2.76 Boyer-Moore Algorithm implementation for finding Majority element in Streaming Sequences.
- 2.77 Graph Mining GSpan algorithm implementation for graph substructure mining for extracting patterns in text-graphs and ThoughtNet/EventNet Graphs.
- 2.78 ThoughtNet Hypergraph Evocation based Recommender Systems Implementation
- 2.79 Software Analytics by Deep Learning (Convolution, RecurrentLSTM, RecurrentGRU, BackPropagation) from system performance logs
- 2.80 Polynomial representation of text strings and distance measures based on it (L2 norms and Jensen-Shannon divergence) alternative to edit distance
- 2.81 Polynomial Reconstruction Error correcting codes BerlekampWelch decoder implementation
- 2.82 Approximate polynomial time 3SAT Solver solves 3SAT with high probability depending on error of least squares algorithm (LSMR/LSQR/CVXOPT)
- 2.83 Java Spark Streaming and ETL for analyzing generic arbitrary URL data extracts text from any URL with Jsoup and

does Spark Dstream and RDD transformations and actions on it.

2.84 Deep Learning - Convolution Networks +
Backpropagation Multilayered Neural Networks implementation
for image pattern recognition(PILlow imaging library support).

- 2.85 Deep Learning Recurrent Neural Networks Gated Recurrent Unit implementation
- 2.86 Unified Streaming Abstract Generator ETL pipeline (Jsoup + Java Spark Streaming

Parquet/Kafka/Cassandra/Hive/Logfiles + Java/Python Spark transformations and Loading)

- 2.87 Cloud implementations of recursive gloss overlap graph intrinsic merit, bitonic sort have been Benchmarked with Spark 2.1.0 and HiveServer2 Metastore is supported
- 2.88 Recursive Lambda Function Growth Random Walk based intrinsic merit computation by growing recursive lambda function composition tree for each random walk in Recursive Gloss Overlap Graph of a text
- 2.89 Korner Graph Entropy an alternative Quantitative Intrinsic Merit measure for Recursive Gloss Overlap graph of a text
 - 2.90 Usecases for deploying NeuronRain
- 2.91 Graph Theoretic alternative instrinsic measures for Recursive Gloss Overlap Graph based on Kleinberg small world lattice, Cheeger Constant

- 2.92 Index implementation for crawled documents with LocalitySensitiveHashing-Redis key-value store and ThoughtNet Hypergraph as backends
- 2.93 Small World Indexless Hyperball web crawler based on Stanley Milgram, Kleinberg lattice Small world experiments and Hyperball algorithm.
- 2.94 Recursive Lambda Function Growth maps text to a neural network Graph Tensor Neuron Network Intrinsic Merit which is amalgamation of Graph Neural Network and Tensor Neuron Network for evaluation of lambda function composition tree for each random walk in Recursive Gloss Overlap Graph of a text supports both WordNet and ConceptNet
- 2.95 ThoughtNet Index and LSH Index Query from GUI and Rank text by Graph Tensor Neuron Intrinsic Merit and Korner Entropy
- 2.96 Unguided Text Summarization based on Unsupervised Recursive Gloss Overlap graph core number classifier: traversal of k-core subgraph and sentences related to prominent core number class vertices
- 2.97 ConceptNet 5.6 Python RESTful Client implementation (a potential alternative to WordNet) contains a Common Ancestor algorithm implementation for ConceptNet distance based on /related ConceptNet (word2vec word embedding for similarity) REST endpoint

- 2.98 Unsupervised text classifier by ranking based on Betweenness Centrality, Closeness Centrality, Degree Centrality of the word vertices in Recursive Gloss Overlap graph of texts.
- 2.99 Scheduler Analytics from Deep-learnt process performance data for VIRGO Linux Kernel Scheduler (kernel_analytics VIRGO module)
- 2.100 Expander graphs Graph Density (regularity lemma) and Bose-Einstein Condensation Intrinsic Fitness merit measures for Recursive Lamba Function Growth definition graphs of a text
- 2.101 MAX3CNFSAT ranking of intrinsic merit which unifies outcomes of all intrinsic merit algorithms as variables in a satisfiability CNF and approximately solves it by least squares solver.
 - 2.102 Support Vector Machines Python Implementation
- 2.103 Computational Geometric Factorization Spark
 Implementation of Optimized Parallel Local Binary Search of
 Pixelated Hyperbolic Arc Tile Intervals for Factor points found
 to be faster than Bitonic K-MergeSort based Factorization in dual
 core single node Spark cluster benchmarks
- 2.104 Compressed Sensing Compressed Sketch of an image bitmap by Moore-Penrose Pseudoinverse
- 2.105 Non-trivial Proof-of-Work (recreate hash till it has 2 leading ff in hex) and Boost UUID hash (unique id concatenated

with denomination) for fictitious Electronic Currency implementation in KingCobra (named "Neuro")

- 2.106 Neuro currency C++ move semantics Option to choose between std::move and std::forward of rvalue reference + std::move in zero-copy Perfect Forwarding of Neuro currency message over cloud
- 2.107 Complement Function Map construction Diophantine Representation by SymPy Sum of Four Squares Diophantine Solver for https://arxiv.org/abs/1106.4102v1
- 2.108 Transactional and Secure Neuro Currency Perfect
 Forward Neuro cloud std::move has been openSSL enabled
 and done in Python transaction manager boundary
 begin()/commit()
- 2.109 Implementation of Locality Sensitive Hashing based Algorithm for searching Unsorted Lists by dimension lift of one dimensional numerical dataset (similar to Mercer polynomial kernel)
- 2.110 Socket Streaming Generic Server Decorator for Streaming Analytics iterator function has to be implemented for a datasource and must be decorated by this Generic Socket Server userspace counterpart of streaming kernel analytics in VIRGO64
- 2.111 Sequential Optimization algorithm for Computational Geometric Factorization

- 2.112 Integer Factorization by Brahmagupta/Pell Diophantine Equation Solver
- 2.113 Computational Geometric Factorization Approximate and sometimes exact Integer Factoring by Hardy-Ramanujan Ray Shooting Queries
- 2.114 Recursive Lambda Function Growth Rich Club Coefficient and Simple Cycles based graph tensor neuron intrinsic merit
- 2.115 Computational Geometric Factorization Approximate Integer Factoring by Hardy-Ramanujan-Prime Number Theorem, Cramer, Baker-Harman-Pintz, Zhang prime factors estimate ray shooting queries
- 2.116 ThoughtNet and Recursive Lambda Function Growth integration ThoughtNet hypergraph edges are weighed either by SentiWordNet or Graph Tensor Neuron Network intrinsic merit
- 2.117 Epsilon bias non-uniform choice of literals for unequal number of variables-clauses and New efficiency measure for LSMR/LSQR SAT solver real parity
- 2.118 Scheduler Analytics Deep Learning
 (GRU,ConvNet,BackPropagation,LSTM) Scheduler Class
 analytics for process performance stream dataset created from
 Psutils and Graphic performance stream dataset (stream of
 images) created from Perf/BPF
 - 2.119 Social Network Analysis Facebook Graph REST API

Analytics on Python 3.4

- 2.120 Quantum NC algorithm for Computational Geometric
 Factorization counterpart of classical PRAM-NC
 k-mergesort/segment-tree Computational Geometric
 Factorization
- 2.121 Deep Learning Reinforcement Learning
 Recommender Systems and Recursive Lambda Function Growth
 integration Recommender systems hypergraph edges are
 weighed either by SentiWordNet or Graph Tensor Neuron
 Network intrinsic merit
- 2.122 Spark Structured Streaming (Java 1.8 + Spark 2.4.x) for advertisement analytics periodic word, count, timestamp information in DataFrames windowed and non-windowed (timestamped)
- 2.123 Computational Geometric Factorization Algorithm based on Parallel construction of Wavelet Tree on PRAMs/Multicore
- 2.124 Latent Semantic Analysis/Indexing of term-document matrices and Low Rank Approximation
- 2.125 Software Analytics Userspace Runtime FlameGraph (along with Perf) and Valgrind/Callgrind/Kcachegrind Call Graph creation
- 2.126 Software Analytics Graph Mining of linux kernelspace SATURN Control Flow Graph and userspace

Valgrind/Callgrind/Kcachegrind Call Graph DOT files by Gspan algorithm

- 2.127 Streaming Algorithms Approximate Counting implementation
- 2.128 Streaming Algorithms Distinct Elements implementation
- 2.129 Software Analytics GraphX/GraphFrames Parallel Graph Processing support for computing Cyclomatic complexity measures of code CFG.
- 2.130 Merit of Large Scale Visuals by ImageNet based ImageGraph and VideoGraph EventNet Tensor Products Algorithm Implementation objects in frames of video are annotated by Keras with Theano backend
- 2.131 Music Pattern Mining Histogram timeseries and Notes Onset Detection sequence of notes in music are deemed to be strings in a formal language
- 2.132 Social Network Analysis People Analytics and HR
 Analytics of Social and Professional Profiles by Recursive
 Lambda Function Growth Graph Tensor Neuron Intrinsic Merit,
 Log Normal Least Energy Intrinsic Merit and Profile vertex degree
 based Experiential Intrinsic Merit
- 2.133 Machine Translation by mapping vertices of Text
 Graph in Recursive Lambda Function Growth implementation
 from English to any other Natural Language translation REST

API in PyDictionary/GoSlate/Googletrans invoked – sentence formation is by graph traversal

- 2.134 Software Analytics Deep Learning (GRU,ConvNet,BackPropagation,LSTM) analytics for systemwide performance based on Psutil CPU/Disk/Memory load statistics implements a NeuronRain usecase
- 2.135 Audio/Music Pattern Mining Complexity Analysis of Intrinsic Merit of Audio/Music as String of Notes over octave alphabets Minimum Description Length, Entropy, Minimum DFA etc.,
- 2.136 Pattern mining large scale visuals Urban Planning/GIS Analytics Convex hull analytics of GIS Images
- 2.137 Intrinsic Merit of Text analyzed as sequence of integers and Ramsey coloring of text graphs
- 2.138 NeuronRainApps NeuronRain Usecases Analytics
 Driven Drone Autopilot Online Shopping Delivery (requires
 DroneSDK-Python and Python 3.6+)
- 2.139 Software Analytics /proc/sched_debug support for Scheduler Analytics stream of processor runqueue dictionaries which can be analyzed by streaming and machine learning algorithms
- 2.140 Software Analytics + Streaming Analytics integration Streaming Abstraction Operating System Statistics as data stream which is analyzable like any other BigData Source

- 2.141 Intrinsic Merit of Music Music Synthesizer from DFA (State Machine), Mathematical Functions and Random Samples
- 2.142 Intrinsic Merit of Music Mel Frequency Cepstral Coefficient analysis
- 2.143 Streaming Set Partition Analytics Pattern mining Stream of histograms by adjusted rand coefficient and adjusted mutual information (text word frequency histograms, separate chaining hashtables, voting based on LSH/separate chaining hashtables, business intelligence histograms etc.,)
- 2.144 Set Partition to Tile Cover Finding Lagrange Four Square Tile Cover of a rectangle from buckets of a Set Partition
- 2.145 Merit of Large Scale Visuals Extraction of EventNet causality graph from a Video
- 2.146 Medical Imageing Analytics Pattern recognition in medical images (ECG,MRI,Scans) for diagnosis
- 2.147 Streaming Set Partition Analytics Comparing Set
 Partitions by Partition Rank measure in SymPy API (implemented
 In GRAFIT course material as an example Hashing Dynamic
 Sets and OS Scheduler Timer complements previous streaming
 set partition analytics implementation In AsFer alternative to
 rand index and mutual info)
- 2.148 Topological Handwriting Recognition Deep Learning Convolution Backpropagation Approximate DP Polynomial deformations from handwriting Image contours and distance

- similarity measure between DP polynomials
- 2.149 Intrinsic Merit of Music Learning Weighted

 Deterministic Finite State Automaton from strings of musical notes (Python 3.7)
- 2.150 People Analytics Tenure Histogram model of a professional profile Partition Rank of Tenure Histogram Set Partition
- 2.151 People Analytics Tenure Histogram vector model of a professional profile Kendall-Tau Rank Correlation Coefficients of Tenure Histogram Vectors
- 2.152 Urban Planning/GIS Analytics Patch Analysis of Remote Sensing GIS Imagery of Urban Sprawls
- 2.153 Image Analytics ImageNet Keras-Theano Scikit Learn Random Forest Classification wrapper for images
- 2.154 Image Analytics ImageNet Keras-Theano Unsupervised Recursive Gloss Overlap classifier based on ImageNet
- 2.155 Fraud Analytics complements low level wireless LAN fraud analytics in US
- Bmd clustering and PCA based credit card financial transactions dataset analysis and Pandas Correlation Coefficient
- 2.156 Intrinsic Merit of Audio Recursive Lambda Function
 Growth Merits and Core Number based Dense Subgraph
 Classification of Speech text Recognized from audio

- 2.157 Intrinsic Merit of Music Music Genre Classification based on pairwise earth mover distance between MFCCs of music waveforms
- 2.158 Urban Planning/GIS Image Analytics scikit learn extract_patches_2d() integration
- 2.159 People Analytics Kaggle LinkedIn DataSet Analysis Experiential and Degree Intrinsic Merit
- 2.160 Time Series Analysis ARMA and ARIMA implementations for stock quotes example data
- 2.161 Time Series Analysis and Fraud Analytics Credit Card Transactions Dataset
- 2.162 GIS Remote Sensing Image Analytics Image Segmentation
- 2.163 Computational Geometric Factorization Tile Search Optimization Spark 2.4.3 and QuadCore benchmarks
- 2.164 Named Entity Recognition by majority PoS of Ontology Semantic Paths between PoS annotated and unannotated words
- 2.165 Intrinsic Merit of Text ConceptNet Text Graph
 Implementation and Graph Complexity measures alternative to
 WordNet Text Graph
- 2.166 Social Network Analysis People Analytics PIPL.com python API integration Syllable based name clustering
 - 2.167 Social Network Analysis People Analytics -

- **Contextual Name Parsing and Syllable Vector compression**
- 2.168 People Analytics Set Partition based Electronic
 Voting Machine(EVM) implementation and a Drone EVM usecase
- 2.169 Topological Handwriting and Face Recognition Product Homotopies
- 2.170 Economic Intrinsic Merit Gravity Model of Volume of Trade and GDP as fitness measure
- 2.171 People Analytics Set Partition Analytics based Drone Electronic Voting Machine (partial implementation has dependency on Drones)
- 2.172 People Analytics Handwriting Recognition Contour Homotopies Matplotlib Rasterization
- 2.173 People Analytics Handwriting Recognition Inner Product Space of Contour Interpolated Polynomials
- 2.174 People Analytics Election Analytics Set Partition Electronic Voting Machine Streaming analytics by Histogram distance measures
- 2.175 People Analytics Drone Electronic Voting Machine JSON persistence of EVMs Datasource for Voting Analytics
- 2.176 People Analytics Drone Electronic Voting Machine Pseudorandom Majority Voting Balls-Bins Simulation and Voting Analytics
- 2.177 Set Partition Analytics Set Partition to Tile Cover Reduction by Computational Geometric Factorization Least

Squares Approximate Solution (LSMR) for the underdetermined linear equations

- 2.178 Apart from AstroInfer repositories, GRAFIT course materials have some pedagogical analytics: Async IO (suitable for Drones) and cloud implementations based on Python Spark MLLib Advertisement Analytics by PageRank and Collaborative Filtering, PrefixSpan Astronomical Analytics of Celestial bodies, FPGrowth frequent itemset analytics for OS Scheduler and a design of Earliest Deadline First Worst Case Execution Time OS Scheduler AstroInfer codebase might import these cloud implementations
- 2.179 People Analytics Election Analytics Drone
 Electronic Voting Machine Streaming Boyer-Moore Majority
 voting
- 2.180 People Analytics Drone Electronic Voting Machine Streaming Voting Analytics Bertrand Ballot Theorem
 Approximation of Majority Voting
- 2.181 Astronomical Pattern Mining Rule Search Script upgrade for Maitreya Dreams Swiss Ephemeris text client maitreya 8.0.1 (maitreya8t)
- 2.182 Merit of Large Scale Visuals Python 3.x Tensor Rank intrinsic merit of EventNet of a video measure of connectedness of a Video (Video mapped to EventNet Causality Graph) Tensor Decomposition of Video 3-way EventNet Tensor

Product to Rank-1 tensor components by Tensorly - Slicing for footages of unequal frames

- 2.183 Computational Geometric Factorization Quadcore Python 3.6,3.7.5,3.9.0 Upgrade Benchmarks 60 bits, 512 bits and 1000+, 2000+, 4000+, 18000+ and 20000+ bits integers (1024, 1067, 1213, 1243, 2014, 2037, 2050, 2060, 2061, 2063, 4960, 18178, 18181, 20437, 20523 bits) randomly chosen, smooth and hard
- 2.184 All NeuronRain Python 2.7 Source Files can be upgraded to PEP8 and Python 3.x by autopep8 and 2to3-2.7 utilities. Python 3.x is faster than Python 2.x and has many upgraded builtins including range(),tuned python malloc, async IO. Spark Factorization and EventNet Video Tensor Product implementations in NeuronRain have been upgraded to Python 3.x for compatibility and performance.
- 2.185 Complement Diophantines Python 3.7.5 upgrade and Least Squares Vandermonde Polynomial Fit Learning
- 2.186 People Analytics Drone Electronic Voting Machine Python 3.7.5 upgrade and Paper ballot shuffle simulation (and
 theory on paper currency unique id non-digital one time
 password, Money Trail Neuro cryptocurrency transactional
 EventNet Ledger as Expander Graph and Random Walks in it Pseudorandom Extractor and Generator for Unique Identification)
- 2.187 Chaos Pseudorandom Generators Python 3.7.5 1dimensional Binary Cellular Automaton, Mandelbrot set, Verhulst

Logistic and Lehmer-Palmore PRGs implementation

- 2.188 Compressed Sensing Python 3.7.5 Alphabet-Syllable vectorspace embedding and similar name clustering in Social Networks and People Analytics
- 2.189 Leaky Bucket Timeseries Analyzer Implementation Python 3.7.5
- 2.190 PAC Learning Python 3.7.5 upgrade and Patterns in Primes
- 2.191 Text Compression, Compressed Sensing, Syllable boundaries decompression implementation Python 3.7.5 upgrade
- 2.192 Social Network Analytics LinkedIn Connections Analysis, Name filter and Python 3.7.5 upgrades
- 2.193 GIS and Urban Sprawl Analytics Image Segmentation and Face components statistics
- 2.194 GIS and Urban Sprawl Analytics Delaunay
 Triangulation and Voronoi diagram of Segmented Image, Multi
 Agent 4-coloring of Urban Sprawl FaceGraphs for Fair Division of resources
- 2.195 Interview Algorithm Spark Recursive Gloss Overlap Implementation Python 3.7.5 upgrade and Quadcore Benchmarks
- 2.196 People Analytics Human Resource Analytics Recursive Lambda Function Growth Intrinsic Merit of Name-

- filtered Profile Chaotic Hidden Markov Model of Tenures/Attrition and Martingales
- 2.197 Computational Geometric Factorization and Set
 Partition to Lagrange Four Square Theorem Square Tile Cover
 Reduction Randomization
- 2.198 Intrinsic Merit of syllable hyphenated text and its audio Waveform Distance of Audios as Originality merit measure,
 Acoustic Distance of Strings, Name Similarity, Music Clustering alternative to Levenshtein edit distance of strings
- 2.199 People Analytics Human Resource Analytics Chaotic Hidden Markov Model of Tenures/Attrition implementation JSON persistence and Weighted Automata model
- 2.200 Recursive Lambda Function Growth local lookup alternatives for machine translated multilingual textgraphs and proper noun filtering
 - 2.201 People Analytics LinkedIn DataSet Tenure Statistics
- 2.202 Word Embedding on a Vectorspace Spark SkipGram Log Likelihood Text Similarity, Dissimilarity and Merit Measure of Originality (in GRAFIT)
- 2.203 People Analytics R Ricker Logistic Population dynamics of urban sprawls (in GRAFIT)
- 2.204 People Analytics Social Network Analysis CoronaVirus2019 analyzer Statistics in R Fitting a Probability

Distribution (in GRAFIT)

2.205 People Analytics - Social Network Analysis - CoronaVirus2019 analyzer - Chaotic pandemic model, Correlation coefficients in R (in GRAFIT)

2.206 People Analytics - Social Network Analysis - CoronaVirus2019 analyzer - Linear Models in R - Linear and Logistic Regressions (in GRAFIT)

2.207 People Analytics - Social Network Analysis - CoronaVirus2019 analyzer - CAGraph Logit (in GRAFIT)

2.208 Intrinsic Merit of Academic Publications Bibliometrics - SkipGram Word2Vec of publication full text Concept Cloud Wordle - an alternative to H-index, First Order
Logic, Monoidal Categories, Girard Geometry of Interactions
(Gol), Sequent Calculus, ProofNets, TOP Categories, Shell Turing
Machines and Kernel Lifting, Lambda functions and Beta
Reduction, Meaning representation (in GRAFIT)

2.209 People Analytics - Theoretical (Drone) Electronic

Voting Machines - Population Count - Number of 1s (Decimal parity) in a bitstream - Various algorithms - Parallel computation in Spark (in GRAFIT)

2.210 Bibliometrics - Patents as ProofNets and Search - Novelty detection and Originality merit measure for Patent search, Latent Semantic Analysis, Low Rank Approximation (in GRAFIT)

- 2.211 Fraud and Cybercrime analytics Faraday Cageing for Van Eck Phreaking, Analyzing Userspace Phishing/Spoof/Spams, Kernel Ftrace callgraph analyzer, Address book and dictionary attacks, Bayesian Filters, ERSIR, SIS and Cellular Automaton Graph models of Cybercrime transmission Datasets for CoronaVirus 2019 Pandemic R analyzers could be replaced by cybercrime Susceptible-Infected-Recovered random graph botnet data.
- 2.212 Fraud and Cybercrime analytics Digital Watermarking of Large Scale Visuals in OpenCV (in GRAFIT)
- 2.213 Numeric Compression Sublogarithmic Space Prime power encoding of huge integers by Unique Factorization Theorem and Computational Geometric Factorization and its application in CPU instruction sets (in GRAFIT)
- 2.214 NeuronRainApps NeuronRain Usecases PX4 Micro Air Vehicle SDK Python Asynchronous I/O Drone Simulator Drone_MAVSDK_Client and Drone_MAVSDK_Server -requires PX4 Firmware + JMAVSIM + MAVSDK-Python + Python 3.7.5 (in GRAFIT)
- 2.215 NeuronRainApps NeuronRain Usecases Online Shopping Delivery - PX4 Micro Air Vehicle SDK Python Asynchronous I/O Simulator - requires PX4 Firmware + JMAVSIM + MAVSDK-Python + Python 3.7.5
 - 2.216 Graph Analytics and Drone Navigation A* (A-Star)

Best First Search Pathfinding and Motion Planning Algorithm
Implementation for Drones and generic Graph search (in GRAFIT)

- 2.217 GIS analytics OpenCV Image Contours, Contour graphs and Segmentation for Drone Obstacle Avoidance and Motion Planning
- 2.218 Merit of Large Scale Visuals and Music OpenCV Image Contours and Segmentation for Medical Imageing and Intrinsic merit of music (Functional) Magnetic Resonance Imageing (MRI and fMRI)
- 2.219 GIS Analytics and Drone Autonomous Delivery Drone Obstacle Avoidance by 3D Navigation on Airspace defined by Road Geometry (Google Roads REST API and Drone Swarms example)
- 2.220 People Analytics Social Network Analysis CoronaVirus2019 Analyzer Exponential Fit in R
- 2.221 Generating all possible permuted strings of an alphabet
- 2.222 Fibonaccian Search alternative to binary search in Computational Geometric Parallel Planar Point Location Factorization and other BigData queries
- 2.223 People Analytics People profiles as Tensors Chaotic Hidden Markov Model of Tenure Transitions TensorFlow integration for conversion of People profile data to Tensors
 - 2.224 People Analytics and Compressed Sensing -

Alphabet-Syllable Vectorspace Embedding Distance implementation for Strings - Strings as Tensors - alternative to Levenshtein Edit distance

2.225 Merit of Large Scale Visuals (LSVR) - TensorFlow + Keras Backend - alternative to Theano + Keras Backend

2.226 EventNet Python Parser - Events as Tensorflow

Tensors - EventNet vertices and edges are parsed from text files
and converted to Tensorflow Tensors

2.227 People Analytics - Alphabet Vectorspace Embedding - Earth Mover Distance between String Syllable Tensors

2.228 Graph Search and Analytics - NetworkX Graph Edit
Distance - Inexact Graph Matching - Graph mining of dissimilar
graphs

2.229 Software Analytics - Cyclomatic Complexity Program
Analyzer - Graph Edit Distance - Inexact Graph Matching for
various types of Program analysis graphs (CFG,Slice
dependency,Callgraph)

2.230 Text Analytics - Word Sense Disambiguation - NeuronRain implementation of Lesk's algorithm - alternative to NLTK and PyWSD

2.231 People Analytics - HR and Talent Analytics - Domain Specific Dictionary - LinkedIn Dataset analytics in Spark 3.0.1+ Hadoop 3.2

2.232 People Analytics - HR and Talent Analytics - Chaotic

Hidden Markov Model - Career Transition Score of a Profile - Weighted Automaton of Career Transition

2.233 People Analytics - HR and Talent Analytics - Chaotic Hidden Markov Model - Career Polynomial of a Profile and Inner Product Space Distance Similarity between 2 people profiles

2.234 Software Analytics and People Analytics - Program
Analyzers in NeuronRain
could also serve as People Analytics tools specific to
Professional profiles of People in

Information Technology domain thus facilitating automated recruitment of talent -

Cyclomatic complexity analyzers, Userspace and Kernelspace Call graph analyzers, SATURN

kernel CFG analyzers could be useful in analyzing complexity of any opensource code

repository

2.235 Bibliometrics - Merit of Academic Publications - Transformers Attention Model implementation (in GRAFIT)

2.236 Recursive Lambda Function Growth - Transformer Attention Model - Textgraph Degree attention

2.237 Named Entity Recognition - Transformers Attention Model - Textgraph degree attention

2.238 Recursive Lambda Function Growth Textgraph as EventNet Causality Graphical Event Model - implementation

- 2.239 Recursive Lambda Function Growth EventNet GEM CoronaVirus 2019 GEM usecase
- 2.240 Recursive Lambda Function Growth EventNet GEM 2 different research articles collated
- 2.241 Digital Watermarking for both Image and Video by CV2 overlay
- 2.242 ThoughtNet Evocation of Thought Hyperedges by Set Intersection of Hypervertices
- 2.289 Set Partition Analytics Set Partition to Tile Cover Reduction by Computational Geometric Factorization CVXOPT GLPK Integer Linear Programming Exact Solution for the underdetermined linear equations
- 2.290 Merit of Large Scale Visuals GIS and Urban Sprawl Analytics, CoronaVirus 2019 Analyzer, Histogram Partition Distance Similarity of images
- 2.291 Drone Electronic Voting Machine Set Partition
 Analytics electronic_voting_machine() invocation PX4 SITL
 JMAVSIM simulation Geocoding integration for address to
 longitude-latitude translation
- 2.292 Drone Electronic Voting Machine Set Partition
 Analytics electronic_voting_machine_asynchronous() wrapper
 definition and invocation PX4 SITL JMAVSIM simulation Fictitious address
 - 2.293 Drone Online Shopping Delivery NeuronRainApps -

Refactoring for ConvexHull and GIS analytics variables read over socket stream

2.294 Set Partition Analytics - Complementary Set Partitions
2.295 GIS Urban Sprawl Analytics - NASA VIIRS NightLights
Urban Area and Population Estimation - from training data of
contour area to square kilometre area and average population
density (GeoTIFF lookup and map projections have been ignored
as they are data format specific)

2.296 GIS Urban Sprawl Analytics - NASA VIIRS NightLights 2012 and 2016 Urban sprawl distance similarity and Urban area rankings

2.297 GIS Urban Sprawl Analytics - NASA VIIRS NightLights 2016 and 2021 Urban sprawl distance similarity and Urban Area Rankings

2.298 Economic merit - Urban and Rural GDP estimation from GIS Urban Sprawl Analytics

2.299 GIS Weather Analytics (Windy.com layers for wind,rain,temperature as inputs to drone natural obstacle avoidance algorithm) and Image grayscale inversion for the non-urban (rural) complement of urban night time lights

2.300 Large Scale Visuals Streaming NoSQL Datastore (MongoDB-GridFS) support in Streaming_AbstractGenerator Facade

2.301 GIS Urban Sprawl Analytics -

Moments, Centroid, Minimum Enclosing Circle of an urban sprawl 2.302 GIS Urban Sprawl Analytics - Population Estimator from Urban Sprawl Contours - usecase comparative study of few

2.303 GIS Weather Analytics and Climate Analytics (Tensorflow Sequential model for climate datasets, historic extreme weather events and correlation to celestial n-body choreography patterns) from OpenWeatherMap PyOWM and ECMWF CliMetLab

urban sprawl growth pattern examples

2.304 GIS Urban Sprawl Analytics - a Multiple Agent Resource Allocation DNFSAT Algorithm

2.305 GIS Analytics - MongoDB GridFS backend standalone python client implementation

2.306 GIS Urban Sprawl Analytics - Urban Sprawl Extent from NASA SEDAC 2015 GPW 4 Population Count and SEDAC 2020 GPW 4.11 Population Density by contour, convex hull segmentation and minimum enclosing circles

2.307 GIS Urban Sprawl Analytics - Voronoi Tessellation
Clustering Diagram implementation engulfing urban sprawl
contours and minimum enclosing circles - a rural + urban extent
estimator - alternative to neural network and DBSCAN urban
extent models

2.308 GIS Urban Sprawl Analytics - Centrality Measures of Urban Sprawl Facegraph

- 2.309 GIS Urban Sprawl Analytics Delaunay Triangulation plot approximation of transportation network between urban areas an Eulerian circuit and Hamiltonian estimator for Efficient Drone navigation
- 2.310 GIS Urban Sprawl Analytics Distance similarity of Voronoi Tessellations (Earth mover distance, Graph Edit Distance, Modularity community detection) and Measuring Urban Expansion
- 2.311 GIS Urban Sprawl Analytics Computation of Urbanization Correlation from Voronoi Shapely Polygon areas (Rural + Urban) and Urban Sprawl Contour areas
- 2.312 People Analytics Merit of Large Scale Visuals Unique identification Topological Face Recognition Voronoi Tessellation and Delaunay Triangulation of Faces, their Morphology and Shape Grammar
- 2.313 People Analytics Merit of Large Scale Visuals Unique identification Topological Face Recognition Distance
 similarity between Facial Image Voronoi Tessellations of similar
 Faces and Facial Landmark Detection Wasserstein distance
 between Voronoi Facet Shapely polygon areas of 2 facial images
- 2.314 People Analytics Merit of Large Scale Visuals Unique identification Topological Face Recognition Voronoi diagram and Delaunay Triangulation of Facial images from 68-landmark centroids computed by Dlib face landmarks detection

- 2.315 People Analytics Merit of Large Scale Visuals Unique identification Topological Face Recognition Netrd Voronoi Facegraph Graph matching distance similarity measures, Histogram partition distance similarity (cv2.EMD()) and Voronoi FaceGraph Isomorphism-Subgraph Isomorphism Similarity (NetworkX) of 2 facial images
- 2.316 People Analytics Merit of Large Scale Visuals Topological Face Recognition Voronoi diagram and Delaunay
 Triangulation of Facial images from centroids computed by Dlib
 face landmarks detection and Voronoi FaceGraph IsomorphismSubgraph Isomorphism Similarity
- 2.317 People Analytics Merit of Large Scale Visuals Topological Face Recognition Voronoi FaceGraph Isomorphism-Subgraph Isomorphism Similarity VF2 and ISMAGS Isomorphic Subgraphs iteration
- 2.318 People Analytics Merit of Large Scale Visuals Topological and Graph Theoretic Face Recognition Voronoi FaceGraph Isomorphism Similarity Percentage similarity
- 2.319 People Analytics Merit of Large Scale Visuals Topological and Graph Theoretic Face Recognition Delaunay
 Triangulation Mesh isomorphism and Euler Characteristic
- 2.320 Software Analytics Cybercrime analytics Graph Isomorphism Similarity of Code Callgraphs and Control Flow Graphs Spark 3.0.1 + Python 3.7.5

- 2.321 Software Analytics Cybercrime analytics Approximate Graph Isomorphism Similarity of Code Callgraphs and Control Flow Graphs Spark 3.0.1 + Python 3.7.5
- 2.322 GIS Analytics DBSCAN Density Clustering implementation
- 2.323 Software Analytics Degree Sequence Earth Mover
 Distance Similarity of Code Callgraphs and Control Flow Graphs
 Spark 3.0.1 + Python 3.7.5
- 2.324 GIS Analytics DBSCAN Density Clustering Neural Network Thresholding implementation
- 2.325 People Analytics Merit of Large Scale Visuals Topological and Graph Theoretic Face Recognition Delaunay Triangulation Mesh Bezier Animation by PyVis
- 2.326 People Analytics Merit of Large Scale Visuals Textual, Topological and Graph Theoretic Face Recognition Physique Recognition From Quadrilateral mesh isomorphism and Face Distinguisher from ImageNet predictions
- 2.327 Computational Geometric Factorization Matplotlib plot of benchmarks 300 integers from 100 to 400 and 20 integers from 500 to 520
- 2.328 People Analytics Social Network Analysis Bipartite Social Networks (Matrimonial portals, Employer-Employee Professional networks) Recommender Systems and Sentiment Analysis of Profiles for Ranking Preferences

- 2.329 GIS Urban Sprawl Analytics Population Density computation from Contour Pixel color coding
- 2.330 GIS Urban Sprawl Analytics Population count computation from HRSL Map Legend
- 2.331 Economic merit Neuro Cryptocurrency mint Commodity linked Neuro Fictitious Cryptocurrency Proof of Work
 Algorithm
- 2.332 Computational Geometric Integer Factorization 20523 bits quadcore benchmarks Factorization as a non-trivial Proof of Work computation for Neuro Cryptocurrency mining rig
- 2.333 Set Partition Analytics Set Partition-Rectangular Area to Factorization reduction and Integer Linear Program solution of Frobenius Coin Diophantines for Neuro Cryptocurrency mining rig Proof of Work, One Time Password facility augmented for Voter Received Encrypted Paper Audit Trail (VREPAT)

 Conceptual Drone Electronic Voting Machine
- 2.335 Fictitious Neuro Cryptocurrency Mining Rig Random Integer Partition + Rectangular Area Factorization + Money Changing Problem Proof of Work Digital Watermarking implementation for Visual Neuro cryptocurrency
- 2.336 Music Synthesizer Python 3.8 upgrade and Fractal implementation
- 2.337 Music similarity Dynamic Time Warping Waveform Distance algorithm implementation

- 2.338 Music Information Retrieval (MIR) Learning a polynomial from music waveform
- 2.339 Fictitious Neuro Cryptocurrency NP-Hard Proof of Work Moving Mount Fuji Single Bin Sorted LIFO Histogram Towers of Hanoi implementation
- 2.340 Music Information Retrieval Al Music Synthesis from Sum of Damped Sinusoids
- 2.341 GIS Urban Sprawl Analytics SEDAC Urban Expansion Probabilities Projection for Year 2030 a casestudy of urban sprawls
- 2.342 GIS Urban Sprawl Analytics Maximum Population
 Density and Area-Population Ratio as arguments
- 2.343 Set Partition Analytics Neuro Crytocurrency Towers of Hanoi NP-Hard Proof-of-Work Set Partition Histogram to Lagrange Sum of Four Square theorem square tile cover of an Almost-Square rectangle by Integer Factorization
- 2.344 Kernel lift random walk in tree of TOP Category Shell Turing Machines and UNIX Shell Game Example
 - 2.345 Intrinsic Merit of Texts TAC 2010 code opensourced -
- 2.346 People Analytics Social Network Analysis CoronaVirus2019 analyzer Recomputed Spearman, Kendall Tau,
 Pearson Correlation coefficients of COVID19 dataset and
 Verhulste-Pearl-Reed Logistic in R in GRAFIT repositories
 2.347 GMSH Trimesh and Quadmesh GEO OPT and MSH

files from GMSH FLTK

- 2.348 Merit of Large Scale Visuals Trimesh and Quadmesh generation from an image by GMSH
- 2.349 GIS Urban Sprawl Analytics Polya Urn Urban Growth Model implementation for 4-colored Urban Sprawl Contour Segment Facegraphs
- 2.350 People Analytics Social Network Analysis CoronaVirus2019 analyzer Recomputed Spearman, Kendall Tau,
 Pearson Correlation coefficients for revised COVID19 dataset
 (Lancet,WHO estimates) and corrections to Verhulste-Pearl-Reed
 and May Logistic code in R in GRAFIT repositories
- 2.351 GIS Analytics Archaeology an archaeoastronomical and computer vision analysis of MODIS GIS image of Adam's Bridge (Ram Sethu)
- 2.352 Merit of Large Scale Visuals Face recognition by Approximate Topological Match of GMSH Quadmesh images
- 2.353 Merit of Large Scale Visuals Archaeology ImageNet predictions from multiple models Rebus Topological Script Recognition Dholavira Signboard example deciphered by ResNet50 and ResNet50V2

Astrolnfer is the userspace Big Data Mining and Deep Learning facet of NeuronRain. Initially implemented for mining patterns in astronomical datasets(degrees of astronomical objects viz

planets, constellations etc.,) and prediction based on rules and execution of those rules (SourceForge), has been generalized for any dataset (GitHub,GitLab). It is also used in USBmd and VIRGO codebases below for traffic analytics and kernel analytics.

Design started in May 2003.

(Latest NeuronRain AsFer research version Code at sourceforge repository: http://asfer.sourceforge.net and periodically updated Design Details at:

http://sourceforge.net/p/asfer/code/HEAD/tree/asfer-docs/AstroInferDesign.txt)

(Latest NeuronRain AsFer enterprise version Code at github repository: https://github.com/shrinivaasanka/asfer-github-code and periodically updated Design Details at: https://github.com/shrinivaasanka/asfer-github-code/blob/master/asfer-docs/AstroInferDesign.txt)

3. NEURONRAIN - VIRGO - VIRtual Generic Os Linux Kernel

(compatible with 4.1.5 (32-bit) and 4.13.3 (64-bit) mainline kernels)

- Linux Kernel Extensions for cloud - kernel modules, system

calls for cloud rather than at application level high up the stack

with:

3.243 Config file support

3.244 Psuedorandom Generator Based

Loadbalancer

3.245 Kernel space remote execution

3.246 User space remote execution with kernel upcall and pthread creation of userspace library function or executable

3.247 Example unit test cases

3.248 Usermode output redirected logging feature for Kernel upcall to Userspace

3.249 Intermodule Function Invocation in Kernel Space - through which any machine on cloud can be completely remote-controlled deep upto board and hardware cards through function names or commands sent through virgo_clone() calls.

3.250 CPU Pooling Driver and virgo_clone system call – Multi-kernel-threaded VIRGO cloudexec Kernel Driver Module for unrestricted service of virgo_clone or other client requests.

3.251 Memory Pooling Driver (and a key-value store) and system calls userspace clients for it on Cloud nodes - virgo_malloc, virgo_get, virgo_set, virgo_free.

3.252 Queueing Driver - that implements a wrapper over linux concurrent managed workqueue (CMWQ) and

also a native local queue - used for KingCobra requests queuing with handler invocation. Also implemented is a standalone kernel queueing service that listens on requests rather than being forwarded by CPU and Memory pooling drivers above.

3.253 VIRGO Cloud File Systems Driver and system calls - implements distributed cloud file system calls and telnet userspace clients for - virgo_open, virgo_close, virgo_read and virgo_write of a file on remote cloud node

3.254 All the drivers above for CPU, Memory and File System on cloud have 3 paths each for telnet connection to remote driver kernel server socket and system call connection to remote driver kernel server socket – 1) parameter is executable in userspace 2) parameter is a function name which uses a kernel upcall plugin to execute in userspace 3) parameter is a function name executable in kernel space – configured by a boolean flag with in the driver binaries. Based on this flag either kernel upcall to userspace or kernel intermodule invocation is done.

3.255 A config driver - for exporting config symbols

3.256 Experimental Bakery algorithm kernel module implementation – for synchronization in cloud

3.257 Utilities driver kernel module – a universal kernel module with exported utility function symbols that can be invoked across VIRGO Linux subsystems and Linux kernel including EvenNet logging kernel socket client and skbuff kernel

socket debugger.

3.258 Experimental EventNet driver kernel service module - This listens on incoming EventNet log messages (Vertex and Edge) and writes to EventNet Vertex and Edge text files by VFS write. These files can then be massively processed by the boost::graph or pygraph GraphViz code in AsFer to create DOT files and graphics. Event vertices and edges can be logged by virgo_eventnet_log() utility function from any kernel module on any VIRGO cloud node.

3.259 From the above EventNet graph, a logical time ordering can be obtained on the cloud events and partakers which is for example useful in establishing money trail in KingCobra MAC eletronic money.

3.260 Kernel Analytics Kernel Module - reads the config key-value pairs set by AsFer or any other machine learning software and exports them which can be looked-up in any other kernel module. The key-value config are analytics variables learnt by mining kernel or other logs and objects. With this an adaptive dynamic kernel which changes over a period of time depending on a machine learnt config is obtained. At present an Apache Spark usecase which mines kern.log and exports a config variable through kernel_analytics has been implemented.

3.261 Thus VIRGO has all the requisite minimum

functionalities for a linux variant cloud, artificially intelligent, operating system

- 3.262 SATURN Program Analysis Module Intercepts linux build and extracts program analysis data in trees. SATURN logs are analyzable by AsFer (e.g null pointers, aliasing, memory etc.,).
- 3.263 VIRGO is suitable for analytics driven embedded systems e.g kernelspace IoT
- 3.264 VIRGO KTLS config kernel module only in VIRGO_KTLS branch of VIRGO64 repositories
- 3.265 64 bit version of VIRGO Linux kernel based on mainline 4.13.3 kernel (in a separate repository) is in separate repository and has been found to be better performing and stabler than VIRGO 32bit.
- 3.266 VIRGO 64-bit has lot of random panics related resolutions related mostly to i915, CIFS drivers and SMB security. Though functionally similar to 32 bit VIRGO linux, 64 bit kernel is suited for large RAM installations, with CPU level security features and faster than 32 bit binaries. 4.13.3 kernel also supports Kernel Transport Layer Security (KTLS). VIRGO64 repositories implement KTLS setsockopt() in a separate branch VIRGO KTLS.
- 3.267 Streaming kernel analytics in VIRGO64 for live reading of stream of analytic variable-value pairs from remote

cloud node over network in kernel_analytics module and exporting them as global symbols in local cloud node kernel.

Requires a webservice creating a stream of key-value analytics learnt from a dataset. Presently implemented only in VIRGO64

3.268 Kernel Analytics powered PXRC Flight Controller Driver - Kernel support pxrc flight controller driver from 4.17. Changed PXRC driver in kernel 5.1.4 has been committed to VIRGO64 repositories which imports kernel analytics variables exported by kernel_analytics driver in VIRGO64.

3.269 Kernel Analytics powered UVC Video Driver - Changed UVC Video driver in kernel 5.1.4 has been committed to VIRGO64 repositories which imports kernel analytics variables exported by kernel analytics driver in VIRGO64.

3.270 Read-Copy-Update in userspace - usecase (in GRAFIT)- wraps VIRGO System calls

3.271 Software Transactional Memory in userspace –
Lockfree datastructures – usecase (in GRAFIT) – wraps VIRGO system calls

VIRGO enables viewing entire cloud as a single "logical machine" upto hardware level with machine learning support by implementing lowlevel primitives that can be invoked by highlevel cloud OS components viz., OpenStack Neutron. This differentiates from other cloud libraries which are in userspace

mostly. AstroInfer together with KernelAnalytics-VIRGO-USBmd-KingCobra make it a Cloud OS kernel with Machine Learning and Analytics abilities. Support for mobile operating systems in cloud are, among other things, long term goals for VIRGO. (Latest NeuronRain VIRGO research version Code at sourceforge repositories: https://sourceforge.net/projects/virgo-linux/, https://sourceforge.net/projects/virgo64-linux/ and periodically updated Design details at: https://sourceforge.net/p/virgo-linux/code-0/HEAD/tree/trunk/virgo-docs/VirgoDesign.txt)

(Latest NeuronRain VIRGO enterprise version Code at github repositories: VIRGO - https://github.com/shrinivaasanka/virgo-linux-github-code, https://github.com/shrinivaasanka/virgo64-linux-github-code/blob/master/virgo-docs/VirgoDesign.txt,

https://github.com/shrinivaasanka/virgo-linux-github-code/blob/master/virgo-docs/VirgoDesign.txt)

Design started in 2008.

- 4. <u>NEURONRAIN</u> <u>USBmd</u>- <u>Linux kernel USB device driver</u> module for debugging and network analytics :
 - 4.272 Contains a modified version of Linux kernel mainline

USB and USBWWAN broadband modem drivers with debug statements and functions that capture and dump data transfer buffers in kern.logs.

4.273 These logs are parsed and processed with Apache Spark and other AsFer machine learning algorithms (e.g Streaming Algorithm implementations) to create a debug and traffic analytics for in and out data – a typical software analytics usecase with widespread necessity in anti-cybercrime, anti-theft and anti-virus products

4.274 Mainline USB drivers (USBWWAN, USB serial, USB storage) instrumented with debug statements in URB related functions

4.275 Apache Spark Python MapReduce Log Analyzer for kern.log – extracts patterns in USB requests and wireless LAN traffic. By enabling Kernel Address Sanitizer in linux kernel 4.10.3 64 bit code and Spark ETL, USB related kernel function invocations have been profiled.

4.276 64-bit version of this driver is in separate repository based on 4.13.3 mainline linux kernel (32-bit version is based on mainline kernel 4.1.5)

4.277 USBmon and Ftrace kernel utility support for analyzing USB interface traffic and kernel functions invocation graph logs

4.278 This USB analyzer complements the Program Analysis

- Software Analytics module in AstroInfer (for userspace

applications) analyzing kernelspace function call graph and network activity among others

4.279 tcpdump and wireshark pcap format WLAN logs can also be analyzed by Spark Analyzer for regular expression patterns

4.280 Ftrace kernel function call graphs are written to a DOT file and analyzable by any Subgraph Miner

4.281 Ftrace call graphs have been analyzed by NetworkX for PageRank and Degree Centrality measures which provide insight into most active code in kernel for an executable

(Latest NeuronRain USBmd research version Code at sourceforge repositories: https://sourceforge.net/p/usb-md/, https://sourceforge.net/p/usb-md64/code/ci/master/tree/ and periodically updated Design Details at:

https://sourceforge.net/p/usb-md64/code/ci/master/tree/ USBmd_notes.txt,

http://sourceforge.net/p/usb-md/code-0/HEAD/tree/ USBmd_notes.txt_)

(Latest NeuronRain USBmd enterprise version Code at github repositories: https://github.com/shrinivaasanka/usb-md-linux-github-code, https://github.com/shrinivaasanka/usb-md64-github-code

and periodically updated Design Details at:

https://github.com/shrinivaasanka/virgo-linux-github-code/blob/ master/USBmd_notes.txt,

https://github.com/shrinivaasanka/usb-md64-github-code/blob/master/USBmd notes.txt).

5. NEURONRAIN - King Cobra - Kernelspace Messaging and Computational Economics Software that includes a new fictitious Electronic Message Currency - Neuro - which depends on Google Protocol Buffer based Cloud Object Move functionality in AsFer. Flow of such a fictional currency on AsFer EventNet implementation (actors in event vertices are buyers/sellers and direction of flow determines buy/sell) can simulate Economic Markets and Pricing. EventNet is thus equivalent to hyperledgering in other cryptocurrencies and can capture money trail.

(NeuronRain KingCobra research version sourceforge Repositories - https://sourceforge.net/psourceforge.net/projects/kcobra/ and periodically updated design notes at

https://sourceforge.net/p/kcobra64/code/ci/master/tree/KingCobraDesignNotes.txt,

https://sourceforge.net/p/kcobra/code-svn/KingCobraDesignNote

s.txt)

(NeuronRain KingCobra enterprise version sourceforge Repositories - https://github.com/shrinivaasanka/kingcobra-github-code, https://github.com/shrinivaasanka/kingcobra64-github-code/blob/master/KingCobraDesignNotes.txt, https://github.com/shrinivaasanka/kingcobra-github-code/blob/master/KingCobraDesignNotes.txt)

Implements a minimal kernelspace and userspace messaging framework using VIRGO cpupooling (virgo_clone) and memory pooling drivers that in turn queues the requests into a kernel workqueue. There is also a standalone VIRGO queue kernel service that listens on the requests without dependencies on VIRGO cpupooling and memorypooling drivers to forward the requests. The VIRGO workqueue handler pops the request from workqueue and invokes KingCobra driver's servicerequest exported function and replies to the publisher and optionally disk persists the incoming requests to filesystem through VFS. Differentiator is KingCobra implements a cloud messaging with a decentralized queue with disk persistence and workflow in kernel level so that hardware is easily integrated into cloud:

5.282 Linux Kernel workqueue based kernelspace pub-sub

kernel module - Receives Messages from VIRGO Queuing

5.283 Atomic Cloud Move for Neuro (Message As Currency) electronic money is implemented In AsFer in C++ client-server perfect forwarding (overloaded std::move() and std::forward())

5.284 Userspace JMS pub-sub client-server

5.285 Pricing - CVXPY implementation - Eisenberg-Gale Market Equilibrium Convex Optimization for finding Market Clearing Prices for Goods and Services. Replacing Prices by Perceived Merit translates Market Equilibrium to Intrinsic Merit Versus Perceived Ranking Equilibrium.

5.286 Disk persistence of Request-Reply queues.

5.287 64-bit version of this driver is in separate repository based on 4.13.3 mainline linux kernel (32-bit version is based on mainline kernel 4.1.5)

5.288 Fictitious Neuro currency Buy-Sell transactions are edges in an EventNet Event-Actor Graph implemented in AsFer and can be mined for subgraph patterns – EventNet is thus an economic network

5.334 Algorithmic Trading in Fictitious Neuro
Cryptocurrency - EventNet Graphical Event Model (GEM)
HyperLedger implementation

6. NEURONRAIN - acadpdrafts - All publications and drafts with code (along with important documents and Photo ID proofs) are uploaded at http://sourceforge.net/projects/acadpdrafts/

The opensource codebases above are nonprofit academic research efforts. Premium Technical Support for above opensource codebases available. Premium Dual licensed Closedsource products derived from codebases in:

https://github.com/shrinivaasanka,

https://gitlab.com/shrinivaasanka and

https://sourceforge.net/u/userid-769929/profile/ are in

development since 2010.

7. NeuronRain GRAFIT Open Learning:

https://github.com/shrinivaasanka/Grafit/tree/master/course mat erial, https://gitlab.com/shrinivaasanka/Grafit,

https://sourceforge.net/u/userid-769929/Grafit/ci/master/tree/ May 2010 - Present - Free online courses based on NeuronRain
codebases and Design Documents, Puzzles/Questions from
Competitive examinations and miscellaneous topics - non-linear
material focusing on Bigdata, Problem solving, Machine
Learning, Fundamentals, Programming - Creative Commons 4.0
NCND licensed - includes spillover implementations of other
NeuronRain repositories:

Virtual Classroom -

https://classroom.github.com/classrooms/8086998-https-github-com-shrinivaasanka-grafit

HAMSA - NeuronRain Lectures, Audio-Visuals related to NeuronRain repositories, Theory and Miscellaneous - https://kuja27.blogspot.com

GRAFIT course materials (in .zip) are available from Moodle GRAFIT website -

https://moodle.org/pluginfile.php/4765687/user/private/Grafit-master.zip?forcedownload=1

BRIHASPATHI - Private Online Virtual Classrooms

Private repositories of virtual classrooms for various commercial

online courses (BigData, Machine Learning, Topics in Mathematics and Computer Science,...) - https://github.com/Brihaspathi - requires GitHub student logins

<u>April 2015 - September 2015 - CloudEnablers - CusDelight - Corestack, Chennai - Architect</u>

- 1. Design and PoC implementation in python for translating
 Topology Orchestration Specification for Cloud Applications
 (TOSCA) XML BPMN Plan Models to Stackforge/Mistral Workflow
 YAML (Mistral-translator similar to Heat-translator project for
 Simple TOSCA YAML to Heat Orchestration Templates)
- 2. Design and PoC implementation in python for Jinja2 rendering template feature addition to TOSCA Plan XML and Mistral YAML based on JSON context for conditionals and control structures support
- 3. Creating a Capability matrix of different Cloud Orchestration and template softwares:

AWS, Heat, Mistral, Puppet, Chef, Ansible, Saltstack, Twisted, Nunjucks

- 4. Study of OpenTOSCA implementation of TOSCA (University of Stuttgart) and feasibility of its integration into Corestack (Cloudenablers)
- 5. Feasibility study of new features to Mistral Workflow Engine Parser (if-else,nested for-each,with-items,concurrency)
- 6. Feasibility of Apache Brooklyn CAMP blueprints based cloud application deployment
- 7. Design and PoC Development of Service Dynamic Data
 Discovery, MetaData and Actions REST API, Cloud Federation
 and Abstraction Layer (for abstracting providers, federated
 clouds and multiclouds like ComputeNext, Libcloud, Jclouds,
 Dasein, AWS etc.,) for provider abstraction and Directory Service
 REST API
- 8. Corestack code review
- 9. Study of feasibility of Jclouds integration into corestack
- 10. Design and PoC for Process Checkpoint and Restoration with CRIU in baremetal, VMs and Docker (with overlay and aufs union mount filesystems). Docker public repository -

https://hub.docker.com/r/srinivasankannan/cloud-migration/

- 11. Design and PoC sync scripts implementation for Automated VM image synchronization with bup, rsync, Isyncd-lua and inotifywait (inotify-tools).
- 12. Design and PoC implementation for Service Discovery through above REST API and migrating them with Jinja2 Heat

and Mistral YAML templates extraction and Performance tunables for cloud.

June 2014 - July 2014 - Clockwork Interviews Pvt Ltd, Chennai (Hiring product - http://piqube.com) - Consultancy on Design and a Java based minimal Implementation for computing the various statistical measures from a job experience sequence: 1) Stability or predictability of job experience sequence using Shannon Entropy and Inversion number, 2) Estimating various types of average experience metrics, 3) Mobility scoring, 4) Initial work on Skills based clustering of linkedin profiles using String similarity and 5) Initial Hidden Markov Model design for job change motivation inference

February 2014 - Clockwork Interviews Pvt Ltd, Chennai (Hiring product - http://piqube.com) - In-office non-profit Consultancy to PiQube for initial design of a Multivariate Linear Regression model for Stability and Gap scoring in Resume that includes entropy independent variables using ENT sequence disorder measure, study of various tools (including Stanford CoreNLP - Classifiers and Recursive Tensor Neural Network Sentiment Analysis Tools) for Sentiment Analysis of a Resume and Holistic

Resume scoring model using social network analysis from multiple datasources

October 2013 – January 2014 – continued work on my opensource products (Krishna iResearch - https://sourceforge.net/users/ka_shrinivaasan) and non-profit machine learning remote consultancy to Clockwork Interviews Pvt Ltd, Chennai (Hiring product - http://piqube.com) for initial design of a Resume scoring, Named Entity Recognition in Resume using GATE, CRF++, IIT-Bombay CRF, study of Social Network Analysis Tools (SocVnet,SNAP etc.,) and informal mail interactions on my open source products among other things

September 2012 - February 2013 - Parttime Consultancy for Global Analytics(Chennai) and Work on my opensource products (Krishna iResearch)

1. Did the Python AMP workflow implementation as per the workflow specification for AMP using PyUtilib, RabbitMQ and Config files support. Wrote some python scripts for AMP workflow config files support and parsing.

- 2. Wrote Design spec analyzing workflow alternatives (like PyF, cascade).
- 3. Wrote AMP workflow-over-cloud (AMP on Hadoop) specification in addition to AMP workflow spec.
- 4. Guided on GDP 2.7.x and 3.0 bug fixes and issues.
- 5. Helped in debugging GDP 3.0 timeout manager implementation in Feb 2013 which was found to be working.

Apart from the above worked on design and development of my nonprofit open source products-

https://sourceforge.net/users/ka shrinivaasan

January 2011 - March 2011 and July 2011 - August 2012 - Global Analytics(Chennai) - Senior Lead Software Architect (C/C++/Python)

- 1. Mentored and Managed a team of 3 people.
- 2. Released version 2.3.1 of Global Decision Platform(GDP) with fixes for crashes in production environment.

- 3. Did refactoring, many bug fixes and enhancements to Global Decision Platform(GDP) version 2.5.0 for master demo lead passthroughs to work.
- 4. Implemented acceptor-worker thread model request handling in GDP 2.5.0 with single acceptor thread and configurable number of worker threads for Service Execution Manager(SEM) and Service components of GDP. This resulted in significant improvement in response time.
- 5. Designed and implemented session based request-response in GDP 2.5.0
- 6. Implemented modified timeout error logging with placeholders for errorcodes and request id and did fixes for frequent crashes in production environment for GDP 2.5.0.
- 7. Released GDP version 2.5.1 for which 2 minor binaries were developed to clear the queue and test the creation of queues (for System V message queues)
- 8. Released GDP version 2.7 which has important bug fixes for crashes in python container(needed for AMP runtime described later), few features for graceful shutdown of the SEM, option to

reconnect to MySQL during exception in Python container etc.,

- 9. Redesigned GDP 2.5.0 SEM loadbalancer for GDP 3.0 to route requests to service processes by periodically monitoring the service process load and removing a bottleneck due to wait/notify code. This resulted in 10x speed up of the request-response throughput time.
- 10. For GDP version 3.0, designed and Implemented a new Session Timeout Manager algorithm to timeout the request session based on user configured timeout value(simplified version of Survival Index Based Transaction Timeout Manager mentioned later).
- 11. For GDP version 3.0, worked on embedding multiple python interpreters in Service process with Python C API replacing boost::python calls. This involves facility to have a global dictionary across multiple interpreters (or) local dictionary per request (or) per-thread dictionary for each service worker thread (using thread local storage) and also creation of pool of interpreters from which interpreters are allocated per request and returned to the pool after the request is serviced. This obviated the need for boost::python since boost did not support multiple interpreters with multithreading and interpreter pooling. This

involved fixing one of the most time consuming bug related to restricted mode python in 2.4.3. Since it was deprecated in python 2.7, fixed Python 2.4.3 source to circumvent restricted mode and also did another fix for the same problem with PyImport_ImportModuleEx()

- 12. Mentored the team to work on Dynamic Risk Tables (DRT) library of GDP to extend the database compatibility to MySQL and Oracle
- 13. Was involved in the Automated Modelling Platform(AMP) development to automate the predictive modelling from the production data. Fixed many crashes in python runtime during testing of AMP prototype realtime design. Suggested an alternative design for AMP realtime based on external user address-space message queue, which populates the in-memory queue from on-disk request log, periodically replenishes it from disk, reads requests from message queue and posts them in parallel to Realtime-subset and Realtime-superset python services, and gives a virtual view of the single physical queue to each queue client(queue clients are located in SEM) meant to replace an existing queueing module with msgsnd/msgrcv which involves user and kernel address-space copying to remedy huge queue backlog seen in AMP realtime prototype. This tightly

couples GDP Python runtime with the AMP runtime

- 14. For GDP 3.0, implemented a GDP pluggable queue named GDAMPQ designed for AMP above Global Decisioning and Automated Modeling Platform Queue which is a simple inmemory queue with optional disk persistence to replace an existing queueing module with msgsnd/msgrcv which involves user and kernel address-space copying. This in-memory queue in best testing circumstances is 30% better than the System V unix message queues.
- 15. Worked on Python 2.4.3 source code to analyze crashes in PyMalloc. Modified Python 2.4.3 source to add a flag DISABLEPYMALLOC to disable calls to PyMalloc and re-route them to unix malloc/free systemcalls. Also analyzed Python 2.4.3 source code for restricted mode related errors while designing multi-interpreters for GDP 3.0 and fixed them.
- 16. Worked on writing python configuration scripts for automating the build configuration and installation of GDP components like SEM, Service and Master.
- 17. Implemented a minor encrypt utility for master component of the GDP

- 18. Wrote Functional specification for GDP 3.0 Automated Installer design
- 19. Wrote Functional specification for AMP Workflow
- 20. Wrote Functional specification for AMP Cloud deployment
- 21. Studied python workflow packages for AMP workflow viz., Pyutilib.workflow, PyF and implemented a workflow prototype for AMP workflow in Pyutilib.workflow.
- 22. Implemented a small prototype stub using Dumbo Mapperreducer for Cloud

 Deployment of AMP
- 23. Did 2 one-week training sessions for GDP versions
- 24. Did one-week training session for Python.
- 25. Implemented a mini-GDP client and server for debugging socket related errors in production.
- 26. Developed a documentation knowledgebase intranet website

for GDP documentation, design documents, installation troubleshooting documents and debugging documents.

27. Implemented a Build Version feature for GDP 2.7.1 and GDP 3.0 which dynamically generates a buildversion.h headerfile which contains #defines for build machine and architecture information,SVN source tree version information for the build and is built at runtime by SEM, Service and Master binaries which include this buildversion.h header file (In August 2012 resigned for personal reasons.)

January 2011 - March 2011 - Consultant for Global Analytics(Chennai) and Work on my opensource products (Krishna iResearch) - (C++/Python)

Worked on my Open Source Products Design & Development (Krishna iResearch) and Did consulting and development for Global Analytics, Chennai (optimization, a smart-pointer reference-counted memory manager backed-up by an Object

Pool, and refactoring) in Global Decision Platform (GDP) 2.3 for GPD 2.3.1 and 2.5 which is written in C++ with boost::python embedding.

August 2008 - June 2011 - Work on my opensource products (Krishna iResearch)

Started working on open source project ASFER
(http://asfer.sourceforge.net) as part of my non-profit open
source initiative Krishna iResearch - ASFER is a rule miner and
executer- presently uses Vector space retrieval and Support
Vector Machines with added Support for Naive Bayesian
Multinomial Classifier and Decision Tree Classifier

March 2006 - July 2008 - webMethods and webMethods (now Software AG) (Bangalore) (C/C++/Java)

Worked on WebMethods Broker Server 5.x/6.x/7.x- a heavily multithreaded messaging productwritten in C/C++/Java based on

publisher/subscriber model - Clients can publish and/or subscribe to certain predefined types of messages called "Events". My responsibilities included development of new functionalities and fixing customer escalation issues in core areas of Broker (Connection Layer, Territories/Gateways,Broker Admin Tool etc.,) and writing knowledgebase documents.

November 2005 - February 2006 - Krishna iResearch (self-started, not-for-profit, open-source research initiative)

Initial design work for Krishna iResearch open source products focussing on algorithms for web and BigData

August 2005 - November 2005 - Verizon Data Services India, Chennai

In Verizon India for brief period and then self-study in Mathematics and Computer Science.

May 2003 - Krishna iResearch (self-started, not-for-profit, opensource research initiative)

Registered on SourceForge.net and Initial design work started

for open source products focussing on algorithms for web and BigData

February 2000 - July 2005 - iPlanet (Sun Microsystems-Netscape Alliance) and Sun Microsystems (now Oracle) (Bangalore)

Ported SunONE Application Server to Red Hat Enterprise Linux Advanced Server 2.1 (2005)

Certified JWSDP 1.3 webservices pack on Sun One Application Server 7.1 (2005)

Studied feasibility of supporting SunOne Web/Proxy Server on Solaris 10 zones (2005)

On Academic Sabbatical for 3 months (February 2005-May 2005)

Implementation of a threaded ICP server and porting SOCKS server for Sun Java system web proxy server 4.0 (C/C++/Solaris/Windows/RHELinux) (2004-2005): Implemented a threaded ICP(Internet Cache protocol) server functionality using NSPR threads.

Also ported a legacy SOCKS server to proxy server 4.0.

Load Balancer Module for Apache Web Server 1.3.27 / 2.0.47 (C/C++) (2003-2004) :

Designed and implemented a Load balancer module for Apache 1.3.27 which will route the

HTTP/HTTPS requests onto SunONE Application Server instances by Round Robin Algorithm.

This module is part of Sun ONE Application Server 7, Enterprise Edition. Also ported the module to Apache 2.0.47.

Optimizations and Features for iPlanet/Sun ONE Application Server 6.x (Java) (open sourced at http://glassfish.java.net) (2002) :

a) Fixed bugs related to performance, admin-tool and security in iPlanet Application Server 6.x. Also fixed few CTS bugs

in SunONE Application Server 7 Standard Edition.

b) Involved in optimization of SUN J2EE Reference Implementation (RI) to make the JTS transaction manager enterprise-class. This included introducing a new Component Level

Transaction Attribute setting feature in iPlanet Application Server 6.5. With this, user can set the type of transaction (XA or Local) at J2EE application component level. [Patents granted - details in

the end]

c) Added a Trace functionality for the JTS transaction manager in SunONE Appserver 7.0

Enterprise Edition

(http://glassfish.sourcearchive.com/documentation/1:2ur2-b04-1/dir 512e7fccb5ab465c594742cd72317a0e.html).

Debugging and Monitoring framework (MagicDraw) (2002):
Designed a Debugging and Monitoring framework for Sun ONE
Application Server 7.0 Enterprise Edition.

Store Adapter prototype for High Availability(Java) (2002): Implemented a store adapter prototype for Clustra High Availability Database. This was to test the feasibility of using Clustra HADB as backend store for session data in SunONE Application Server 7.0 Enterprise Edition.

Minor Feature Addition to SunOne Application Server 6.5 SP1 (2002)

Added support for enabling/disabling TCP_NODELAY in SunOne Application Server 6.5 SP1

Survival Index based Transaction Timeout Manager for iPlanet Application Server (Java)(2002):

Designed and implemented a new Transaction Timeout Manager for iPlanet Application Server. This resulted in an overall speed-up of 10% for the application server. (Invention Disclosure done in 2002-2003)

Miscellaneous Bugfixes for customer escalations in the BillerXpert product which was dependent on iPlanet Application Server. This was one of the most involved bugfixes that required many days of debugging with JVM Profiling tools. (2001)

An automated Test suite for nightly build setup of iPlanet Application Server 6.0 (2001):

Designed and implemented a test suite which ran a set of regression tests on nightly builds of iPlanet Application Server - written on Korn shell.

JVM related bugfix for IBM's Java Virtual Machine team related to native thread and green thread implementations of JVM (2000)

Created a Resume Querying System using JDBC with Oracle Backend for Sun Microsystems Human Resources Department to track candidate profiles - named ResumeXpert (2000)

Official Training Courses (SunU)

- 1. Solaris internals
- 2. Multithreaded Application development in Solaris
- 3. SOLARIS DEVICE DRIVER INTERNALS

July 1999 - January 2000 - BaaN Infosystems (now SSA Global) (Hyderabad)

Developed a storefront for an e-commerce application called E-Enterprise using Microsoft Internet Information Server/Site Server, Visual Basic, Active Server Pages and Visual Interdev

January 1999 - May 1999 - BE Thesis and Project(team) - COBRA

- Distributed Computing Framework based on

CORBA(Visibroker) and JAVA.

April 1998 - June 1998 - BE Internship at Steel Authority of India

Limited (Raurkela and Durgapur Steel Plants) - Enhancements to

Automated Furnace Data Acquisition software through a GUI

developed on VAX Fortran over VAX VMS

MISCELLANEOUS

- 1. Gold medal for proficiency from PSG Tech for ranking first in B.E.(CSE) Received in February 2000
- 2. GRE (2002) score 2040, TOEFL 270
- 3. Joint Entrance Screening Test(JEST) 2006 in Theoretical Computer Science Rank 21 (Reg No: 22123).
- 4. Participated in Winter School 2010 on Machine Learning and Computer Vision, Microsoft Research & CIFAR, IISc
- 5. UGC Net July 2016 66 (I), 54 (II), 50.67 (III) (in percentage) (Roll No. 69004241)

EXTRA-CURRICULAR:

Painting, Writing, Reading non-fiction mostly on science, mathematics, religion and philosophy.

VIDEO RESUME(s):

https://github.com/shrinivaasanka/asfer-github-code/tree/master/
python-src/image pattern mining/ImageNet/testlogs/
(ExampleVideo*mp4)

https://github.com/shrinivaasanka/Grafit/blob/master/
course material/NeuronRain/LinuxKernelAndCloud/code/testlogs/
Krishna iResearch NeuronRain Repositories-2020-0710 13.17.20.mp4