
Srinivasan Kannan

(also known as: Shrinivaasan Kannan, Shrinivas Kannan)

Ph: 9791499106, 9003082186

Krishna iResearch Open Source Products Profiles:

http://sourceforge.net/users/ka shrinivaasan,

https://github.com/shrinivaasanka,

https://www.openhub.net/accounts/ka shrinivaasan

Personal website(research): https://sites.google.com/site/kuja27/

emails: ka.shrinivaasan@gmail.com, shrinivas.kannan@gmail.com,

kashrinivaasan@live.com

This is a non-linearly organized, code puzzles oriented, continually updated set of course notes on AngularJS. This complements NeuronRain course materials on Linux Kernel, Cloud, BigData Analytics and Machine Learning.

2 June 2017

AngularJS is the client side Advanced Java Scripting (AJAX) engine runtime supported by most browsers. AngularJS follows Model-View-Controller pattern:

- View is the HTML visible to user
- Model is the form layout and frames of the Dynamic HTML page
- Controller acts on the model data and eschews HTML output from Server Side JavaScript (Node.js) or other frameworks(Django/Flask/Tornado)

Model-View-Controller decouples the HTML rendering from the hidden dynamic logic. NeuronRain GUI frontend has two client/server interfaces: Plain HTML-to-Tornado and AngularJS-to-Tornado webservers (https://github.com/shrinivaasanka/asfer-github-code/tree/master/python-src/webserver_rest_ui/). AngularJS HTML template for a simple form submit has following structure:

- form tag with $\operatorname{ng-app}$ directive defining the application name of the controller
 - Model name for input elements in the form
- script tag which defines a controller object from ng-app and defines a function for form processing invoked from submit widget of the form

- AngularJS script in controller has access to builtin(s) like \$scope, \$http etc., for accessing model data in the scope. Form data can be submitted to a REST URL with GET or POST with stringified JSON data.