SOURCEFORGE

usb-md64

Brought to you by: ka_shrinivaasan

[105d6b]: / USBmd_notes.txt

Restore

History

Download this file

564 lines (516 with data), 43.7 kB

```
#/*****************************************************************************************************
#* NEURONRAIN USB-md - Wireless Network and USB Stream Data Analytics
#* This program is free software: you can redistribute it and/or modify
#* it under the terms of the GNU General Public License as published by
#* the Free Software Foundation, either version 3 of the License, or
#* (at your option) any later version.
#*
#* This program is distributed in the hope that it will be useful,
#* but WITHOUT ANY WARRANTY; without even the implied warranty of
#* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
#* GNU General Public License for more details.
#*
#* You should have received a copy of the GNU General Public License
#* along with this program.  If not, see <http://www.gnu.org/licenses/>.
#*
#-----------------------------------------------------------------------------------------------
K.Srinivasan
```

```
#NeuronRain Documentation and Licensing: http://neuronrain-documentation.readthedocs.io/en/latest/
#Personal website(research): https://sites.google.com/site/kuja27/
#-------------------------------------------------------------------------------------------
#*******************************************************************************************/


USBmd driver is an experimental modified version of already existing USB driver in linux.

Purpose of this modified version is for doing more sophisticated debugging of USB endpoints and devices and as
USB packet sniffer. Technical Necessity for this was created due to prolonged data theft, id spoofing and cybercri
in author's personal electronic devices for years that resulted in a Cybercrime Police Complaint also few years ag

There were also such incidents while developing open source code (some code commits have description of these myst

This is also done as a technical learning exercise to analyze USB Hosts, packets and USB's interaction,if any, wit
mobiles, wireless LANs(radiotap) etc.,

In the longterm USBmd might have to be integrated into VIRGO. As VIRGO would would have the synergy of AstroInfer
codebase for "learning" from datasets, this USBmd driver can have the added ability of analyzing large USB traffic
using some decision making algorithms and evolve as an anti-cybercrime, anti-plagiarism and anti-theft tool to sir
"malevolent" traffic that would save individuals and organisations from the travails of tampering and loss of sens

The pattern mining of numeric dataset designed for AstroInfer can apply here also since USB bitstream can be analy
numerical dataset mining. Also Discrete Fourier Transform used for analyzing data for frequencies (periodicities i
USB data , for example USB wireless traffic.

=====================================================
new UMB driver bind - 27 Feb 2014 (for Bus id 7)
=====================================================
Following example commandlines install umb.ko module, unbind the existing option driver from bus-device id and bir

sudo insmod umb.ko
echo -n "7-1:1.0" > /sys/bus/usb/drivers/option/unbind
echo -n "7-1:1.0" > /sys/bus/usb/drivers/umb/bind

=====================================================
1055. Commits as on 29 July 2014
=====================================================
Driver has been ported and built on 3.15.5 kernel. Also a driver build script has been committed.

```

```
58  ------------------------------------------------------
59  USBmd version 14.9.9 has been release tagged on 9 September 2014
60  ------------------------------------------------------
61  ------------------------------------------------------
62  USBmd version 15.1.8 has been release tagged on 8 January 2015
63  ------------------------------------------------------
64
65  http://sourceforge.net/p/usb-md/code-0/HEAD/tree/Adding%20new%20vendor%20and%20product%20IDs%20to%20an%20existing%
66
67  ------------------------------------------------------------------------------
68  1056. USB debug messages from "cat /sys/kernel/debug/usb/devices" for UMB bound above:
69  ------------------------------------------------------------------------------
70
71  T:  Bus=07 Lev=01 Prnt=01 Port=00 Cnt=01 Dev#= 12 Spd=12   MxCh= 0
72  D:  Ver= 1.10 Cls=00(>ifc ) Sub=00 Prot=00 MxPS=64 #Cfgs=  1
73  P:  Vendor=12d1 ProdID=140b Rev= 0.00
74  S:  Manufacturer=HUAÿWEI TECHNOLOGIES
75  S:  Product=HUAWEI Mobile
76  S:  SerialNumber=ÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿ
77  C:* #Ifs= 4 Cfg#= 1 Atr=a0 MxPwr=500mA
78  I:* If#= 0 Alt= 0 #EPs= 3 Cls=ff(vend.) Sub=ff Prot=ff Driver=umb
79  E:  Ad=81(I) Atr=03(Int.) MxPS=  16 Ivl=128ms
80  E:  Ad=82(I) Atr=02(Bulk) MxPS=  64 Ivl=0ms
81  E:  Ad=02(O) Atr=02(Bulk) MxPS=  64 Ivl=0ms
82  I:* If#= 1 Alt= 0 #EPs= 2 Cls=ff(vend.) Sub=ff Prot=ff Driver=option
83  E:  Ad=84(I) Atr=02(Bulk) MxPS=  64 Ivl=0ms
84  E:  Ad=04(O) Atr=02(Bulk) MxPS=  64 Ivl=0ms
85  I:* If#= 2 Alt= 0 #EPs= 2 Cls=ff(vend.) Sub=ff Prot=ff Driver=option
86  E:  Ad=86(I) Atr=02(Bulk) MxPS=  64 Ivl=0ms
87  E:  Ad=06(O) Atr=02(Bulk) MxPS=  64 Ivl=0ms
88  I:* If#= 3 Alt= 0 #EPs= 2 Cls=08(stor.) Sub=06 Prot=50 Driver=usb-storage
89  E:  Ad=87(I) Atr=02(Bulk) MxPS=  64 Ivl=0ms
90  E:  Ad=08(O) Atr=02(Bulk) MxPS=  64 Ivl=0ms
91
92  ------------------------------------------------------------------------
93  1057. usbmon, libpcap tcpdump and wireshark (or vusb-analyzer) debugging
94  ------------------------------------------------------------------------
95  *mount -t debugfs none_debugs /sys/kernel/debug
96  *modprobe usbmon
97  *ls /sys/kernel/debug/usb/usbmon/
```

```
 98
 99  0s  0u  1s  1t  1u  2s  2t  2u  3s  3t  3u  4s  4t  4u  5s  5t  5u  6s  6t  6u  7s  7t  7u  8s  8t  8u
100
101  *cat /sys/kernel/debug/usb/usbmon/8t > usbmon.mon (any of the above usbmon debug logs)
102  *vusb-analyzer usbmon.mon
103
104  ef728540 3811287714 S Ci:001:00 s a3 00 0000 0001 0004 4 <
105  ef728540 3811287743 C Ci:001:00 0 4 = 00010000
106  ef728540 3811287752 S Ci:001:00 s a3 00 0000 0002 0004 4 <
107  ef728540 3811287763 C Ci:001:00 0 4 = 00010000
108  f50f6540 3811287770 S Ii:001:01 -115 2 <
109  f50f6540 3811287853 C Ii:001:01 -2 0
110  f5390540 3814543695 S Ci:001:00 s a3 00 0000 0001 0004 4 <
111  f5390540 3814543715 C Ci:001:00 0 4 = 00010000
112  f5390540 3814543756 S Ci:001:00 s a3 00 0000 0002 0004 4 <
113  f5390540 3814543767 C Ci:001:00 0 4 = 00010000
114  f50f6540 3814543805 S Ii:001:01 -115 2 <
115
116  *modprobe usbmon
117  *ls /dev/usbmon[1-8]
118  *tcpdump -i usbmon1 -w usbmon.pcap
119  tcpdump: listening on usbmon1, link-type USB_LINUX_MMAPPED (USB with padded Linux header), capture size 65535 byte
120  ^C86 packets captured
121  86 packets received by filter
122
123  *wireshark usbmon.pcap (loads on wireshark)
124
125  ------------------------------------------------------------
126  1058. Dynamic Debug - dev_dbg() and dev_vdbg()
127  ------------------------------------------------------------
128
129  USB Debugging References:
130  -------------------------
131  - Texas Instruments - http://elinux.org/images/1/17/USB_Debugging_and_Profiling_Techniques.pdf
132
133  ------------------------------------------------------------
134  NeuronRain version 15.6.15 release tagged
135  ------------------------------------------------------------
136
137  ------------------------------------------------------------
```

```
1059. Commits as on 11 July 2015
------------------------------------------------------------
usbmd kernel module has been ported to Linux Kernel 4.0.5

------------------------------------------------------------
1060. Commits as on 26 November 2015
------------------------------------------------------------
- Updated USB-md driver with a lookup of VIRGO kernel_analytics config variable exported by kernel_analytics modul
- New header file umb.h has been added that externs the VIRGO kernel_analytics config array variables
- Module.symvers has been imported from VIRGO kernel_analytics and clean target has been commented in build script
- kern.log with umb_read() and umb_write() have been added with following commandlines:
      - cat /dev/umb0 - invokes umb_read() but there are kernel panics sometimes
      - cat <file> > /dev/umb0 - invokes umb_write()
  where umb0 is usb-md device name registered with /sys/bus/usb as below:
      - insmod umb.ko
      - echo -n "7-1:1.0" > /sys/bus/usb/drivers/option/unbind
      - echo -n "7-1:1.0" > /sys/bus/usb/drivers/umb/bind
- Updated build generated sources and object files have been added

------------------------------------------------------------
1061. Commits as on 27 November 2015
------------------------------------------------------------
New folder usb_wwan_modified has been added that contains the USB serial, option and wireless USB modem WWAN drive
instrumented with lot of printk()s so that log messages are written to kern.log. Though dev_dbg dynamic debugging
printk()s are sufficient for now. This traces through the USB connect and data transfer code:

        - probe
        - buffer is copied from userspace to kernelspace
        - URB is allocated in kernel
        - buffer is memcopied to URB
        - usb send/receive bulk pipe calls
        - usb_fill_bulk_urb
Almost all buffers like in and out buffers in URBs, portdata, interfacedata, serial_data, serial_port_data are pri
analyzable by AsFer machine learning code for USB debugging similar to usbmon logs.

These are initial commits only and usb-serial.c, usb_wwan.c, option.c and serial.h might be significantly altered

------------------------------------------------------------
1062. Commits as on 30 November 2015
------------------------------------------------------------
Added usb.h from kernel mainline, instrumented with printk() to print transfer_buffer in usb_fill_[control/bulk/ir
```

```
178
179  ------------------------------------------------------------
180  1063. Commits as on 1 December 2015
181  ------------------------------------------------------------
182  - new kernel function print_buffer() has been added in usb.h that prints contents of char buffer in hex
183  - Above print_buffer() is invoked to print transfer_buffer in usb_wwan.c, usb-serial.c, option.c
184  - kern.log with print_buffer() output has been added - This dumps similar to wireshark, usbmon and other usb analy
185
186  ------------------------------------------------------------
187  1064. Commits as on 2 December 2015
188  ------------------------------------------------------------
189  - changed print_buffer() printk() to print a delimiter in each byte for AsFer Machine Learning code processing
190  - add a parser script for kern.log to print print_buffer() lines
191  - parsed kern.log with print_buffer() lines has been added
192  - Added an Apache Spark MapReduce python script to compute byte frequency in parsed print_buffer() kern.log
193
194  ------------------------------------------------------------------
195  879. (FEATURE) NeuronRain USBmd Debug and Malafide Traffic Analytics
196  ------------------------------------------------------------------
197  As mentioned in commit notes above, USB incoming and outgoing data transfer_buffer are dumped byte-by-byte. Given
198  analytics can be performed most of which are already implemented in AsFer codebase:
199  - frequency of bytes
200  - most frequent sequence of bytes
201  - bayesian and decision tree inference
202  - deep learning
203  - perceptrons
204  - streaming algorithms for USB data stream
205  and so on.
206
207  ------------------------------------------------------------------
208  1065. Commits as on 3 December 2015
209  ------------------------------------------------------------------
210  - Apache Spark script for analyzing the USBWWAN byte stream logs has been updated with byte counts map-reduce func
211  and temp DataFrame Table creation with SparkSQL.
212  - logs for the script have been added in usb_wwan_modified/python-src/testlogs/Spark_USBWWANLogMapReduceParser.out
213  - kern.log parser shellscript has been updated
214
215  ------------------------------------------------------------------
216  1066. AsFer commits for USBmd as on 4 December 2015
217  ------------------------------------------------------------------
```

```
All the Streaming_<>.py Streaming Algorithm implementations in AsFer/python-src/ have been updated with:
- hashlib ripemd160 hash MD algorithm for hash functions and return hexdigest()
- USBWWAN byte stream data from USBmd print_buffer() logs in usb-md/usb_wwan_modified/testlogs/ has been added as
- logs for the above have been added to asfer/python-src/testlogs/
- Streaming Abstract Generator has been updated with USB stream data iterable and parametrized for data source and
- Some corrections to the asfer/python-src/Streaming_<> scripts

------------------------------------------------------------------
1067. Commits as on 7 December 2015
------------------------------------------------------------------
- added Spark Mapreduce and DataFrame log for USBWWAN byte stream
- added a parsed kern.log with only bytes from USBWWAN stream
- Added dict() and sort() for query results and printed cardinality of the stream data set which is the size of th
An example log has been added which prints the cardinality as ~250. In contrast, LogLog and HyperLogLog counter es
approximate the cardinality to 140 and 110 respectively

------------------------------------------------------------------------------------------
880. (FEATURE) AsFer commits for USBmd as on 11 December 2015 - USBWWAN stream data backend in MongoDB
------------------------------------------------------------------------------------------
 Dependency Injection code commits for MongoDB backend - With this MongoDB is also a storage backend for AsFer alg
- Abstract_DBBackend.py has been updated for both MySQL and MongoDB injections
- MongoDB configuration and backend connect/query code has been added. Backend is either populated by Robomongo or
Streaming Abstract Generator iterable framework.
- With this AsFer supports both SQL(MySQL) and NoSQL(file,hive,hbase,cassandra backends in Streaming Abstract Gene
- log with a simple NoSQL table with StreamingData.txt and USBWWAN data has been added to testlogs/.
- MongoDB configuration has a database(asfer-database) and a collection(asfer-collection).
- MongoDB_DBBackend @provides pymongo.collection.Collection which is @inject-ed to Abstract_DBBackend

------------------------------------------------------------------------------------------
1068. Commits as on 10 January 2016
------------------------------------------------------------------------------------------
NeuronRain USBmd enterprise version 2016.1.10 released.

------------------------------------------------------------------------------------------
1069. Commits - 4 August 2016
------------------------------------------------------------------------------------------
1.New build script for drivers/usb top level folder has been added.
2.Copyleft notices updated
3.print_buffer() in usb.h has been #ifdef-ed based on a build time flag to suppress the buffer bytes dump preferer
kern.log is not flooded.
```

```
4.Flag PRINT_BUFFER has to be defined with #define somewhere within KBuild makefiles or externally.
5..ko files rebuilt
6. Miscellaneous code changes to suppress kbuild warnings - cast etc.,
7. PRINT_BUFFER block changed to print the bytes in single line for each buffer

-----------------------------------------------------------------------------------------------
1070. Commits - 13 July 2017 - usb-storage driver last sector access slab out of bounds error in 64-bit - committe
- this error was frequently witnessed in VIRGO 32-bit stability issues and panics - ISRA looks like a GCC
optimization of a function invocation (Interprocedural Scalar Replacement of Aggregates)
-----------------------------------------------------------------------------------------------
Jul 13 15:03:36 localhost kernel: [ 9837.497280] ================================================================
Jul 13 15:03:36 localhost kernel: [ 9837.499787] ================================================================
Jul 13 15:03:36 localhost kernel: [ 9837.499822] BUG: KASAN: slab-out-of-bounds in last_sector_hacks.isra.1.part.2
Jul 13 15:03:36 localhost kernel: [ 9837.499831] Read of size 8 by task usb-storage/6243
Jul 13 15:03:36 localhost kernel: [ 9837.499844] CPU: 0 PID: 6243 Comm: usb-storage Tainted: G    B          4.10
Jul 13 15:03:36 localhost kernel: [ 9837.499849] Hardware name: Dell Inc. Inspiron 1545                  /0J037P,
Jul 13 15:03:36 localhost kernel: [ 9837.499851] Call Trace:
Jul 13 15:03:36 localhost kernel: [ 9837.499863]  dump_stack+0x63/0x8b
Jul 13 15:03:36 localhost kernel: [ 9837.499870]  kasan_object_err+0x21/0x70
Jul 13 15:03:36 localhost kernel: [ 9837.499877]  kasan_report.part.1+0x219/0x4f0
Jul 13 15:03:36 localhost kernel: [ 9837.499893]  ? last_sector_hacks.isra.1.part.2+0xc9/0x1d0 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.499899]  kasan_report+0x25/0x30
Jul 13 15:03:36 localhost kernel: [ 9837.499906]  __asan_load8+0x5e/0x70
Jul 13 15:03:36 localhost kernel: [ 9837.499922]  last_sector_hacks.isra.1.part.2+0xc9/0x1d0 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.499938]  usb_stor_invoke_transport+0x1a1/0x960 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.499946]  ? migrate_swap_stop+0x2e0/0x2e0
Jul 13 15:03:36 localhost kernel: [ 9837.499963]  ? usb_stor_port_reset+0xb0/0xb0 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.499973]  ? wait_for_completion_interruptible+0x1a7/0x260
Jul 13 15:03:36 localhost kernel: [ 9837.499981]  ? wait_for_completion_killable+0x2a0/0x2a0
Jul 13 15:03:36 localhost kernel: [ 9837.499989]  ? raise_softirq_irqoff+0xba/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.499995]  ? wake_up_q+0x80/0x80
Jul 13 15:03:36 localhost kernel: [ 9837.500011]  usb_stor_transparent_scsi_command+0xe/0x10 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  usb_stor_control_thread+0x344/0x510 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ? usb_stor_disconnect+0x120/0x120 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ? default_wake_function+0x2f/0x40
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ? __wake_up_common+0x78/0xc0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kthread+0x178/0x1d0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ? usb_stor_disconnect+0x120/0x120 [usb_storage]
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ? kthread_create_on_node+0xd0/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ret_from_fork+0x2c/0x40
```

```
Jul 13 15:03:36 localhost kernel: [ 9837.500017] Object at ffff88007cdaa668, in cache kmalloc-192 size: 192
Jul 13 15:03:36 localhost kernel: [ 9837.500017] Allocated:
Jul 13 15:03:36 localhost kernel: [ 9837.500017] PID = 6277
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  save_stack_trace+0x1b/0x20
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  save_stack+0x46/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kasan_kmalloc+0xad/0xe0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kmem_cache_alloc_trace+0xef/0x210
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kernfs_fop_open+0x14b/0x540
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  do_dentry_open+0x39a/0x560
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  vfs_open+0x84/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  path_openat+0x4ab/0x1e10
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  do_filp_open+0x122/0x1c0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  do_sys_open+0x17c/0x2c0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  compat_SyS_open+0x1b/0x20
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  do_fast_syscall_32+0x188/0x300
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  entry_SYSENTER_compat+0x4c/0x5b
Jul 13 15:03:36 localhost kernel: [ 9837.500017] Freed:
Jul 13 15:03:36 localhost kernel: [ 9837.500017] PID = 6277
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  save_stack_trace+0x1b/0x20
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  save_stack+0x46/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kasan_slab_free+0x71/0xb0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kfree+0x9e/0x1e0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  kernfs_fop_release+0x87/0xa0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  __fput+0x177/0x350
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ____fput+0xe/0x10
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  task_work_run+0xa0/0xc0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  exit_to_usermode_loop+0xc5/0xd0
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  do_fast_syscall_32+0x2ef/0x300
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  entry_SYSENTER_compat+0x4c/0x5b
Jul 13 15:03:36 localhost kernel: [ 9837.500017] Memory state around the buggy address:
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ffff88007cdaa600: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fb fb f
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ffff88007cdaa680: fb fb fb fb fb fb fb fb fb fb fb fb fb fb fb fb f
Jul 13 15:03:36 localhost kernel: [ 9837.500017] >ffff88007cdaa700: fb fb fb fb fb fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:36 localhost kernel: [ 9837.500017]                                                    ^
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ffff88007cdaa780: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:36 localhost kernel: [ 9837.500017]  ffff88007cdaa800: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:36 localhost kernel: [ 9837.500017] ==================================================================
Jul 13 15:03:37 localhost kernel: [ 9837.668157] ==================================================================
Jul 13 15:03:37 localhost kernel: [ 9837.668191] BUG: KASAN: slab-out-of-bounds in last_sector_hacks.isra.1.part.2
Jul 13 15:03:37 localhost kernel: [ 9837.668200] Read of size 8 by task usb-storage/6243
```

```
Jul 13 15:03:37 localhost kernel: [ 9837.668213] CPU: 1 PID: 6243 Comm: usb-storage Tainted: G    B          4.1(
Jul 13 15:03:37 localhost kernel: [ 9837.668218] Hardware name: Dell Inc. Inspiron 1545                   /0J037P,
Jul 13 15:03:37 localhost kernel: [ 9837.668220] Call Trace:
Jul 13 15:03:37 localhost kernel: [ 9837.668233]  dump_stack+0x63/0x8b
Jul 13 15:03:37 localhost kernel: [ 9837.668240]  kasan_object_err+0x21/0x70
Jul 13 15:03:37 localhost kernel: [ 9837.668247]  kasan_report.part.1+0x219/0x4f0
Jul 13 15:03:37 localhost kernel: [ 9837.668263]  ? last_sector_hacks.isra.1.part.2+0xc9/0x1d0 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668269]  kasan_report+0x25/0x30
Jul 13 15:03:37 localhost kernel: [ 9837.668277]  __asan_load8+0x5e/0x70
Jul 13 15:03:37 localhost kernel: [ 9837.668292]  last_sector_hacks.isra.1.part.2+0xc9/0x1d0 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668308]  usb_stor_invoke_transport+0x1a1/0x960 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668316]  ? migrate_swap_stop+0x2e0/0x2e0
Jul 13 15:03:37 localhost kernel: [ 9837.668332]  ? usb_stor_port_reset+0xb0/0xb0 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668343]  ? wait_for_completion_interruptible+0x1a7/0x260
Jul 13 15:03:37 localhost kernel: [ 9837.668351]  ? wait_for_completion_killable+0x2a0/0x2a0
Jul 13 15:03:37 localhost kernel: [ 9837.668360]  ? raise_softirq_irqoff+0xba/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668366]  ? wake_up_q+0x80/0x80
Jul 13 15:03:37 localhost kernel: [ 9837.668382]  usb_stor_transparent_scsi_command+0xe/0x10 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668398]  usb_stor_control_thread+0x344/0x510 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668415]  ? usb_stor_disconnect+0x120/0x120 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668422]  ? default_wake_function+0x2f/0x40
Jul 13 15:03:37 localhost kernel: [ 9837.668430]  ? __wake_up_common+0x78/0xc0
Jul 13 15:03:37 localhost kernel: [ 9837.668436]  kthread+0x178/0x1d0
Jul 13 15:03:37 localhost kernel: [ 9837.668454]  ? usb_stor_disconnect+0x120/0x120 [usb_storage]
Jul 13 15:03:37 localhost kernel: [ 9837.668460]  ? kthread_create_on_node+0xd0/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668466]  ret_from_fork+0x2c/0x40
Jul 13 15:03:37 localhost kernel: [ 9837.668472] Object at ffff88007cdaa668, in cache kmalloc-192 size: 192
Jul 13 15:03:37 localhost kernel: [ 9837.668478] Allocated:
Jul 13 15:03:37 localhost kernel: [ 9837.668483] PID = 6277
Jul 13 15:03:37 localhost kernel: [ 9837.668494]  save_stack_trace+0x1b/0x20
Jul 13 15:03:37 localhost kernel: [ 9837.668500]  save_stack+0x46/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668506]  kasan_kmalloc+0xad/0xe0
Jul 13 15:03:37 localhost kernel: [ 9837.668513]  kmem_cache_alloc_trace+0xef/0x210
Jul 13 15:03:37 localhost kernel: [ 9837.668520]  kernfs_fop_open+0x14b/0x540
Jul 13 15:03:37 localhost kernel: [ 9837.668527]  do_dentry_open+0x39a/0x560
Jul 13 15:03:37 localhost kernel: [ 9837.668532]  vfs_open+0x84/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668538]  path_openat+0x4ab/0x1e10
Jul 13 15:03:37 localhost kernel: [ 9837.668544]  do_filp_open+0x122/0x1c0
Jul 13 15:03:37 localhost kernel: [ 9837.668549]  do_sys_open+0x17c/0x2c0
Jul 13 15:03:37 localhost kernel: [ 9837.668554]  compat_SyS_open+0x1b/0x20
```

```
Jul 13 15:03:37 localhost kernel: [ 9837.668561]  do_fast_syscall_32+0x188/0x300
Jul 13 15:03:37 localhost kernel: [ 9837.668568]  entry_SYSENTER_compat+0x4c/0x5b
Jul 13 15:03:37 localhost kernel: [ 9837.668570] Freed:
Jul 13 15:03:37 localhost kernel: [ 9837.668575] PID = 6277
Jul 13 15:03:37 localhost kernel: [ 9837.668583]  save_stack_trace+0x1b/0x20
Jul 13 15:03:37 localhost kernel: [ 9837.668589]  save_stack+0x46/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668594]  kasan_slab_free+0x71/0xb0
Jul 13 15:03:37 localhost kernel: [ 9837.668599]  kfree+0x9e/0x1e0
Jul 13 15:03:37 localhost kernel: [ 9837.668605]  kernfs_fop_release+0x87/0xa0
Jul 13 15:03:37 localhost kernel: [ 9837.668611]  __fput+0x177/0x350
Jul 13 15:03:37 localhost kernel: [ 9837.668616]  ____fput+0xe/0x10
Jul 13 15:03:37 localhost kernel: [ 9837.668623]  task_work_run+0xa0/0xc0
Jul 13 15:03:37 localhost kernel: [ 9837.668629]  exit_to_usermode_loop+0xc5/0xd0
Jul 13 15:03:37 localhost kernel: [ 9837.668635]  do_fast_syscall_32+0x2ef/0x300
Jul 13 15:03:37 localhost kernel: [ 9837.668642]  entry_SYSENTER_compat+0x4c/0x5b
Jul 13 15:03:37 localhost kernel: [ 9837.668644] Memory state around the buggy address:
Jul 13 15:03:37 localhost kernel: [ 9837.668655]  ffff88007cdaa600: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fb fb f
Jul 13 15:03:37 localhost kernel: [ 9837.668664]  ffff88007cdaa680: fb fb fb fb fb fb fb fb fb fb fb fb fb fb fb fb f
Jul 13 15:03:37 localhost kernel: [ 9837.668674] >ffff88007cdaa700: fb fb fb fb fb fc fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:37 localhost kernel: [ 9837.668680]                                                    ^
Jul 13 15:03:37 localhost kernel: [ 9837.668689]  ffff88007cdaa780: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:37 localhost kernel: [ 9837.668698]  ffff88007cdaa800: fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc fc f
Jul 13 15:03:37 localhost kernel: [ 9837.668704] ==================================================================
Jul 13 15:03:37 localhost NetworkManager[745]: <info>  [1499938417.1889]   address 192.168.1.100

-------------------------------------------------------------------------------------------------------------
1071. Commits - 13 August 2017 - Suspicious use-after-free error flagged by Kernel Address Sanitizer - committed f
This error precedes last_sector_hacks ISRA error above in USB storage driver.
-------------------------------------------------------------------------------------------------------------
Aug 13 14:53:17 localhost kernel: [   47.797146] BUG: KASAN: use-after-free in sr_probe+0x7e0/0xb20 at addr ffff88
Aug 13 14:53:17 localhost kernel: [   47.797146] Read of size 1 by task kworker/u4:1/37
Aug 13 14:53:17 localhost kernel: [   47.797146] page:ffffea0000002580 count:0 mapcount:0 mapping:          (null)
Aug 13 14:53:17 localhost kernel: [   47.797146] flags: 0x0()
Aug 13 14:53:17 localhost kernel: [   47.797146] raw: 0000000000000000 0000000000000000 0000000000000000 00000001
Aug 13 14:53:17 localhost kernel: [   47.797146] raw: ffffea00000025a0 ffffea00000025a0 0000000000000000 00000000
Aug 13 14:53:17 localhost kernel: [   47.797146] page dumped because: kasan: bad access detected
Aug 13 14:53:17 localhost kernel: [   47.797146] CPU: 1 PID: 37 Comm: kworker/u4:1 Tainted: G    B           4.10.
Aug 13 14:53:17 localhost kernel: [   47.797146] Hardware name: Dell Inc. Inspiron 1545                   /0J037P,
Aug 13 14:53:17 localhost kernel: [   47.797146] Workqueue: events_unbound async_run_entry_fn
Aug 13 14:53:17 localhost kernel: [   47.797146] Call Trace:
```

```
Aug 13 14:53:17 localhost kernel: [   47.797146]  dump_stack+0x63/0x8b
Aug 13 14:53:17 localhost kernel: [   47.797146]  kasan_report.part.1+0x4bc/0x4f0
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? sr_probe+0x7e0/0xb20
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? scsi_mode_select+0x370/0x370
Aug 13 14:53:17 localhost kernel: [   47.797146]  kasan_report+0x25/0x30
Aug 13 14:53:17 localhost kernel: [   47.797146]  __asan_load1+0x47/0x50
Aug 13 14:53:17 localhost kernel: [   47.797146]  sr_probe+0x7e0/0xb20
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? kernfs_next_descendant_post+0x93/0xf0
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? sr_block_ioctl+0xe0/0xe0
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? sysfs_do_create_link_sd.isra.2+0x7c/0xc0
Aug 13 14:53:17 localhost kernel: [   47.797146]  driver_probe_device+0x40b/0x670
Aug 13 14:53:17 localhost kernel: [   47.797146]  __device_attach_driver+0xd9/0x160
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? __driver_attach+0x120/0x120
Aug 13 14:53:17 localhost kernel: [   47.797146]  bus_for_each_drv+0x107/0x180
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? bus_rescan_devices+0x20/0x20
Aug 13 14:53:17 localhost kernel: [   47.797146]  __device_attach+0x17e/0x200
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? device_bind_driver+0x80/0x80
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? kobject_uevent_env+0x1ec/0x7f0
Aug 13 14:53:17 localhost kernel: [   47.797146]  device_initial_probe+0x13/0x20
Aug 13 14:53:17 localhost kernel: [   47.797146]  bus_probe_device+0xfe/0x120
Aug 13 14:53:17 localhost kernel: [   47.797146]  device_add+0x5f1/0x9f0
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? device_private_init+0xc0/0xc0
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? scsi_dh_add_device+0xd4/0x130
Aug 13 14:53:17 localhost kernel: [   47.797146]  scsi_sysfs_add_sdev+0xd1/0x350
Aug 13 14:53:17 localhost kernel: [   47.797146]  do_scan_async+0xfd/0x230
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? scsi_scan_host+0x250/0x250
Aug 13 14:53:17 localhost kernel: [   47.797146]  async_run_entry_fn+0x84/0x270
Aug 13 14:53:17 localhost kernel: [   47.797146]  ? pwq_dec_nr_in_flight+0x8c/0x110
Aug 13 14:53:17 localhost kernel: [   47.797146]  process_one_work+0x2c6/0x7d0
Aug 13 14:53:17 localhost kernel: [   47.797146]  worker_thread+0x90/0x850
Aug 13 14:53:17 localhost kernel: [   47.797146]  kthread+0x178/0x1d0

--------------------------------------------------------------------------------------------------------------
881. (FEATURE-DONE) Spark Cloud Analytics for Linux Kernel 4.10.3 64 bit with Kernel Address Sanitizer debug loggi
- Commits 1
--------------------------------------------------------------------------------------------------------------
(*) Upgraded Spark version to 2.1.0 on Hadoop 2.7
(*) Changed to SparkContext text file instead of reading the input kernel log in python I/O
(*) Added flatMap to front of MapReduce chain of transformations for tokenizer
(*) Changed the input kernel log to 64bit 4.10.3 Kernel Address Sanitizer enabled kern.log which prints lot of del
```

```
memory accesses especially for USBWWAN and USB Storage drivers.
(*) This is an alternative to traditional promiscuous USB Analyzers like WireShark to get kernel stack traces for
(*) Particularly useful in malware related untoward memory access and traffic analysis
(*) Unifies Kernel Address Sanitizer, USB storage/WLAN driver and Spark Cloud for analytics
(*) Logs for this have been committed to testlogs/ and python-src/testlogs

------------------------------------------------------------------------------------------------------------
882. (FEATURE-DONE) Spark Cloud Analytics for Linux Kernel 4.10.3 64 bit with Kernel Address Sanitizer debug loggi
- Commits 2
------------------------------------------------------------------------------------------------------------
(*) Added a substring match filter to RDD map/reduce transformations chain
(*) Presently hardcoded as "+0x" which extracts all kernel functions invoked from Kernel Address Sanitizer kern.lo

Previous profiling prints following top kernel function invocations:
(u'last_sector_hacks.isra.1.part.2+0xc9/0x1d0', 159),
 (u'usb_stor_disconnect+0x120/0x120', 106),
 (u'save_stack+0x46/0xd0', 106),
 (u'save_stack_trace+0x1b/0x20', 106),
 (u'entry_SYSENTER_compat+0x4c/0x5b', 85),
 (u'kthread+0x178/0x1d0', 74),
implying heavy dependence on last_sector_hacks.isra gcc optimization. Discussion on https://groups.google.com/foru

------------------------------------------------------------------------------------------------------------
883. (FEATURE-DONE) Commits - 24 September 2017 -  USB-md driver for USB and Wireless LAN analytics for 4.13.3 64-
------------------------------------------------------------------------------------------------------------
(*) USB-md driver in GitHub and SourceForge at present are 32-bit based on mainline 4.1.5 kernel
(*) Both USB-md and KingCobra kernel modules are subsidiaries of VIRGO kernel
(*) There is a necessity for 64-bit version of USB-md for interoperability to VIRGO64 64-bit kernel on mainline ve
(*) This requires separate repository for USB-md because of significant kernel function changes between 4.1.5 and
 idiosyncrasies of 64-bit
(*) USB-md driver has been rebuilt on 4.13.3 64-bit kernel after some changes to function prototypes and new usb-m
 initialized with these commits

------------------------------------------------------------------------------------------------------------
884. USBWWAN Kernel Log Spark Analyzer Update - Refactoring to a new python function - 18 June 2018
------------------------------------------------------------------------------------------------------------
1. Spark Log Analyzer Spark_USBWWANLogMapReduceParser.py has been changed to modularize the pattern extraction
by defining a new function accepting kern.log file, pattern and filter and also creates Spark DataFrame SQL
table and queries it.
2. This is similar to NeuronRain AsFer log mapreducer()
```

```
2. This is similar to NeuronRain Asref log_mapreducer()

-----------------------------------------------------------------------------------------------------------
769. (FEATURE) USBWWAN analytics - USBmon and FTrace logs analysis - 15 November 2018 - this section is an extende
-----------------------------------------------------------------------------------------------------------
1. Logs Analysis for 2 standard kernel tracing facilities have been included - USBmon and FTrace. USBmon is the
kernel debugfs tracing facility and FTrace is the Kernel functions tracing utility accessible from user space. (Ke
2. USBmon traces are enabled by debugfs in /sys/kernel/debug/usb/usbmon and can be loaded in wireshark in libpcap
467 ls /sys/kernel/debug/
468 modprobe usbmon
472 dumpcap -D
474 ls /dev/usbmon0
475 ls -lrt /dev/usbmon*
487 tcpdump -i usbmon1
488 tcpdump -i usbmon2
489 tcpdump -i usbmon0
490 tcpdump -i usbmon3
491 tcpdump -i usbmon4
520 cat /sys/kernel/debug/usb/usbmon/1t 2>&1 > usbmon.mon
3. FTrace for function graph analysis are enabled by (Kernel.org FTrace Documentation: https://www.kernel.org/doc/
536 ls /sys/kernel/debug/tracing/current_tracer
537 echo nop > /sys/kernel/debug/tracing/current_tracer
538 echo 0 > /sys/kernel/debug/tracing/tracing_on
539 echo $$ > /sys/kernel/debug/tracing/set_ftrace_pid
541 echo function > /sys/kernel/debug/tracing/current_tracer
545 echo 1 > /sys/kernel/debug/tracing/tracing_on
557 ls -lrt /sys/kernel/debug/tracing/trace
561 cat /sys/kernel/debug/tracing/set_graph_function
562 cat /sys/kernel/debug/tracing/trace_options
563 echo funcgraph-duration > /sys/kernel/debug/tracing/trace_options
566 cat /sys/kernel/debug/tracing/set_graph_function
567 cat /sys/kernel/debug/tracing/trace_options
568 cat /sys/kernel/debug/tracing/trace_options
569 echo funcgraph-cpu 2>&1 > /sys/kernel/debug/tracing/trace_options
620 cat /sys/kernel/debug/tracing/set_ftrace_pid
624 echo 7379 > /sys/kernel/debug/tracing/set_ftrace_pid
625 cat /sys/kernel/debug/tracing/trace 2>&1 > ftrace.log.15November2018
639 export JAVA_HOME=/media/Ubuntu2/jdk1.8.0_171/
640 export PATH=/usr/bin:$PATH
671 /media/Ubuntu2/spark-2.3.1-bin-hadoop2.7/bin/spark-submit Spark_USBWWANLogMapReduceParser.py 2>&1 > testlogs/S
4. FTrace traces for specific userspace threads/processes are enabled by previous example commandlines and availab
```

```
4. Ftrace traces for specific userspace threads/processes are enabled by previous example commandlines and availat
5. Spark_USBWWANLogMapReduceParser.py has been changed to invoke log analyzer for USBmon and FTrace logs for
patterns Bi(BULK IN) and usb from USBmon and FTrace logs respectively:
- usbmon.15November2018.mon
- ftrace.ping.log.15November2018 (ftraces for ping of an IP address)
6. Logs for Spark Analyzer have been committed to Spark_USBWWANLogMapReduceParser.FTraceAndUSBMon.log.15November20

------------------------------------------------------------------------------------------------------------
770. (THEORY and FEATURE) Program Analysis and Software Analytics - USBmd FTrace Kernel Function CallGraph Generat
------------------------------------------------------------------------------------------------------------
1.New bash shell script usb_md_ftrace.sh has been committed to repository which writes out an ftrace.log
file containing kernel function call graph sequences for an executable code. It is invoked as:
        $usb_md_ftrace.sh <executable-to-trace>
usb_md_ftrace.sh summarizes previously mentioned ftrace options enabling commands into single file with an
option for commandline argument of an executable to trace.
2.usb_wwan_modified/python-src/Spark_USBWWANLogMapReduceParser.py has been changed to include a new function
ftrace_callgraph_dot() which parses an ftrace log generated by usb_md_ftrace.sh for command:
        $usb_md_ftrace.sh traceroute <ip-address>
3.ftrace_callgraph_dot() parses each line of ftrace.log and adds them as edges in a NetworkX Directed Graph. DOT
file for this call graph is written to Spark_USBWWANLogMapReduceParser.ftrace_callgraph.dot
4.As a novelty, PageRank and Degree Centrality measures of the call graph NetworkX DiGraph are printed which show
5. Lot of functions have ISRA optimization of GCC. ISRA is known to cause signed int bugs (0 was erroneously promo
6.Previous FTrace kernel call graph analysis is not only limited to USBmd WLAN analytics but can be applied to any
7. Malicious code (e.g virus, worms, root-kits, bots, keystroke loggers) are usually associated with high cpu and
8. FTrace kernel function call graph complements already implemented Program Analyzers: SATURN CFG driver in VIRGO
9. Outbreak of epidemics have been analyzed as Game Theoretic problem (https://blogs.cornell.edu/info2040/2016/09/
```