

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)

List: [apache-modules](#)  
Subject: [apache-modules] Urgent: Apache 1.3.27 question on absolute URI  
From: [srinivasan kannan <kannan.srinivasan\(.\)sun!com>](#)  
Date: [2003-06-20 9:26:31](#)  
[Download RAW [message](#) or [body](#)]

Dear all,

How do I get the absolute URI (scheme://host:port ...) of the request in apache 1.3.27 ? Is there an API for it ?

Infact my problem is as below:

I have a module which I have built for apache 1.3.27 . I want to use the same module without recompilation in apache-1.3.27 + mod\_ssl. The problem comes here. I am using ap\_http\_method() to get the scheme of the request to distinguish secure and non-secure requests. But ap\_http\_method is a macro which is defined differently for EAPI using #ifdef. This creates the problem when I use the module as-is , without rebuilding, in apache+mod\_ssl. All I need is a way to get the scheme of the request or atleast a way to get absolute URI so that I can do strcmp().

thanks in advance  
K.Srinivasan

--

-----  
I want to know how God created universe, rest are just details  
- Albert Einstein

Ptolemy created a universe that existed for 1000 years;  
Copernicus created a universe that existed for 400 years;  
Now Einstein has created a universe;  
I don't know how long this will live  
- G.Bernard Shaw

-----  
To unsubscribe, e-mail: [apache-modules-unsubscribe@covalent.net](mailto:apache-modules-unsubscribe@covalent.net)  
For additional commands, e-mail: [apache-modules-help@covalent.net](mailto:apache-modules-help@covalent.net)

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)

[Configure](#) | [About](#) | [News](#) | [Add a list](#) | Sponsored by [KoreLogic](#)