Ghat profile · Bairagarh (Sant Hirdaram) kund

1

Aerate + send test team

Place aerators before immersion and send an MPPCB sampling team for before, during and after tests.

Risk score 57.1 of 100 · rank 1 of 7 · #1 in all 24 scoring choices · Act now · 13 of 18 tests

No Durga 2025 table in the report

Why this rank

- Oxygen fell to 0 mg/l in 4 tests. No fish can live at 0. · Sources: 2023 p.26, 60 · 2025 p.28
- Oxygen was below the bathing minimum of 5 mg/l in 11 of 13 tests. · Sources: 2023 p.26, 60 · 2024 p.25, 69 · 2025 p.28
- Immersion pushed oxygen from above 5 to below 5 in 2 festivals. · Sources: 2023 p.26 · 2024 p.69
- Oxygen was already below 5 before immersion began in 2 festivals: the water is stressed even without visarjan. · Sources: 2023 p.60 · 2024 p.25
- One week after immersion, oxygen was still below 5 in 4 of 4 tests. · Sources: 2023 p.26, 60 · 2024 p.25, 69
- BOD (organic waste) was above the limit of 3 mg/l in 13 of 13 tests. · Sources: 2023 p.26, 60 · 2024 p.25, 69 · 2025 p.28
- Not tested at Durga 2025: only 13 of 18 expected tests exist. Missing is not clean.

0.5 × 67.3 (Dissolved oxygen) + 0.3 × 78.2 (BOD) + 0.2 × 0.0 (pH) = **57.1**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	5.6	4.5	0	0	0	4.2	5.2	4.1	4.2	4.2	2.2	2.4	—	0	—	—	—	—
BOD	3.8	4.2	10	9.2	9	9.4	4.2	13.2	14	6	8	8.2	—	8	—	—	—	—
pH	7.71	7.37	7.2	7.32	7.55	7.81	7.27	7.36	7.22	7.03	6.87	7.24	—	7.36	—	—	—	—

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 4.1 mg/l, lower than 92% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Malikhedi kund

2

Aerate + send test team

Place aerators before immersion and send an MPPCB sampling team for before, during and after tests.

Risk score 41.8 of 100 · rank 2 of 7 · Rank 2–4 across 24 scoring choices · Act now · 13 of 18 tests

No Durga 2025 table in the report

Why this rank

- Oxygen fell as low as 0.6 mg/l in 1 test, far below the minimum of 5. · Sources: 2025 p.29
- Oxygen was below the bathing minimum of 5 mg/l in 9 of 13 tests. · Sources: 2023 p.27, 61 · 2024 p.26, 71 · 2025 p.29
- Immersion pushed oxygen from above 5 to below 5 in 1 festival. · Sources: 2023 p.27
- Oxygen was already below 5 before immersion began in 3 festivals: the water is stressed even without visarjan. · Sources: 2023 p.61 · 2024 p.26, 71
- One week after immersion, oxygen was still below 5 in 2 of 4 tests. · Sources: 2023 p.27 · 2024 p.26
- BOD (organic waste) was above the limit of 3 mg/l in 11 of 13 tests. · Sources: 2023 p.27, 61 · 2024 p.26, 71 · 2025 p.29
- Not tested at Durga 2025: only 13 of 18 expected tests exist. Missing is not clean.

0.5 × 45.9 (Dissolved oxygen) + 0.3 × 63.0 (BOD) + 0.2 × 0.0 (pH) = **41.8**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	7.5	7	3.2	4.6	4.3	10.4	4.8	3.8	6.5	4.5	4.1	4	—	0.6	—	—	—	—
BOD	1.6	1.8	16.8	6.8	6.8	6.6	6.6	6.8	8.4	6.8	5	5.2	—	5.8	—	—	—	—
pH	7.65	7.81	7.11	7.57	7.37	7.81	7.48	7.38	7.38	7.29	7.3	7.01	—	7.53	—	—	—	—

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 4.5 mg/l, lower than 90% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Shahpura lake ghat

3

Aerate during and after

Immersion has pulled oxygen below 5 mg/l here. Run aerators on the day and for the following week.

Risk score 34.8 of 100 · rank 3 of 7 · Rank 2–5 across 24 scoring choices · High · 18 of 18 tests

Why this rank

- Oxygen was below the bathing minimum of 5 mg/l in 5 of 18 tests. · Sources: 2023 p.60 · 2024 p.26 · 2025 p.65
- Immersion pushed oxygen from above 5 to below 5 in 1 festival. · Sources: 2024 p.26
- Oxygen was already below 5 before immersion began in 2 festivals: the water is stressed even without visarjan. · Sources: 2023 p.60 · 2025 p.65
- One week after immersion, oxygen was still below 5 in 1 of 6 tests. · Sources: 2024 p.26
- BOD (organic waste) was above the limit of 3 mg/l in 18 of 18 tests. · Sources: 2023 p.28, 60 · 2024 p.26, 72 · 2025 p.30, 65

0.5 × 22.0 (Dissolved oxygen) + 0.3 × 79.4 (BOD) + 0.2 × 0.0 (pH) = **34.8**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	5.9	5.2	5	4.5	4	5	7.4	6.8	6.3	6.8	5.4	3.8	7	6	6.5	2.5	2.8	7.4
BOD	6.4	8.4	10.4	6.4	6.8	7.8	5.8	10	6.8	10.8	11.2	11.6	4.2	5	4.8	6.8	11.4	10.4
pH	7.32	7.36	7.76	7.35	7.73	7.76	7.88	7.61	7.92	7.36	7.35	7.53	7.7	7.82	7.84	7.88	7.36	7.35

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 5.65 mg/l, lower than 79% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Rani Kamlapati ghat / Kamla Park kund

4

Aerate during and after

Immersion has pulled oxygen below 5 mg/l here. Run aerators on the day and for the following week.

Risk score 33.4 of 100 · rank 4 of 7 · Rank 2–5 across 24 scoring choices · High · 18 of 18 tests

Ganesh tables say "Kamla Park kund", Durga tables say "Lower Lake ghat". May be two places

Why this rank

- Oxygen was below the bathing minimum of 5 mg/l in 6 of 18 tests. · Sources: 2024 p.70 · 2025 p.64
- Oxygen was already below 5 before immersion began in 2 festivals: the water is stressed even without visarjan. · Sources: 2024 p.70 · 2025 p.64
- One week after immersion, oxygen was still below 5 in 2 of 6 tests. · Sources: 2024 p.70 · 2025 p.64
- BOD (organic waste) was above the limit of 3 mg/l in 18 of 18 tests. · Sources: 2023 p.27, 59 · 2024 p.24, 70 · 2025 p.29, 64

0.5 × 25.7 (Dissolved oxygen) + 0.3 × 68.6 (BOD) + 0.2 × 0.0 (pH) = **33.4**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	6.6	5.8	9.5	6.2	6	6.5	4.8	4.3	3.6	7.5	6.4	6.5	6.9	6.9	6.2	2.5	2.4	2.6
BOD	4.2	4.4	9.2	8.8	8.4	8.6	4.8	5	6.4	5.6	5.8	6	3.8	6.9	4.8	6.8	8.8	4.8
pH	7.65	8.35	8.07	8.07	7.63	7.54	7.35	7.31	7.63	7.48	7.7	7.75	7.46	7.7	7.62	7.92	7.85	7.38

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 6.2 mg/l, lower than 69% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Khatlapura ghat

5

Aerate during and after

Immersion has pulled oxygen below 5 mg/l here. Run aerators on the day and for the following week.

Risk score 31.3 of 100 · rank 5 of 7 · Rank 4–7 across 24 scoring choices · High · 18 of 18 tests

Why this rank

- Oxygen was below the bathing minimum of 5 mg/l in 8 of 18 tests. · Sources: 2023 p.59 · 2024 p.24, 69
- Immersion pushed oxygen from above 5 to below 5 in 1 festival. · Sources: 2024 p.24
- Oxygen was already below 5 before immersion began in 2 festivals: the water is stressed even without visarjan. · Sources: 2023 p.59 · 2024 p.69
- One week after immersion, oxygen was still below 5 in 3 of 6 tests. · Sources: 2023 p.59 · 2024 p.24, 69
- BOD (organic waste) was above the limit of 3 mg/l in 15 of 17 tests. · Sources: 2023 p.26, 59 · 2024 p.24, 69 · 2025 p.28, 64
- pH was outside the safe range of 6.5 to 8.5 in 1 of 18 tests. · Sources: 2024 p.69

0.5 × 24.0 (Dissolved oxygen) + 0.3 × 62.7 (BOD) + 0.2 × 2.2 (pH) = **31.3**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	6.4	6.1	7.8	4.5	4.2	4.4	4.3	4	4.6	6.6	4.5	4.4	7.3	6	6.5	7.1	6.2	6.6
BOD	2.4	2.8	11.2	6.4	—	7.8	6.8	7.2	6.2	7.8	8	8.4	4.4	5.4	5.2	4.4	4.6	3.1
pH	6.98	7.63	8.08	7.87	8.2	7.46	8.07	6.49	7.95	8	7.57	7.4	7.34	8	7.76	8.17	7.72	7.81

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 6.05 mg/l, lower than 73% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Hathaikheda dam / kund

6

Extra cleaning + re-test

Remove idol material and flowers quickly to cut organic load, and re-test after one week.

Risk score 22.3 of 100 · rank 6 of 7 · Rank 4–6 across 24 scoring choices · Moderate · 18 of 18 tests

Why this rank

- Oxygen stayed at or above 5 mg/l in all 18 tests (lowest 5.1). · Sources: 2023 p.27
- BOD (organic waste) was above the limit of 3 mg/l in 16 of 18 tests. · Sources: 2023 p.27, 59 · 2024 p.23, 71 · 2025 p.29, 64
- pH was outside the safe range of 6.5 to 8.5 in 3 of 18 tests. · Sources: 2023 p.27 · 2024 p.23 · 2025 p.29

0.5 × 0.0 (Dissolved oxygen) + 0.3 × 66.7 (BOD) + 0.2 × 11.4 (pH) = **22.3**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	7.9	6.5	5.1	6.5	10.2	8.6	9	5.3	11	8.6	5.9	5.7	5.6	7	6.4	8.5	8.5	10.8
BOD	2.5	6	10.8	4	8.8	2.4	7.2	13.2	22	7.4	4.4	4.6	5.2	10	5.2	6.8	8	6.4
pH	8.1	8.92	8.01	8.02	8.02	8.15	7.93	7.29	7.38	9.2	7.7	7.7	8.23	8.71	8.44	8.14	8.37	8.44

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 7.45 mg/l, lower than 14% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.

Ghat profile · Prempura ghat

7

Aerate during and after

Immersion has pulled oxygen below 5 mg/l here. Run aerators on the day and for the following week.

Risk score 16.8 of 100 · rank 7 of 7 · Rank 5–7 across 24 scoring choices · Moderate · 18 of 18 tests

Why this rank

- Oxygen was below the bathing minimum of 5 mg/l in 3 of 18 tests. · Sources: 2024 p.70 · 2025 p.65
- Immersion pushed oxygen from above 5 to below 5 in 1 festival. · Sources: 2025 p.65
- Oxygen was already below 5 before immersion began in 1 festival: the water is stressed even without visarjan. · Sources: 2024 p.70
- BOD (organic waste) was above the limit of 3 mg/l in 9 of 15 tests. · Sources: 2024 p.25, 70 · 2025 p.28, 65
- pH was outside the safe range of 6.5 to 8.5 in 2 of 17 tests. · Sources: 2023 p.26 · 2024 p.70

0.5 × 9.3 (Dissolved oxygen) + 0.3 × 37.6 (BOD) + 0.2 × 4.4 (pH) = **16.8**

Oxygen, BOD and pH at every test

	2023						2024						2025					
	Ganesh			Durga			Ganesh			Durga			Ganesh			Durga		
	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After	Before	During	After
Dissolved oxygen	6.2	6.7	6.5	5.4	5	5.7	4.3	3.9	6.3	7.6	6.4	7.6	6.5	5.6	6	6.6	4.9	8.2
BOD	1.3	1.5	2	—	—	—	3.2	6.8	5.2	2.4	2.6	3.4	4.8	4.8	3	4.4	4.8	3.2
pH	7.72	8.53	7.44	7.66	—	7.39	8.02	8.55	8.05	8.22	8.02	8.11	7.41	8.01	7.92	8.25	8.24	8.29

Severe · Breaks limit · Within limit · Not tested · Below detection

· Dissolved oxygen: Limit: 5 mg/l or more · BOD: Limit: 3 mg/l or less · pH: Limit: 6.5 to 8.5

Statewide: Typical oxygen here is 6.25 mg/l, lower than 69% of 1,315 oxygen readings at other MP immersion sites.

Blank, _, * and ** mean not sampled. They show as missing and never count as clean. BDL means below detection: very low, not zero.