CryptIQ — Shared Theme & Contract (both teams)

> Owned by the Core team. The Hub team reads this and never edits it. If Hub needs a change, add a line to `hub/REQUESTS.md`.

1. What CryptIQ promises (the pitch, in one place)

CryptIQ shows a small business **what a hacker could steal from it**, fixes the problems, and **proves** the fix — before India's DPDP security rules apply (13 May 2027) and before "harvest now, decrypt later" quantum attacks matter.

Loop: **Scan → Attack → Fix → Prove.**

- **Scan:** finds weak crypto and unprotected personal data in the business's own code and database; 0–100 score; plain-English findings; CycloneDX CBOM.
- **Attack Lab:** real dictionary attack cracks weak password hashes; simulated Shor's algorithm factors a small demo RSA key and decrypts customer data (always labelled as a simulation).
- **Fix:** fixes arrive as a pull request the developer reviews.
- **Prove:** score changes only after 4 live checks pass — re-scan, re-attack, app still works, new data encrypted. Owner gets an evidence report and a public **trust badge**.

Business model (estimates, to be validated with pilots):

Tier	Price	For
Free	₹0	Score + top 3 risks + one Attack Lab run
Starter	₹999 / month	One small website or app
Business	₹2,999 / month	Multiple projects, CI guard, evidence report, trust badge
Partner	₹500 / client / month	CA / IT / audit firms; multi-client console; white-label; they resell at a margin

Go-to-market: free scans via incubators and college E-cells → **CA and IT-service firms as the channel** → DPDP-deadline campaigns.

Language rules for every screen:

- Say "security scan" and "security-safeguard evidence". Never "DPDP certified" or "compliant".
- Quantum attack is always "simulated".
- All data shown is fake demo data; label it "Demo data" where a real business name would appear.

2. Theme — "Quiet vault"

Simple, elegant, crypto-relevant: calm light product surfaces, a deep ink colour for headers and security moments, emerald for "protected", red only for "exposed". One motif: a faint **lattice dot grid** (nod to lattice-based post-quantum crypto) used only in hero areas.

2.1 Colour tokens

Token	Hex	Use
`--ink-900`	`#0B2530`	headings, hero backgrounds, logo
`--ink-700`	`#16404F`	secondary dark surfaces
`--emerald-600`	`#059669`	primary buttons, "protected", links
`--emerald-50`	`#E7F7F0`	tinted cards, success backgrounds
`--red-600`	`#DC2626`	"exposed", critical, cracked values
`--amber-600`	`#D97706`	warning, high, "quantum-vulnerable"
`--slate-900`	`#0F172A`	body text
`--slate-500`	`#64748B`	secondary text
`--slate-200`	`#E2E8F0`	borders
`--slate-50`	`#F8FAFC`	page background
`--terminal-bg`	`#0B1220`	Attack Lab terminal only
`--terminal-fg`	`#D1FAE5`	terminal text

Score colours: < 50 red-600 · 50–79 amber-600 · ≥ 80 emerald-600.

2.2 Type

- **Inter** (400/500/600) for UI. Headings 600, never 700+.
- **JetBrains Mono** (400/500) for hashes, keys, code, scores in dials, terminal.
- Sizes: H1 36/44, H2 24/32, H3 18/26, body 15/24, small 13/20.

2.3 Components & layout

- Tailwind + **shadcn/ui** (Button, Card, Badge, Table, Tabs, Sheet, Dialog, Tooltip, Toast).
- Icons: **lucide-react** only. Core set: `ShieldCheck` (protected), `ShieldAlert` (exposed), `Lock`, `KeyRound`, `ScanLine`, `Fingerprint`, `FileCheck2`, `Building2` (partner), `BadgeCheck` (badge).
- Radius: 12px cards, 10px buttons, 999px pills. Borders 1px `--slate-200`. Shadows: none or `shadow-sm`.
- 8px spacing grid. Max content width 1200px. Generous white space.
- **One primary (emerald, filled) button per screen.** Secondary = outline. Tertiary = text link.
- Motion: 150–300 ms ease-out fades/slides; score dial sweep 1.2 s. No bouncing, no confetti.
- Copy: sentence case, short, no exclamation marks, numbers with units (₹, days, %).

2.4 Logo & wordmark

- Wordmark "CryptIQ" in Inter 600, `--ink-900`; the "IQ" in `--emerald-600`.
- Mark: `ShieldCheck` icon inside a 28px rounded square, ink background, emerald icon.
- File: `shared/theme/logo.svg` (Core creates it in the first commit).

2.5 Files (created by Core in the first commit)

- `shared/theme/tokens.css` — CSS variables above.
- `shared/theme/tailwind.preset.cjs` — Tailwind preset mapping tokens to `colors`, fonts, radius.
- `shared/theme/logo.svg`, `shared/theme/lattice.svg` (dot-grid background). Both apps import the preset: `presets: [require('../shared/theme/tailwind.preset.cjs')]`.

3. Integration contract (frozen — Core guarantees it)

3.1 Ports and URLs

App	Dev URL	Env var used by the other app
Core web	`http://localhost:5173`	`VITE_CORE_WEB_URL`
Core API	`http://localhost:8000`	`VITE_CORE_API_URL`
Demo shop	`http://localhost:5050`	—
Hub web	`http://localhost:5174`	`VITE_HUB_WEB_URL`

3.2 Endpoints Core provides to Hub

Method	Path	Returns
GET	`/api/health`	`{ "ok": true }`
GET	`/api/public/projects/{slug}/summary`	`ProjectSummary` (below)
GET	`/api/public/projects/{slug}/report.pdf`	evidence report PDF (404 if not verified yet)

3.3 `ProjectSummary` (JSON)

```
{
  "slug": "chennai-organics",
  "name": "Chennai Organics",
  "industry": "E-commerce",
  "score": 91,
  "scoreBefore": 38,
  "counts": { "critical": 0, "high": 1, "medium": 0, "low": 2 },
  "checks": { "passed": 4, "total": 4 },
  "verified": true,
  "lastScanAt": "2026-10-15T08:42:00+05:30",
  "dataProtection": [
    { "dataType": "phone", "status": "ok" },
    { "dataType": "email", "status": "ok" },
    { "dataType": "password", "status": "ok" },
    { "dataType": "id_number", "status": "ok" }
  ],
  "quantumReady": true,
  "coreProjectUrl": "http://localhost:5173/p/p_demo"
}
```

Rules: fields are never removed or renamed; Core may add fields. `status` ∈ `ok|warning|risk`. Before the fix, the same endpoint returns `score: 38`, `verified: false`, `quantumReady: false`.

3.4 Cross-links

- Hub "Start free scan" / "Try the demo" → `{CORE_WEB}/scan`
- Hub partner console row (Chennai Organics) → `{CORE_WEB}/p/p_demo`
- Core Report page "View public badge" → `{HUB_WEB}/badge/chennai-organics`
- Core header logo → `{HUB_WEB}/`

CryptIQ Hub — Plan for the Hub developer

> **You own `hub/` and nothing else.** Read this file and `docs/SHARED_THEME_AND_CONTRACT.md` completely before writing code. This plan is fixed; the Core team will not change your scope.

---

1. Context (what we are building and why your part matters)

CryptIQ is a startup product for Indian small businesses: it scans their code and database, shows what a hacker could steal, fixes it, and proves the fix (see the shared doc, Section 1). The Core team builds the scanner, Attack Lab and Fix & Verify flow.

You build the business side — the CryptIQ Hub. Judges score tech **and** business equally. Your system is where the business model becomes visible and clickable:

1. **Landing + pricing** — why CryptIQ, the four tiers, a clear "Free scan" entry.
2. **Partner console** — how a CA firm manages 25 client businesses (our main sales channel).
3. **Public trust badge** — what a shop's customers see, and how a badge is verified.
4. **Simulated sign-up and checkout** — showing how a business moves from free to paid.

Your app is a separate React app on port **5174**. It works fully on its own with mock data, and connects to Core through **one** endpoint (`ProjectSummary`) when Core is running.

---

2. Rules (follow exactly — we share one GitHub branch)

2.1 Files

1. Work **only inside `hub/`**. Never create, edit, move or delete files outside `hub/`.
2. `shared/` and `docs/` are **read-only** for you. Import from `shared/theme/`; never edit it.
3. Your own `hub/package.json`, `hub/.gitignore`, `hub/README.md`. Do not touch the root `.gitignore`, root `README.md`, `core/`, or any lock file outside `hub/`.
4. Need something from Core (a new field, a link, a fix)? Add a line to `hub/REQUESTS.md` and tell us.

2.2 Git (same branch: `main`)

1. Before starting each session: `git pull --rebase origin main`.
2. Stage **only your folder**: `git add hub/` — never `git add .` or `git add -A`.
3. Commit messages start with `hub:` e.g. `hub: partner console table`.
4. Before every push: `git pull --rebase origin main`, then `git push origin main`.
5. **Never** `git push --force`, `git reset --hard` on shared history, rebase others' commits, or delete branches.
6. If a rebase conflict touches a file outside `hub/`, stop — do not resolve it; tell the Core team.
7. Never commit: `.env`, keys, `node_modules/`, `dist/`, real personal data.
8. Commit small and often (every 30–60 min).

2.3 Coding agents

If you use Claude Code / Cursor / Copilot, start every session with:

> "Read docs/HUB_PLAN.md and docs/SHARED_THEME_AND_CONTRACT.md. You may only create or modify files inside hub/. Never run git add . or git add -A; stage with git add hub/. Never force-push."

2.4 UI consistency

- Use the **Quiet vault** theme exactly (shared doc, Section 2): Tailwind preset from `shared/theme`, Inter + JetBrains Mono, shadcn/ui, lucide-react.
- One primary (emerald) button per screen. No decorative gradients, no stock photos, no emojis.
- Missing token? Define it locally as `--hub-…` in `hub/src/styles/local.css`; don't edit shared files.
- All business names, people and numbers are **fake**; show a small "Demo data" tag on the partner console and badge pages.

---

3. Tech stack & setup

- React 18 + Vite + TypeScript + Tailwind + shadcn/ui + lucide-react + react-router-dom + Framer Motion.
- `qrcode.react` for QR codes. `jszip` (optional) for bulk download.
- No backend needed. Data: `hub/src/data/*.json` (seed) + Core API when available.

`hub/.env.example`

```
VITE_CORE_API_URL=http://localhost:8000
VITE_CORE_WEB_URL=http://localhost:5173
VITE_USE_MOCKS=true
```

`hub/src/lib/core.ts` — the only file that calls Core:

```
export async function getSummary(slug: string): Promise<ProjectSummary> {
  const mock = async () =>
    (await import(`../mocks/summary.${slug}.json`)).default;
  if (import.meta.env.VITE_USE_MOCKS === 'true') return mock();
  try {
    const base = import.meta.env.VITE_CORE_API_URL;
    const r = await fetch(`${base}/api/public/projects/${slug}/summary`);
    return r.ok ? r.json() : mock();      // graceful fallback
  } catch { return mock(); }              // Core not running
}
```

Mocks: `summary.chennai-organics.json` (verified, 91) and `summary.chennai-organics.before.json` (38). A small "Live / Demo data" dot in the footer shows which source is used.

Folder layout:

```
hub/
  package.json  vite.config.ts  tailwind.config.cjs  .env.example  README.md  REQUESTS.md
  src/
    main.tsx  App.tsx  routes.tsx
    lib/core.ts  lib/format.ts
    data/partner.json  data/clients.json  data/pricing.json
    mocks/summary.chennai-organics.json  mocks/summary.chennai-organics.before.json
    components/  (Header, Footer, ScoreDial, StatusPill, PlanCard, ClientRow, BadgeSvg, LatticeHero)
    pages/  Landing.tsx  Pricing.tsx  SignUp.tsx  Checkout.tsx  Partner.tsx  PartnerClient.tsx  Badge.tsx
```

4. Screens (detailed)

Global header (all pages): logo (→ `/`) · Pricing · For partners · Verify a badge · **Free scan** (primary, → `{CORE_WEB}/scan`). Footer: "Security scan and evidence — not a legal certification." · data source dot.

H1 Landing `/`

1. **Hero** (ink background + faint lattice dot grid): - H1: "See how hackers would break your customers' data — then lock it for good." - Sub: "CryptIQ scans your code and database, shows what an attacker could steal, fixes it, and proves it." - Primary: **Free scan** → Core. Secondary: "See a sample report" → `/badge/chennai-organics`. - Countdown chip: "DPDP security rules apply in **N days**" (computed to 13 May 2027 IST).
2. **The loop** — 4 cards: Scan · Attack · Fix · Prove (icon, one line each).
3. **Why now** — 3 stat cards (cite small under each): "Up to ₹250 crore penalty for failing security safeguards (DPDP Rules 2025)" · "~81% of organisations had not updated their frameworks (EY via Inc42, Jul 2026)" · "Data encrypted with RSA today can be stolen now and decrypted later (harvest now, decrypt later)".
4. **Live example** — card showing Chennai Organics from `getSummary`: score dial 38 → 91 (animate from `scoreBefore` to `score` when visible), "4/4 checks passed", link to badge.
5. **Who it's for** — 3 columns: Shop owners · Developers · CA & IT firms (→ `/partners`).
6. **Pricing teaser** — the four plan cards (same component as `/pricing`).
7. **Privacy line** — "Your code never leaves your machine. We store findings, not your data."

H2 Pricing `/pricing`

- Four `PlanCard`s from `data/pricing.json`. Business card highlighted ("Most popular").
- Each card: name, price, one-line who-it's-for, 4–5 features, button: Free → `{CORE_WEB}/scan` · Starter/Business → `/signup?plan=…` · Partner → `/partners`.
- Below: comparison note "A manual data audit costs ₹1–10 lakh (Inc42). Business plan ≈ ₹36,000/year."
- Small print: "Prices are launch estimates."

H3 Sign up `/signup?plan=business` (simulated)

- Fields: Business name, Industry (select), Work email, "What customer data do you collect?" (checkboxes: phone, email, address, payments, ID numbers, health). Primary **Continue to payment**.
- Validation inline (required fields, email format).

H4 Checkout `/checkout` (simulated)

- Order summary (plan, ₹ price/month, GST note "taxes as applicable"), "Pay with Razorpay (test mode)" button → 1.2 s processing state → success screen: "Your workspace is ready" + primary **Start your first scan** → `{CORE_WEB}/scan`. A visible "Test mode — no real payment" tag.

H5 Partners landing `/partners`

- Hero: "Offer data-security checks to all your clients." 3 benefits: earn margin (₹500/client cost), white-label reports, one console. Primary **Open partner console (demo)** → `/partner`.

H6 Partner console `/partner` ⭐ main screen

- Header: "Iyer & Associates · Chartered Accountants" + "Demo data" tag + "25 clients".
- **KPI row (4):** Average score · Ready (≥ 80) · At risk (< 50) · Not scanned in 30 days.
- **Clients table** (from `data/clients.json`, 24 seeded + Chennai Organics from `getSummary`): Client · Industry · Score (mini dial) · Change (▲/▼ since last scan) · Last scan · Status pill (Ready / Needs work / At risk / Not

scanned) · ⋯ menu. Sort by score; search box; filter pills: All · At risk · Not scanned.
- **Needs attention** side panel: top 5 by risk with one-line reason ("Passwords stored with MD5").
- Primary button: **Invite a client** → dialog: client name + email → generates a scan link `{CORE_WEB}/scan?ref=iyer&client=<slug>` + QR + "Copy link" (no email sent; toast "Link copied").
- Secondary: **Download all reports** → zip of `report.pdf` for verified clients (Chennai Organics from Core if live; others: a placeholder PDF from `public/sample-report.pdf`), or a toast if jszip not added.
- **White-label** button (outline) → dialog to upload a logo; preview shows the logo on a report header mock; label "Pilot".
- Row click: Chennai Organics → `{CORE_WEB}/p/p_demo` (new tab); others → `/partner/clients/:slug`.

H7 Partner client detail `/partner/clients/:slug`

- Read-only summary card: score dial, counts, data protection chips, last scan, status.
- Buttons: **Send reminder** (toast), Open badge page.

H8 Public badge page `/badge/:slug`

- Clean centred card: shop name, "Data security scan by CryptIQ", **score** (dial), "Critical issues: 0", "Checks passed: 4/4", "Quantum-ready: Yes", last scan date/time (IST), verification ID (`CIQ-` + first 8 chars of a hash of slug+lastScanAt).
- Data protection chips (phone, email, password, ID numbers) with ✓ / ✕.
- If `verified=false`: amber state "Scan in progress — not yet verified".
- Footer disclaimer + "Verify another badge" link.
- **Embed section** (below the card): badge preview (SVG), copyable HTML snippet, QR code to this page.

H9 Verify a badge `/verify`

- Single input: "Enter verification ID or shop name" → finds in `clients.json` / Chennai Organics → navigates to `/badge/:slug`. Not found → "No verified scan found for that ID."

Badge SVG (component `BadgeSvg`)

- 220×56 rounded rectangle: ink left block with `ShieldCheck` + "CryptIQ", right block emerald with "Scanned · 91/100" and date. Downloadable as SVG.

---

5. Seed data (you create)

`data/clients.json` — 24 fake businesses across: e-commerce, clinic, school, salon, restaurant chain, logistics, coaching centre, travel agency, pharmacy, real estate, CA firm client portal, NGO. Each: `{slug, name, industry, city, score, prevScore, lastScanAt, status, topIssue}`. Mix: 6 ready, 8 needs work, 6 at risk, 4 not scanned. Indian-sounding fake names; no real companies.

`data/pricing.json` — the four tiers exactly as in the shared doc.

`data/partner.json` — `{ name: "Iyer & Associates", type: "Chartered Accountants", city: "Chennai" }`.

---

6. Task list (in order) with acceptance criteria

#	Task	AC
H-01	Scaffold `hub/`, Tailwind with shared preset, fonts, shadcn, router, Header/Footer	`/` renders with theme; header links work
H-02	`lib/core.ts` + mocks + data source dot	Works with `VITE_USE_MOCKS=true` and with Core off
H-03	Landing (all 7 sections), countdown, live example dial animation	Looks finished at 1280×800 and 390px width
H-04	Pricing page + PlanCard	Buttons route correctly
H-05	Sign-up + checkout (simulated)	Validation, processing state, success → Core scan link
H-06	Seed data (clients, pricing, partner)	25 rows total incl. Chennai Organics
H-07	Partner console: KPIs, table, filters, search, needs-attention	KPIs computed from data
H-08	Invite dialog with link + QR + copy	Link copied toast
H-09	Partner client detail page	Opens from table
H-10	Badge page (verified + unverified states) + embed section + BadgeSvg	Both states render from mocks
H-11	Verify-a-badge page	Finds by ID and name
H-12	Download all reports + white-label dialog (pilot)	No dead buttons
H-13	Switch to live Core (`VITE_USE_MOCKS=false`), test fallback	Chennai Organics shows 38 before, 91 after Core's fix
H-14	Polish: empty/error states, responsive, keyboard focus, `hub/README.md`	Runs with `npm i && npm run dev`

Suggested timing: H-01–H-05 by 19:00 · H-06–H-10 by 00:00 · H-11–H-14 by 05:30 · freeze 08:00.

---

7. Your part in the demo (≈ 30 seconds, near the end)

1. After Core shows the score jump to 91, open **`/badge/chennai-organics`** → "4/4 checks passed · Quantum-ready".
2. Open **`/partner`** → Chennai Organics now shows **91 ▲53, Ready**; "This is how one CA firm sells CryptIQ to 25 clients — ₹500 each per month."
3. Open **`/pricing`** briefly for the business slide.

Make these three pages load instantly and look flawless; they are the business proof.