```
<html>
<body>
      <form name="myform">
            <input type="submit" name="b1" value="Send">
      </form>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            Enter Your Name:<input type="text" name="tf1"
placeholder="vjtech"> <br><br>
            Enter Your Mobile No:<input type="text" name="tf2"
maxlength="10">
      </form>
</body>
</html>
```

```
<html>
<body>
      <h2>User Registration Form</h2>
      <form name="myform" action="text element in form.html"method="get"
target="_blank">
            Enter First Name:<br>
            <input type="text" name="tf1" required><br><br>
            Enter Last Name:<br>
            <input type="text" name="tf2" required><br><br>
            Enter Age:<br>
            <input type="number" name="tf3"><br><br>
            <input type="submit" name="b1" value="Submit">
            <input type="reset" name="b1" value="Reset">
      </form>
</body>
</html>
```

```
<html>
<body>
      <h2><center>VJTECH SOFTWARE PVT LTD</center></h2>
      <form name="myform">
            <center>
                  Enter UserName:<br>
                  <input type="text" name="tf1" required><br><br>
                  Enter Password:<br>
                  <input type="password" name="tf2" required><br><br>
                  <input type="submit" name="b1" value="Login">
            </center>
      </form>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            <input type="text" name="tf1" id="id1" value="VJTech Academy">
      </form>
      <script language="javascript" type="text/javascript">
            var x=document.getElementById("id1").value;
            document.write("Output Message:"+x);
      </script>
</body>
</html>
```

```
<html>
<body>
      <h1>This is heading tag h1</h1>
      <h1>This is another heading tag h1</h1>
      <script language="javascript" type="text/javascript">
            var x=document.getElementsByTagName("h1");
            document.write("Output Message:"+x[0]);
      </script>
</body>
</html>
```

```
<html>
<body>
      Enter Your Name:<input type="text" id="id1">
      <input type="button" name="b1" onclick="MyFunction()" value="Click
Me">
      <script language="javascript" type="text/javascript">
            function MyFunction()
            {
                  var x=document.getElementById("id1").value;
                  document.write("Welcome "+x);
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      Enter First No:<br>
      <input type="text" id="id1"><br><br>
      Enter Second No:<br>
      <input type="text" id="id2"><br><br>
      <input type="button" name="b1" onclick="CalcAddition()"
value="ADD">
      <script language="javascript" type="text/javascript">
            function CalcAddition()
            {
                  var a=parseInt(document.getElementById("id1").value);
                  var b=parseInt(document.getElementById("id2").value);
                  var c=a+b;
                  alert("Addition:"+c);
            }
      </script>
</body>
</html>
```

```
<html>
<body bgcolor="pink">
      <h2>VJTech Academy Survey Form</h2>
      <b>Your Full Name:<br>
      <form name="myform">
      <input type="text" name="tf1" placeholder="Enter your
Name"><br><br>
      Your Email Id:<br>
      <input type="text" name="tf2" placeholder="Enter your
Email"><br><br>
      Your Mobile No:<br>
      <input type="number" name="tf3" placeholder="Enter your Mobile
No"><br><br>
      Select Gender:<br>
      <input type="radio" name="gender" value="male">Male
      <input type="radio" name="gender" value="female">Female<br><br>
      Favourite Coding Language:<br>
      <input type="checkbox" name="c1" value="c lang">C Lang
      <input type="checkbox" name="c2" value="c++ lang">C++ Lang
      <input type="checkbox" name="c3" value="java lang">Java Lang
      <input type="checkbox" name="c4" value="python lang">Python
Lang<br><br>
      Select Your College Name:<br>
      <select name="college">
            <option value="gpp">GPP</option>
            <option value="gpn">GPN</option>
            <option value="gpa">GPA</option>
            <option value="gps">GPS</option>
            <option value="grwpt">GRWPT</option>
            <option value="gpl">GPL</option>
            <option value="gpb">GPB</option>
      </select><br><br>
      Write your feedback:<br>
      <textarea name="ta1" rows="5" cols="40"></textarea><br><br>
      <input type="submit" name="b1" value="Submit">
      <input type="reset" name="b2" value="Reset"></b>
      </form>
</body>
</html>
```

```
<html>
<body>
      <p id="id1">answer1</p><br>
      <p id="id2">answer2</p><br>
      <p id="id3">answer3</p><br>
      <form name="myform">
            Enter Your Name:<input type="text" name="tf1"
onkeydown="display1()" onkeyup="display2()" onkeypress="display3()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  document.getElementById("id1").innerHTML="onkeydown
event occurred";
            }
            function display2()
            {
                  document.getElementById("id2").innerHTML="onkeyup event
occurred";
            }
            function display3()
            {
                  document.getElementById("id3").innerHTML="onkeypress
event occurred";
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <p id="id1">answer1</p><br>
      <p id="id2">answer2</p><br>
      <form name="myform">
            Enter Your Name:<input type="text" name="tf1"
onfocus="display1()" onblur="display2()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  document.getElementById("id1").innerHTML="onfocus event
occurred";
            }
            function display2()
            {
                  document.getElementById("id2").innerHTML="onblur event
occurred";
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            Enter any text:<input type="text" id="id1"
onselect="display()">
      </form>
      <script language="javascript" type="text/javascript">
            function display()
            {
                  alert("You have selected some text");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            Select your favourite language:<br>
            <select id="id1" onchange="display()">
                  <option value="c lang">C Lang</option>
                  <option value="c++ lang">C++ Lang</option>
                  <option value="java lang">Java Lang</option>
                  <option value="python lang">Python Lang</option>

            </select>
      </form>
      <script language="javascript" type="text/javascript">
            function display()
            {
                  alert("You have
selected:"+document.getElementById("id1").value);
            }
      </script>
</body>
</html>
```

```
<html>
<body onload="display1()" onunload="display2()">
      This is Page load and unload event program
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  alert("Page onload event occurred");
            }
            function display2()
            {
                  alert("Page onunload event occurred");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            <input type="button" id="id1" value="Button1"
onclick="display1()">
            <input type="button" id="id2" value="Button2"
ondblclick="display2()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  alert("You have cliked the button");
            }
            function display2()
            {
                  alert("You have double cliked the button");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            <input type="button" id="id1" value="Button1"
onmouseover="display1()" onmouseout="display2()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  alert("Mouse present on element");
            }
            function display2()
            {
                  alert("Mouse goes out from element");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            <input type="button" id="id1" value="Button1"
onmousedown="display1()" onmouseup="display2()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  console.log("Mouse down");
            }
            function display2()
            {
                  console.log("Mouse up");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            <input type="button" id="id1" value="Button1"
onmousemove="display1()">
      </form>
      <script language="javascript" type="text/javascript">
            function display1()
            {
                  console.log("Mouse move");
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="vjtech1">
            <input type="button" name="b1" id="id1" value="Button1">
            <input type="button" name="b2" id="id2" value="Button2">
      </form>
      <br><br>
      <form name="vjtech2">
            <input type="button" name="b3" id="id3" value="Button3">
            <input type="button" name="b4" id="id4" value="Button4">
      </form>
      <script language="javascript" type="text/javascript">
            var x=window.document.forms.vjtech1.elements[0].value;

      document.write("<br>window.document.forms.vjtech1.elements[0].value
:"+x);
            var x=window.document.forms.vjtech1.elements[1].value;

      document.write("<br>window.document.forms.vjtech1.elements[1].value
:"+x);

            var x=window.document.forms.vjtech2.elements[0].value;

      document.write("<br>window.document.forms.vjtech2.elements[0].value
:"+x);
            var x=window.document.forms.vjtech2.elements[1].value;

      document.write("<br>window.document.forms.vjtech2.elements[1].value
:"+x);
      </script>
</body>
</html>
```

```
<html>
<body>
	<form name="VJTech">
		Enter Name : <input type="text" name="fname"><br><br>
		<input type="button" name="b1" value="Submit"
onclick="display()">
	</form>
	<script language="javascript" type="text/javascript">
		function display()
		{
			//var name = window.document.forms.VJTech.fname.value;
			var name =
window.document.forms.VJTech.elements[0].value;
			alert("Welcome " + name);
		}
	</script>
</body>
</html>
```

```
<html>
<body>
 <form name="VJTech">
       Enter Your Name : <br>
       <input type="text" name="fname" /><br><br>
       Enter College Name : <br>
       <input type="text" name="cname" /><br><br>
       Enter Your Branch : <br>
       <input type="text" name="branch" /><br><br>
       <input type="button" name="b1" value="Submit" onclick="display()">
 </form>
  <script language="javascript" type="text/javascript">
       function display()
       {
            /*var name = document.forms.VJTech.fname.value;
             var cname = document.forms.VJTech.cname.value;
             var branch = document.forms.VJTech.branch.value;*/

             var name = document.forms.VJTech.elements[0].value;
             var cname = document.forms.VJTech.elements[1].value;
             var branch = document.forms.VJTech.elements[2].value;

             alert("---------- Student Info ---------\n Name : " + name +
            "\nCollege Name : " + cname + "\nBranch : " + branch);
       }
 </script>
</body>
</html>
```

```
<html>
<body>
	<form name="VJTech">
		Enter Your Name : <br>
		<input type="text" name="fname" id="fname" /><br><br>
		<input type="button" name="b1" value="Submit"
onclick="display()">
	</form>
	<label id="id1">Your Name Is:NaN</label>

	<script language="javascript" type="text/javascript">
		function display()
		{
			var name = document.getElementById("fname").value;
			document.getElementById("id1").innerHTML = "Your Name
Is:" + name;
		}
	</script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
             Enter Your Name:<input type="text" id="id1" value="VJTech"
onmouseover="ChangeAttributes()">
      </form>
      <script language="javascript" type="text/javascript">
             function ChangeAttributes()
             {
                  document.getElementById("id1").style.color="red";

      document.getElementById("id1").style.backgroundColor="yellow";
             }
      </script>
</body>
</html>
```

```
<html>
<body>
      Enter Your Name:<input type="text" name="tf1" id="id1">
      <input type="button" name="b1" value="Disabled TextField"
onclick="display1()">
      <input type="button" name="b2" value="Enabled TextField"
onclick="display2()">
      <script language="javascript" type="text/javascript">
             function display1()
             {
                  document.getElementById("id1").disabled=true;
             }
             function display2()
             {
                  document.getElementById("id1").disabled=false;
             }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="myform">
            Select your Favourite Language:<br>
            <input type="checkbox" id="c1" value="c lang">C Language
            <input type="checkbox" id="c2" value="c++ lang">C++ Language
            <input type="checkbox" id="c3" value="java lang">Java Language
            <input type="checkbox" id="c4" value="python lang">Python
Language
            <br>
            <input type="button" name="b1" value="Submit"
onclick="Display()">
      </form>
      <script language="javascript" type="text/javascript">
            function Display()
            {
                  var result="You have selected following language:\n";
                  if(document.getElementById("c1").checked)
                  {

      result=result+document.getElementById("c1").value+"\n";
                  }
                  if(document.getElementById("c2").checked)
                  {

      result=result+document.getElementById("c2").value+"\n";
                  }
                  if(document.getElementById("c3").checked)
                  {

      result=result+document.getElementById("c3").value+"\n";
                  }
                  if(document.getElementById("c4").checked)
                  {

      result=result+document.getElementById("c4").value+"\n";
                  }
                  alert(result);
            }
      </script>
</body>
</html>
```

```
<html>
<body>
      <form name="vjtech">
            Enter First Name:<br>
            <input type="text" name="tf1" id="id1"><br><br>
            Enter Last Name:<br>
            <input type="text" name="tf2" id="id2"><br><br>
            Enter Email Id:<br>
            <input type="text" name="tf3" id="id3"><br><br>
            <img src="submit.jpg" width="100" height="50"
onclick="javascript:document.forms.vjtech.submit()">
            <img src="reset.jpg" width="100" height="50"
onclick="javascript:document.forms.vjtech.reset()">
      </form>
</body>
</html>
```

```
<html>
<body>
      <form name="VJTech">
            List of Programming Languages:<br>
            <select name="s" size="3">
                  <option value="1">C Lang</option>
                  <option value="2">Cobol Lang</option>
                  <option value="3">Pascal Lang</option>
                  <option value="4">Fortran Lang</option>
            </select>
            <br><br>
            <input type="radio" name="r1" id="id1" checked
onclick="UpdateList()">POP
            <input type="radio" name="r1" id="id2"
onclick="UpdateList()">OOP
      </form>
      <script language="javascript" type="text/javascript">
            function UpdateList()
            {
                  if(document.getElementById("id1").checked)
                  {
                        document.forms.VJTech.s[0].text="C Lang";
                        document.forms.VJTech.s[0].value="1";
                        document.forms.VJTech.s[1].text="Cobol Lang";
                        document.forms.VJTech.s[1].value="2";
                        document.forms.VJTech.s[2].text="Pascal Lang";
                        document.forms.VJTech.s[2].value="3";
                        document.forms.VJTech.s[3].text="Fortran Lang";
                        document.forms.VJTech.s[3].value="4";
                  }
                  else
                  {
                        document.forms.VJTech.s[0].text="C++ Lang";
                        document.forms.VJTech.s[0].value="1";
                        document.forms.VJTech.s[1].text="Java Lang";
                        document.forms.VJTech.s[1].value="2";
                        document.forms.VJTech.s[2].text="Python Lang";
                        document.forms.VJTech.s[2].value="3";
                        document.forms.VJTech.s[3].text="Javascript Lang";
                        document.forms.VJTech.s[3].value="4";
                  }
            }
      </script>
</body>
</html>
```