Table created.

Table	Column	Datatype	length
EMP2	ENO	Number	-
	ENAME	Varchar2	20
	EAGE	Number	-
	EADD	Varchar2	20

Column added.
Table altered.

Table	Column	Datatype	length
EMP2	ENO	Number	-
	ENAME	Varchar2	20
	EAGE	Number	-
	EADD	Varchar2	20
	EPHONE	Number	-

Table altered. Column dropped.

- CREATE TABLE EMP2
  (
  ENO int,
  ENAME varchar2(20),
  EAGE int,
  EADD varchar2(20));

- DESC EMP2;

i] Add column EPHONE to EMP2 table.

- ALTER TABLE EMP2 ADD EPHONE int;

- DESC EMP2;

ii] DROP column EAGE from EMP2 table.

- ALTER TABLE EMP2 DROP EAGE;

Table	Column	Datatype	length
EMP2	ENO	Number	—
	ENAME	Varchar2	20
	EADD	Varchar2	20
	EPHONE	Number	—

Column Renamed.

Table	Column	Datatype	length
EMP2	ENO	Number	—
	ENAME	Varchar2	20
	EADDRESS	Varchar2	20
	EPHONE	Number	—

Column Datatype modified.

Table	Column	Datatype	length
EMP2	ENO	Varchar2	20
	ENAME	Varchar2	20
	EADRESS	Varchar2	20
	EPHONE	Number	—

Table Renamed.
Table Dropped.

- DESC EMP2;

iii] Rename column EADD as EADDRESS

- ALTER TABLE EMP2 RENAME COLUMN EADD to EADDRESS;

- DESC EMP2;

iv] Modify column ENO datatype from int to varchar2(20)

- ALTER TABLE EMP2 MODIFY ENO varchar (20);

- DESC EMP2;

v] Rename the table name to Employee2

- RENAME EMP2 to Employee2;
vi] Drop the table Employee2
- DROP TABLE Employee2;