

TITLE:

Assignment to install and configure Google App Engine

AIM:

From this assignment we will understand the Configuration and deploying of apps on Google App Engine.

THEORY:**Introduction**

Google App Engine is a web application hosting service. By “web application,” we mean an application or service accessed over the Web, usually with a web browser: storefronts with shopping carts, social networking sites, multiplayer games, mobile applications, survey applications, project management, collaboration, publishing, and all the other things we’re discovering are good uses for the Web. App Engine can serve traditional website content too, such as documents and images, but the environment is especially designed for real-time dynamic applications. Of course, a web browser is merely one kind of client: web application infrastructure is well suited to mobile applications, as well. In particular, Google App Engine is designed to host applications with many simultaneous users. When an application can serve many simultaneous users without degrading performance, we say it scales. Applications written for App Engine scale automatically. As more people use the application, App Engine allocates more resources for the application and manages the use of those resources. The application itself does not need to know anything about the resources it is using. The app engine is a Cloud-based platform, is quite comprehensive and combines infrastructure as a service (IaaS), platform as a service (PaaS) and software as a service (SaaS). The app engine supports the delivery, testing and development of software on demand in a Cloud computing environment that supports millions of users and is highly scalable. The company extends its platform and infrastructure to the Cloud through its app engine. It presents the platform to those who want to develop SaaS solutions at competitive costs. Have you ever wondered as to who stands to benefit the most from the Google app engine? If you are a business SME or enterprise which owns any web-based application that needs to be scaled without any compromise on the performance then Google App Engine is a good fit. Companies like Best Buy and Khan Academy have chosen Google App Engine for their apps.

Google App Engine:

It is a platform-as-a-service (PaaS) Cloud computing platform that is fully managed and uses inbuilt services to run your apps. You can start development almost instantly after downloading the software development kit (SDK). You can go on to the developer’s guide right away when you click on the language you wish to develop your app in.

As soon as you have signed up for a Cloud account, you can build your app:

- ✓ With the template/HTML package in Go
- ✓ With Jinja2 and webapp2 in Python
- ✓ With Cloud SQL in PHP
- ✓ With Maven in Java

Generally Available Features

These are covered by the depreciation policy and the service-level agreement of the app engine.

Any changes made to such a feature are backward-compatible and implementation of such a feature is usually stable. These include data storage, retrieval, and search; communications; process management; computation; app configuration and management.

✓ Data storage, retrieval, and search include features such as HRD migration tool, Google Cloud SQL, logs, datastore, dedicated Memcache, blobstore, Memcache and search.

✓ Communications include features such as XMPP. channel, URL fetch, mail, and Google Cloud Endpoints.

✓ Process management includes features like scheduled tasks and task queue

✓ Computation includes images.

✓ App management and configuration cover app identity, users, capabilities, traffic splitting, modules, SSL for custom domains, modules, remote access, and multitenancy.

Advantages of Google App Engine:

✓ Infrastructure for Security

Around the world, the Internet infrastructure that Google has is probably the most secure. There is rarely any type of unauthorized access till date as the application data and code are stored in highly secure servers.

You can be sure that your app will be available to users worldwide at all times since Google has several hundred servers globally. Google's security and privacy policies are applicable to the apps developed using Google's infrastructure.

✓ Scalability

For any app's success, this is among the deciding factors. Google creates its own apps using GFS, Big Table and other such technologies, which are available to you when you utilize the Google app engine to create apps. You only have to write the code for the app and Google looks after the testing on account of the automatic scaling feature that the app engine has. Regardless of the amount of data or number of users that your app stores, the app engine can meet your needs by scaling up or down as required.

✓ Performance and Reliability

Google is among the leaders worldwide among global brands. So, when you discuss performance and reliability you have to keep that in mind. In the past 15 years, the company has created new benchmarks based on its services' and products' performance. The app engine provides the same reliability and performance as any other Google product.

✓ Cost Savings

You don't have to hire engineers to manage your servers or to do that yourself. You can invest the money saved into other parts of your business.


✓ Platform Independence

You can move all your data to another environment without any difficulty as there is not many dependencies on the app engine platform.

CODE AND OUTPUT:

Steps with output:

1. Download and install Cloud SDK:



2. After successful installation, create a new project by entering following command :
"gcloud projects create [YOUR_PROJECT_ID] --set-as-default"

```
C:\WINDOWS\SYSTEM32\cmd.exe

C:\Users\shish\AppData\Local\Google\Cloud SDK>gcloud projects create my-hello-project --set-as-default
ERROR: (gcloud.projects.create) Project creation failed. The project ID you specified is already in use by another project. Please try an alternative ID.

C:\Users\shish\AppData\Local\Google\Cloud SDK>gcloud projects create my-hello-world-20 --set-as-default
Create in progress for [https://cloudresourcemanager.googleapis.com/v1/projects/my-hello-world-20].
Waiting for [operations/cp.6138823943672997383] to finish...done.
Enabling service [cloudapis.googleapis.com] on project [my-hello-world-20]...
Operation "operations/acf.ad62bc15-01b6-4f21-9880-4c9cb652f455" finished successfully.
Updated property [core/project] to [my-hello-world-20].

C:\Users\shish\AppData\Local\Google\Cloud SDK>
```

3. Verify the project was created:

```
"gcloud projects describe [YOUR_PROJECT_ID]"
```

```
C:\WINDOWS\SYSTEM32\cmd.exe

C:\Users\shish\AppData\Local\Google\Cloud SDK>gcloud projects describe my-hello-world-20
createTime: '2020-04-10T18:04:17.111Z'
lifecycleState: ACTIVE
name: my-hello-world-20
projectId: my-hello-world-20
projectNumber: '204970899661'

C:\Users\shish\AppData\Local\Google\Cloud SDK>
```

4. Initialize your App Engine app with your project and choose its region:

```
"gcloud app create --project=[YOUR_PROJECT_ID]"
```

```
C:\Users\shish\AppData\Local\Google\Cloud SDK>gcloud app create --project=my-hello-world-20
You are creating an app for project [my-hello-world-20].
WARNING: Creating an App Engine application for a project is irreversible and the region
cannot be changed. More information about regions is at
<https://cloud.google.com/appengine/docs/locations>.

Please choose the region where you want your App Engine application
located:

[1] asia-east2      (supports standard and flexible)
[2] asia-northeast1 (supports standard and flexible)
[3] asia-northeast2 (supports standard and flexible)
[4] asia-northeast3 (supports standard and flexible)
[5] asia-south1     (supports standard and flexible)
[6] australia-southeast1 (supports standard and flexible)
[7] europe-west     (supports standard and flexible)
[8] europe-west2    (supports standard and flexible)
[9] europe-west3    (supports standard and flexible)
[10] europe-west6   (supports standard and flexible)
[11] northamerica-northeast1 (supports standard and flexible)
[12] southamerica-east1 (supports standard and flexible)
[13] us-central     (supports standard and flexible)
[14] us-east1       (supports standard and flexible)
[15] us-east4       (supports standard and flexible)
[16] us-west2       (supports standard and flexible)
[17] us-west3       (supports standard and flexible)
[18] cancel

Please enter your numeric choice: 5

Creating App Engine application in project [my-hello-world-20] and region [asia-south1]....done.
Success! The app is now created. Please use 'gcloud app deploy' to deploy your first app.

C:\Users\shish\AppData\Local\Google\Cloud SDK>
```

5. Install the prerequisites by running the following command to install the gcloud component that includes the App Engine extension for Python 3.7:

"gcloud components install app-engine-python"

```
cmd.exe /c "C:\Users\shish\AppData\Local\Temp\orgmugmd\python\python.exe" -S "C:\Users\shish\AppData\Local\Google\Cloud SDK\google-cloud-sdk\bin\gcloud.py" "components" "install" "app-engine-python" & pause

Your current Cloud SDK version is: 288.0.0
Installing components from version: 288.0.0

These components will be installed.



| Name                         | Version | Size     |
|------------------------------|---------|----------|
| Cloud Datastore Emulator     | 2.1.0   | 18.4 MiB |
| gRPC python library          | 1.20.0  | 1.5 MiB  |
| gRPC python library          | 1.20.0  | 1.5 MiB  |
| gcloud app Python Extensions | 1.9.89  | 6.1 MiB  |



For the latest full release notes, please visit:
https://cloud.google.com/sdk/release_notes

Do you want to continue (Y/n)?
```

6. Create a Hello World app in python or download a sample project from github :

"git clone <https://github.com/GoogleCloudPlatform/python-docs-samples>"

7. Change to the directory that contains the sample code.

"cd python-docs-samples/appengine/standard_python37/hello_world"

8. Create an isolated Python environment in a directory external to your project and activate it:

"python -m venv env"

```
C:\WINDOWS\SYSTEM32\cmd.exe

C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>python -m venv env

C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>env\Scripts\activate

env\Scripts\activate
```

9. Install the dependencies by entering following code : **"pip install -r requirements.txt"**

```
(env) C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>pip install -r requirements.txt
Collecting Flask==1.1.1 (from -r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/9b/93/62858b8d5dc74965a9641f4ca13540e2cdec85276964ff8f43bbb1d3b/flask-1.1.1-py2.py3-none-any.whl
Collecting Jinja2>=2.10.1 (from Flask==1.1.1->-r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/27/24/4f35961e5c669e96f6559760842a5509bfcfd8219b1b3c8753db042e35/jinja2-2.11.1-py2.py3-none-any.whl
Collecting Werkzeug>=0.15 (from Flask==1.1.1->-r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/cc/94/5f7079a0e0bd6863ef8f1da538721e9da71e5bacee597595b318f71d62e/Werkzeug-1.0.1-py2.py3-none-any.whl
Collecting click>=5.1 (from Flask==1.1.1->-r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/dd/c0/4d8f43a9b16e289f36478422031b8a63b54b6ac3b1ba605d602f10454d6/click-7.1.1-py2.py3-none-any.whl
Collecting itsdangerous>=0.24 (from Flask==1.1.1->-r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/76/ae/44b03b753a6fa9e317f12c24d10063b35c2239007046a4c953c7b09fa09e/itsdangerous-1.1.0-py2.py3-none-any.whl
Collecting MarkupSafe>=0.23 (from Jinja2>=2.10.1->Flask==1.1.1->-r requirements.txt (line 1))
  Using cached https://files.pythonhosted.org/packages/4f/8b/dada2ae5780638271ac6e6917564c938cf44f8f225eb8aaced0204304932/MarkupSafe-1.1.1-cp38-cp38-win_amd64.whl
Installing collected packages: MarkupSafe, Jinja2, Werkzeug, click, itsdangerous, Flask
Successfully installed Flask-1.1.1 Jinja2-2.11.1 MarkupSafe-1.1.1 Werkzeug-1.0.1 click-7.1.1 itsdangerous-1.1.0
WARNING: You are using pip version 19.2.3, however version 20.0.2 is available.
You should consider upgrading via the 'python -m pip install --upgrade pip' command.

(env) C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>
```

10. Run the application by compiling the program:

"python main.py"

```
C:\WINDOWS\SYSTEM32\cmd.exe - python main.py

(env) C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>python main.py
* Serving Flask app "main" (lazy loading)
* Environment: production
  WARNING: This is a development server. Do not use it in a production deployment.
  Use a production WSGI server instead.
* Debug mode: on
* Restarting with stat
* Debugger is active!
* Debugger PIN: 249-803-279
* Running on http://127.0.0.1:8080/ (Press CTRL+C to quit)
```

11. In your web browser, enter the following address:

<http://localhost:8080>

A screenshot of a web browser window. The address bar shows 'localhost:8080'. The page content displays 'Hello World!'.

12. Now your hello world app is ready to be deployed:

"gcloud app deploy"

```
C:\WINDOWS\SYSTEM32\cmd.exe - gcloud app deploy

(env) C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world>gcloud app deploy
Services to deploy:

descriptor:      [C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world\app.yaml]
source:          [C:\Users\shish\Downloads\python-docs-samples-master\appengine\standard_python37\hello_world]
target project:  [my-hello-world-20]
target service:  [default]
target version:  [20200411t010419]
target url:      [https://my-hello-world-20.el.r.appspot.com]

Do you want to continue (Y/n)?
```

13. Launch your browser to view the app at <https://my-hello-world-20.el.r.appspot.com> or enter following command :

“gcloud app browse”

CONCLUSION:

Students were able to configure and deploy, thus acquainted to Google App Engine platform for further advanced uses.