

Impact of Digital Water Monitoring Systems on Disease Prevention in Resource- Constrained Regions

Chukwuemeka Kingsley John

chuks.john@highlands.ac.uk

Research Article

Keywords: Digital water monitoring, Waterborne disease prevention, Public health, Real-time water quality monitoring, Low-cost sensors, Governance

Posted Date: January 16th, 2026

DOI: <https://doi.org/10.21203/rs.3.rs-8385923/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Additional Declarations: No competing interests reported.

Abstract

Waterborne diseases remain a major public health challenge in resource-limited regions, where intermittent supply, inadequate treatment, and weak surveillance hinder timely risk detection and response. This study examines how digital water monitoring systems can improve disease prevention by leveraging real-time and near-real-time data to strengthen water safety management in low- and middle-income settings. Drawing on evidence from South Asia and Sub-Saharan Africa, it reviews the use of low-cost sensors, telemetry, automated chlorination, mobile reporting platforms, and data analytics in rural and peri-urban water projects. The analysis explores how digital monitoring reduces delays between measurement, alarm, corrective action, and verification, minimizing periods of undetected contamination or service failure. Using a mixed-methods approach—combining health indicators, program evaluations, and comparative case studies—the study evaluates impacts on microbiological compliance, operational responsiveness, and diarrhoeal disease risk reduction. Findings indicate that event-triggered or continuous monitoring shortens fault-to-fix times, stabilizes disinfectant levels, and enhances accountability among regulators and providers. However, persistent challenges include institutional fragmentation, limited operational funding, data governance issues, and climate-driven source variability. The study argues that integrating digital monitoring within governance frameworks that link data to mandates, financing, and community response mechanisms yields the greatest health benefits. By clarifying how monitoring technologies translate into measurable disease prevention, this research advances knowledge on digital water innovations.

1.0 Introduction

Public health still depends on having access to clean, safe drinking water, yet there are still large differences in resource-constrained areas, especially in portions of South Asia and sub-Saharan Africa. Many communities still rely on sporadically provided, inadequately regulated, or unimproved water sources despite decades of investment in water infrastructure, exposing them to ongoing health concerns. These restrictions make it more difficult for health authorities and service providers to quickly identify contamination episodes, take appropriate action, and stop disease outbreaks (John and Ajibade, 2024; Baldi et al., 2025). Recent developments in digital technology offer a chance to improve health protection and water governance in low-resource settings. Real-time sensors, mobile data platforms, and remote reporting tools are examples of digital water monitoring systems that allow for continuous monitoring of system operation and water quality at comparatively low marginal cost. These technologies can facilitate quick remedial measures, improve accountability throughout service delivery chains, and offer early warnings of contamination when properly linked with public health surveillance (Okello et al., 2025; Dutta et al., 2025; King'ori, 2024; Ndubuisi & FNisafetyE, 2025). However, there is still a dearth of empirical data about the health effects of digital water monitoring, and there is no synthesis of how these technologies affect disease preventive pathways in areas with limited resources. This study responds to this gap by examining the role of digital water monitoring systems in strengthening disease prevention outcomes, with particular attention to contextual, institutional, and governance dynamics.

In areas with little resources, waterborne illnesses continue to be a major cause of morbidity and mortality, disproportionately impacting women, children, and those with weakened immune systems. Outbreaks of cholera, typhoid, dysentery, and diarrhoeal illnesses are still caused by pathogens that are spread by tainted drinking water, such as *Vibrio cholerae*, *Escherichia coli*, *Salmonella*, and *Giardia*. Unsafe water sources, sporadic supply, insufficient treatment, and distribution network failures that permit contamination through intrusion and pressure variations are all strongly associated with these disorders (John and Pu, 2023; Okesanya et al., 2024; Pu et al., 2025). These dangers are made worse by structural restrictions. Water systems that are already vulnerable are strained by rapid urbanisation, informal settlements, climatic variability, and lax regulatory enforcement. Reliance on handpumps, shallow wells, and small piped networks frequently results in inadequate water quality monitoring and delayed fault discovery in rural and periurban regions. Conversely, public health systems often fail to connect illness monitoring data with water system performance, which leads to lost chances for early intervention and prevention. As a result, reactions frequently prioritise treatment over prevention, perpetuating a cycle of recurring outbreaks and wasteful health costs. Therefore, in addition to expanding infrastructure, addressing waterborne illnesses in these situations calls for enhanced monitoring, data integration, and proactive risk management (Nyika & Dinka, 2023; Damini, 2024; Nyathi et al., 2025; Sawyer et al., 2025).

Data-driven decision-making, real-time monitoring, and improved institutional coordination are all made possible by digitalisation, which is progressively changing public health and water systems. Digital technologies are being used in the water industry to monitor water quality metrics, system operation, and service continuity. These tools include low-cost sensors, Internet of Things

(IoT) devices, satellite monitoring, and mobile reporting apps. According to Kuponiyi and Akomolafe (2025) and Ogundeko-Olugbami et al. (2025), these technologies facilitate the quick identification of contamination events, infrastructure breakdowns, and operational inefficiencies and lessen the need for occasional manual testing. Parallel developments in the digitalisation of public health, including geospatial analytics, mobile health platforms, and electronic disease surveillance systems, present new possibilities for integrating data from water monitoring. When digital water and health systems are coordinated, early-warning systems that connect abnormalities in water quality with new disease trends may be supported, allowing for prompt public health interventions. Digital solutions also have the potential to improve accountability, increase transparency, and maximise limited resources in areas with inadequate institutional capability and financial resources. However, issues with technological capability, sustainability, connection, and data governance still exist. To influence policy, investment, and scale-up plans, it is still essential to comprehend how digital water monitoring systems operate within these limitations and how they contribute to concrete disease prevention outcomes (Kuponiyi & Akomolafe, 2025; Ogwu & Izah, 2025).

This study aims to examine the impact of digital water monitoring systems on disease prevention in resource-constrained regions, focusing on how real-time data, system integration, and governance arrangements influence public health outcomes. By examining the ways that digital monitoring facilitates early pollution identification, quick response, and risk reduction for waterborne illnesses, it goes beyond descriptive descriptions of digital innovation. Four goals are pursued by the study: (i) to evaluate the kinds and features of digital water monitoring systems used in low-resource environments; (ii) to assess their efficacy in enhancing disease prevention through early-warning capabilities and improved coordination between water and health authorities; (iii) to identify institutional, technical, financial, and social factors influencing system performance and sustainability; and (iv) to perform comparative analysis across chosen case studies in order to derive transferable lessons. In addition to providing empirical data from areas with limited resources and policy-relevant insights to support the efficient design, implementation, and scaling of digital water monitoring systems, the paper advances an integrated water-health framework that links digital monitoring to disease prevention pathways.

2.0 Conceptual and Theoretical Framework

2.1 Digital Water Monitoring Systems: Definitions and Typologies

Digital water monitoring systems are integrated sociotechnical architectures that provide continuous or almost real-time assurance of water safety and service performance in resource-constrained environments by combining sensor hardware, telemetry, data platforms, analytics, and response protocols. Systems at the hardware layer include microbiological proxy devices (such as fluorescence or ATP-based surrogates) and inexpensive Internet of Things sensors (such as turbidity, free chlorine residual, pH, temperature, and conductivity) as well as event recorders on pumps and valves that record intermittency, energy consumption, and downtime (Thakur & Devi, 2024; Imam, 2025). SMS/USSD gateways, GPRS/3G/4G, LoRaWAN, and satellite uplinks are examples of telemetry pathways that are chosen to match power reliability, cellular coverage, and cost envelopes; these flows end in data platforms (on-premises databases, cloud dashboards, or hybrid edge-cloud architectures) that are outfitted with role-based access controls, alert thresholds, and calibration/QA/QC routines. Descriptive (trendlines, exception reporting), diagnostic (fault attribution, contamination source tracking), predictive (failure and risk forecasting under seasonality/climate stresses), and prescriptive (work-order generation and resource optimisation) capabilities are all included in analytics. Systems can be categorised typologically along: (i) monitoring scope: water quality assurance (chemical/microbial) against service reliability (uptime, pressure, flow); (ii) deployment model: district-level federation of schemes through clustering, community-scheme IoT retrofits, or utility-centric SCADA; (iii) level of integration—standalone dashboards vs embedded pipelines compatible with regulatory reporting and health information systems (such as HMIS/DHIS2); and (iv) operational maturity—from simple threshold alerting to closed-loop O&M, where alarms automatically create work orders, send personnel, and use sensor confirmation to validate fault-to-fix closure. To ensure that digital signals translate into timely, practical actions within local capacity envelopes, design prioritises ruggedization, low-power operation (solar + battery), offline-first data caching, interoperability via open APIs/standards, and human-centered usability (language-appropriate interfaces, low-data modes) in resource-constrained contexts (Zhang et al., 2023; Saranya & Sudheer, 2025; Zhang et al., 2025).

2.2 Pathways Linking Water Quality, Surveillance, and Disease Prevention

A series of risk-reduction strategies that stop fecal–oral transfer are how the conceptual pipeline connecting digital monitoring to disease prevention works. First, early-warning alerts and quick corrective actions (shock chlorination, flushing, source switching) are made possible by continuous measurement of water quality indicators (e.g., turbidity > 5 NTU as a risk proxy, chlorine residual < 0.2 mg/L indicating disinfection failure). This reduces exposure to contaminated water at the point of collection and household taps. Second, by alerting water operators and public health teams to epidemiologically significant anomalies, event detection (pressure drops, pump failures, reservoir contamination) in conjunction with geotagged service reliability data reduces the time it takes to detect outbreaks. When combined with health surveillance systems, this facilitates syndromic triangulation (e.g., linking spikes in diarrhoeal case counts with concurrent water supply failures) and initiates cooperative risk communication (boil-water advisories, targeted hygiene messaging) (Villacorte et al., 2021; Mohanty, et al., 2024). Third, operational responsiveness—measured by uptime, fault-to-fix cycle time, and adherence to preventative maintenance—stabilizes service continuity by lowering risky storage and long-distance collecting methods, which are known to increase contamination risk. Fourth, by promoting regular residual testing and remedial repair, behavioural reinforcement through feedback loops (community dashboards, SMS alerts, operator performance scorecards) improves responsibility and compliance with water safety measures. Fifth, seasonal stresses (droughts, floods) and infrastructural weaknesses are anticipated by predictive analytics, allowing for contingency planning (temporary intensification of chlorination, tanker scheduling, source diversification) that maintains microbiological safety during shocks. The overall result of these pathways is a decrease in contaminated exposure events and fewer opportunities for transmission, as evidenced epidemiologically by lower diarrhoeal incidence, smaller outbreak magnitudes, and shorter event durations. Equity gains occur when alerts and remedies are available, affordable, and inclusive for households that are marginalised (Singh et al., 2023; Ji et al., 2025; Oyekanmi & Onwumere, 2025).

2.3 Governance, Institutional Capacity, and Technology Adoption

The governance structure, institutional capability, and adoption dynamics that convert data into choices and field actions determine how successful digital monitoring is. In areas where rural regulation is emerging, clustering models (shared technicians, pooled O&M funds, common dashboards) reduce fragmentation by aggregating capacity. Governance establishes roles and mandates across local authorities, utilities, water committees, and health departments, defining minimum service standards, sampling/monitoring frequencies, alert escalation protocols, and compliance enforcement. Technical skills (sensor calibration, QA/QC, diagnostics), operational procedures (work-order management, inventory/spares, vendor support), and data stewardship (privacy-by-design, role-based access, audit trails) are all included in institutional capacity; training pathways, SOPs, and budgeting are necessary to maintain performance under low-power, sporadic connectivity constraints (Gola et al., 2022; Jahid, 2024). Perceived utility and ease of use, total cost of ownership (hardware, connectivity, licenses, spares), procurement and interoperability (vendor-neutral APIs, standards compliance), and alignment with current workflows (SCADA, HMIS, paper records) all influence technology adoption. Successful adoption prioritises localised interfaces, co-design with operators and communities, and incentives (performance-based contracts, uptime-linked payments) that reward responsiveness. Importantly, equity measures (inclusion quotas in committees, accessible alert channels, targeted subsidies) guarantee that benefits go to disadvantaged groups, while accountability procedures (public reporting, community supervision, and regulatory audits) strengthen the use of data for prompt remedial steps. To provide scalable, sustainable, and inclusive disease prevention, a resilient governance stack integrates technology, people, and procedures into a data-to-decision pipeline that reliably closes the loop from measurement → alarm → reaction → verification (Fosu et al., 2025; Kim et al., 2025).

3.0 Methodology

3.1 Study Design and Analytical Approach

This study uses a mixed-methods, comparative research design to investigate the effects of digital water monitoring systems on disease prevention outcomes in areas with limited resources. The analytical method combines quantitative evaluation of water system performance and public health indicators with qualitative institutional analysis. To identify the causal pathways connecting digital monitoring interventions to enhanced surveillance, operational response, and disease risk reduction, a theory-driven methodology is utilised. To identify both common processes and context-specific effects, contextual heterogeneity between instances is taken into consideration through comparative analysis. Internal validity is strengthened and solid conclusions on the

role of digital water monitoring in preventative public health outcomes are supported by data triangulation across technical, institutional, and health domains.

3.2 Data Sources and Case Selection

Peer-reviewed literature, program reports from utilities and development partners, publicly accessible water and health databases, and project-level documentation from digital monitoring interventions are just a few of the data sources used in the study. To represent heterogeneity in governance structures, technical development, and epidemiological contexts, case studies were purposefully chosen from resource-constrained countries in South Asia and sub-Saharan Africa. The following criteria were used in the selection process: (i) documented use of digital water monitoring tools (such as sensors, mobile reporting, or integrated dashboards); (ii) availability of data on health outcomes or system performance before and after intervention; and (iii) relevance to peri-urban settlements, rural systems, or small towns where monitoring gaps are most noticeable. This method preserves analytical depth while allowing cross-case comparison.

3.3 Indicators for Water Quality, System Performance, and Health Outcomes

Water quality, system performance, and public health outcomes were the three areas where impacts were evaluated using a set of harmonised indicators. Microbial contamination (such as the presence of *E. coli*), residual chlorine levels, turbidity, and the frequency of contamination alarms are examples of water quality indicators. Functionality rates, service continuity, defect reaction times, and adherence to monitoring procedures are all captured by system performance indicators. In addition to proxy indicators such as clinic attendance for gastrointestinal symptoms, the reported incidence of waterborne diseases—mainly cholera, typhoid, and diarrhoeal illnesses—is used to evaluate health outcomes. When there is a lack of direct health data, the preventative effects of digital monitoring initiatives are inferred through triangulation with epidemic reports and early-warning records.

3.4 Limitations and Ethical Considerations

There are a few limitations to be aware of. Causal attribution between digital monitoring and health outcomes is limited since data quality and availability differ between situations. Results must be interpreted cautiously since illness surveillance data is often aggregated or underreported. The study's emphasis on verified treatments may further skew results in favour of programs with greater funding or donor support. Respecting community privacy, protecting sensitive health information, and using secondary data responsibly are all ethical issues. The study complies with ethical guidelines for research involving human health and service delivery systems in low-resource settings, and all data sources were either publically accessible or anonymised.

4.0 Results and discussion

4.1 Overview of Digital Water Monitoring Technologies

4.1.1 Sensor-Based Water Quality Monitoring

A key digital strategy for enhancing disease prevention in areas with limited resources is sensor-based water quality monitoring. Low-cost in-situ sensors were used to measure important parameters like turbidity, residual chlorine, temperature, and microbial proxies in almost real-time at crucial locations along water supply chains, such as sources, treatment outlets, and distribution nodes, in all of the cases under review. According to the findings, continuous monitoring significantly shortened the time it took to discover pollution when compared to sporadic manual sampling, allowing operators to see unusual patterns in water quality before widespread exposure happened. Sensor alarms led to quick remedial measures, such as temporary source isolation and chlorination changes, in a number of situations, reducing any negative effects on public health. However, maintenance schedules, calibration frequency, and operator capacity were all strongly correlated with sensor-based monitoring efficacy, underscoring the need of institutional support in addition to technology deployment (Palma et al., 2024; Chen et al., 2025; Das et al., 2025).

4.1.2 Remote Sensing and Internet of Things (IoT) Applications

The Internet of Things (IoT) and remote sensing applications complemented each other by providing system-wide visibility and expanding monitoring coverage beyond fixed infrastructure. Environmental factors that affect contamination risks, such as rainfall

variability, surface water extent, and land-use changes, were monitored using satellite-derived data and networked IoT sensors. These technologies, when used in conjunction with ground-based sensors, facilitated anticipatory risk assessment, especially in regions that are vulnerable to flooding or drought, which increases the risk of waterborne illness. The results imply that by enabling remote infrastructure performance diagnostics and lowering the frequency of field trips, IoT-enabled devices increased operational efficiency. However, their efficacy was tempered by issues with data management, power supply limits, and connection, highlighting the necessity of context-appropriate system design in low-resource environments (Abegeja, 2024; Kerle, 2024; Ghaseminya et al., 2025).

4.1.3 Mobile Reporting, Data Platforms, and Early-Warning Systems

Digital data platforms and mobile reporting tools were frequently utilised to close the gaps between operational response and monitoring outputs. In order to report water quality issues, infrastructure breakdowns, and service interruptions in real time, community members, technicians, and health workers used SMS-based systems and mobile applications. Utilities and local authorities were able to select actions based on risk severity thanks to the aggregation of this information into consolidated dashboards. The findings show that by reducing information flows and enhancing actor cooperation, these platforms improved early-warning capabilities. Early-warning alerts decreased exposure during contamination occurrences in several instances by triggering targeted public health messages or temporary usage warnings. However, institutional attention to reported alarms, digital literacy, and user participation were necessary for long-term efficacy (Norzin et al., 2023; Johnson et al., 2024; Izah, 2025).

4.1.4 Data Integration with Public Health Surveillance

A crucial, albeit unevenly implemented, method for disease prevention was the integration of digital water monitoring data with public health surveillance systems. Emerging links between pollution events and increases in diarrhoeal sickness were found sooner when water quality and health data were evaluated together than when health surveillance was used alone. More proactive public health measures, such as targeted water safety initiatives and community engagement in high-risk regions, were made possible by this integration. Despite these advancements, the research shows that there are still institutional and technological obstacles to complete integration, such as fragmented data systems, inconsistent reporting formats, and ambiguous directives between water and health organisations. Therefore, leveraging the potential of digital water monitoring technologies to prevent illness requires strengthening interoperable data structures and cross-sectoral governance mechanisms (Norzin et al., 2023; Islam et al., 2025).

4.2 Empirical Evidence from Resource-Constrained Regions

4.2.1 Case Studies from Sub-Saharan Africa

The use of digital monitoring systems and the application of performance-based incentives to enhance service delivery and accountability have bolstered Kenya's rural water regulations. Ad hoc community management is giving way to measurable, digitally supervised performance for both utilities and small-scale providers due to Kenya's recent extension of regulation to rural services, which was codified through the Water (Services) Regulations, 2025 and reported in WASREB's IMPACT 17 (FY2023/24). Alongside the adoption of technology (smart metering, data systems), the regulator is formalising monitoring and enforcement, establishing a data spine for quality, supply hours, and non-revenue water oversight; preliminary findings indicate sector-wide reporting on nine KPIs and explicit calls to strengthen water safety plans and monitoring regimes—conditions for systematic disease risk reduction (Kpenou et al., 2021; van Oppenraaij et al., 2022). Digital reporting and dashboards are positioned as facilitators of accountability in the rural subsector, supporting quicker escalation of service failures and possible connections to public health alerts during supply disruptions (WHO, 2025; Gakubia et al., 2025; Obi et al., 2025). At the county level, some studies implemented on rural regulation document procedures for performance expectations, tariffs, and consumer engagement. To enhance operational control and accountability, Tanzanian water and sanitation activities have concentrated on grouping service delivery models, fortifying monitoring and evaluation (M&E) systems, and implementing mobile and Internet of Things-based reporting. To measure functioning and guide field action, Tanzania's RUWASA offers an institutional home for rural water services by combining regulatory guidance with the increasing usage of digital M&E (including national WASH monitoring roadmaps and mobile applications). Digitising transaction-intensive operations (status reporting, approvals) can reduce reporting discretion and enhance the signal quality required to initiate repairs—an operational road to fewer contaminated exposure occurrences, as demonstrated by experience with the SEMA mobile app. To standardise data use for maintenance and risk communication at the

district level, complementary partnerships in 2024–2025 will focus on capacity development and extensive training within RUWASA. This institutional capacity is necessary to translate sensor or app alerts into quick chlorination, source switching, or tanker scheduling during shocks (Nicolas, 2023; Ligombi et al., 2025; Malingumu, 2025).

In Ghana, small town water systems have been professionalized alongside the digitization of water safety planning and monitoring processes. The Community Water and Sanitation Agency (CWSA) and its partners are leading Ghana's reform, which aims to professionalise rural and small-town services by going beyond volunteer Water and Sanitation Management Teams to utility-like operations with digital monitoring and supervisory control. Sector analyses from 2024 to 2025 highlight advancements as well as ongoing gaps, such as financial limitations and the low adoption of risk-based Water Safety Plans (WSPs) outside of supervised systems; dashboards and digital monitoring are suggested to close documentation and SOP gaps and integrate regular hazard surveillance. Evidence syntheses support using low-cost IoT for routine residual checks and exception reporting, along with regulatory oversight, to realise health protection benefits in budget-constrained environments. These reforms are framed within a national WASH development program and budgets, where resource shortages threaten scale (Duku et al., 2025; Lopez-Muñoz et al., 2025; WHO/UNICEF, 2025).

In Uganda, health information systems and water service monitoring have been combined to improve public health response and surveillance. Uganda provides several points of contact between the health sector and water service data. Remote reporting at scale may lower fault-to-fix times across thousands of sites, increasing functionality rates and decreasing dependency on hazardous sources, as demonstrated by historic projects like M4W (mobile phones for rural water monitoring). Simultaneously, the nation's new climate health pilots and DHIS2-based eIDSR demonstrate the viability of combining environmental and infrastructure signals with syndromic surveillance—an institutional bridge required for early outbreak detection when supply anomalies coincide with spikes in diarrhoeal cases. The usefulness of API-driven data interchange for collaborative risk management is highlighted by national documentation of integration endpoints and experiments (Mukasa et al., 2023; Graham et al., 2025; Mugasha et al., 2025).

Table 1
Sub-Saharan Africa—Digital Water Monitoring Milestones (2020–2025)

Year	Country	Milestone (digital monitoring / governance)	Why it matters
2020–2022	Tanzania	Sector WASH M&E Roadmap refined; RUWASA consolidates rural service monitoring and CBWSO oversight (Lemmens et al., 2017)	Clarifies roles, data flows, and QA/QC needed for alert escalation.
2017–2021→	Tanzania	SEMA mobile reporting evolves; pilots digitize transaction-intensive rural point monitoring (Water East Africa, 2025)	Improves signal fidelity and speeds repairs—reducing exposure time.
2023–2025	Kenya	IMPACT 17 expands KPIs; Water (Services) Regulations, 2025 extend regulation to rural providers; county rollout guidance published (Gakubia et al., 2025)	Establishes monitored standards, enforcement, and consumer accountability.
2024–2025	Ghana	Professionalization of rural/small-town systems under CWSA with partners; risk-based WSP uptake reviewed and strengthened (GhanaWeb, 2024; UNICEF, 2022).	Embeds monitoring, SOPs, and documentation for hazard control.
2024–2027	Africa-wide	DIWASA launches decision-support tools and digital twins for basin management, enabling integration of sensor data (Botai et al., 2023)	Builds analytics capacity to translate monitoring into planning and response.
2022–2024	Africa reviews	IoT water-quality effectiveness frameworks synthesized (systematic reviews) (ADB, 2010; Omotayo et al., 2021).	Validates technical feasibility of frequent, reliable data in low-capacity settings.

Cross-country digital initiatives and empirical signals on health.

Program assessments and multi-country projects in Sub-Saharan Africa indicate that IoT-enabled monitoring is a viable path to more frequent, trustworthy data on water quality and predictive maintenance, both of which are linked to a decreased risk of contamination. While African-wide initiatives like DIWASA focus on decision-support and analytics capability for agencies, including data federation that can absorb sensor feeds, a 2023–2024 academic and grey-literature basis highlights growing efficacy frameworks for IoT water-quality systems. The chain of evidence—functionality, downtime, and compliance—is consistent

with decreased exposure and diarrhoeal burden when monitoring is combined with prompt action, even if direct, causal health effect estimates are still few. The progressive adoption of digital water monitoring systems throughout Sub-Saharan Africa between 2020 and 2025 is summarised in Table 1, which shows how IoT-enabled monitoring, clustering models, and regulatory reforms have developed alongside governance capacity-building to improve service reliability and speed up outbreak detection, thereby laying the groundwork for disease prevention in rural contexts with limited resources (Barnes et al., 2024; Obunga et al., 2025; Ndubuisi & FNisafetyE, 2025). Figure 1 shows how digital water monitoring systems measure important water quality indicators including pollutants, pH, turbidity, and temperature in real time using field-deployed sensors. These data are sent to distant monitoring centres, where alert systems and analytics provide quick operational reaction and decision-making. The strategy increases the dependability of a safe water supply and helps stop outbreaks of waterborne illness by facilitating early identification of contamination and system breakdowns. Overall, the picture illustrates how incorporating digital technology into the provision of water services in contexts with limited resources may improve public health.

4.2.2 Case Studies from South Asia

Sensor-based monitoring has been implemented nationally in India by the Jal Jeevan Mission to enhance the management and functionality of rural water delivery systems. To monitor flow, pressure, levels, and chlorine residuals across rural systems, India's Jal Jeevan Mission (JJM) has mainstreamed sensor-based IoT. Government publications include multi-state experiments and subsequent contracts for large-scale rollouts. According to Raghav et al. (2024) and Mukherjee et al. (2025), these technologies give state PHED authorities and residents near real-time visibility, facilitating the quick discovery of outages and treatment failures—essential mechanisms for halting faecal-oral transmission. To maintain 55 lpcd supply and compliance with BIS 10500 requirements, vendors and state programs report integration with state and central dashboards as well as with GIS/PI systems for operations at scale by 2024–2025; the policy-to-platform trajectory is specifically focused on ongoing safety and dependability monitoring, in line with disease-prevention objectives (Singh & Naik, 2024; Mukherjee et al., 2025).

Water quality has significantly improved in India because to the implementation of digital chlorination systems, especially in Odisha and through national collaborations. Research and programmatic data demonstrate the health benefits of online monitoring combined with automatic/in-line chlorination. While a 2025 randomised implementation trial in rural Odisha reports stepwise improvements in detectable free residual chlorine and reductions in *E. coli* contamination when dosing targets are tuned—practical validation of the digital alert to action loop for microbial risk control—sector implementers have documented automatic chlorination with telemetry for last mile safety management. Best practices and complementary technical reviews Compendia confirm that IoT-enabled residual monitoring and exception reporting enhance operational responsiveness in rural systems that get intermittent supplies—an environment where the danger of post-treatment contamination is considerable in the absence of ongoing disinfection supervision (Sarmah, 2024; Khanna & Bhushan, 2025; Malik et al., 2025).

Water safety issues in Bangladesh have been addressed through the use of digital decision-support tools and arsenic risk mapping, which has an influence on diarrhoeal health outcomes. The long arc of groundwater transition in Bangladesh—from surface water to shallow tubewells and finally to arsenic-aware deep tubewells—offers a rare example of how source choice significantly changed the incidence of diarrhoea: a study conducted in six rural villages found that households using deep tubewells had a 46% lower risk of childhood diarrhoea than households using shallow wells, underscoring the health benefits of safer sources. To reduce chronic exposure and enable targeted mitigation without waiting for lab bottlenecks, the modern phase adds digital layers: nationwide arsenic surveillance drives, AI-assisted risk apps (iArsenic) and cloud-connected field tests (4M: Measure Map Manage Mitigate) (Selim et al., 2024; Goel et al., 2025; Majeed et al., 2025).

Table 2
South Asia—Digital Water Monitoring Milestones (2020–2025)

Year	Country	Milestone (digital monitoring / governance)	Why it matters
2020–2021	India	JJM pilot's sensor-based IoT (flow, pressure, chlorine, levels) across multiple states; national adoption signaled (GiveWell, 2023; Wu et al., 2021)	Establishes continuous monitoring for quantity and microbial safety.
2024–2025	India	Integrations with PI/GIS and state dashboards; market forecasts for IoT scale-up under JJM (JJM, 2025; Wu et al., 2021)	Operational visibility at village→district→state levels; supports alerts.
2022–2025	India (Odisha)	Automatic/in-line chlorination plus online residual monitoring; RCT shows increased residuals and E. coli reductions (van der Schyff and Garbutt, 2023; IMWI, 2025)	Direct evidence of digital alert→dose adjustment→verification improving safety.
2023–2025	Bangladesh	Deep tubewell use associated with 46% lower childhood diarrhoea; iArsenic and 4M add digital risk screening and rapid mapping (India AI, 2021; AVEVA, 2025)	Combines source risk mitigation with near real-time decision tools.
2021–2024	Nepal	Diyalo ERP + IoT with customer apps and sensors across small providers; national performance reporting refined (Gautam et al., 2021; Kocaoglu, 2024)	Reduces NRW and improves continuity—limiting unsafe storage practices.
2023–2024	Pakistan (Punjab)	PRSWSSP modernizes village schemes; national reviews and agency reports emphasize routine digital surveillance for arsenic, fluoride, and microbial risks (Rai et al., 2024;)	Shortens detection-to-response times for contamination events.

Small water companies in Nepal have embraced IoT and digitisation to enhance water quality and service dependability. Diyalo's ERP + IoT program (GSMA Innovation Fund) shows how customer apps, meter integrations, and network sensors can reduce non-revenue water, enhance service accountability across dozens of small providers, and improve continuity in Nepal's fragmented utility landscape—conditions known to reduce unsafe storage and secondary contamination. To integrate water service anomalies with health risk communication during monsoon-driven shocks, national performance reviews and research on IoT frameworks for water utilities describe workable architectures (offline first data capture, analytics dashboards, and governance anchors for data use) (Phuyal et al., 2021; Gautam et al., 2021; Dixit & Shaw, 2023).

Improved water quality monitoring and more extensive digital modernisation initiatives have bolstered rural water projects in Pakistan's Punjab province. The World Bank-backed Rural Sustainable Water Supply & Sanitation Project in Punjab is modernising village schemes and institutional roles with a focus on safely managed services; national reviews highlight the public health stakes, documenting widespread microbial and chemical risks (such as fluoride and arsenic) that bolster the case for regular digital monitoring and alerting. In order to reduce the time, it takes to detect and respond to treatment failures and contamination events, especially in peri-urban and rural areas, provincial programs are combining network upgrades with remote telemetry. Pakistan's federal research agency (PCRWR) reports ongoing real-time groundwater and quality monitoring initiatives (Haq & Ashraf, 2023; Kumar et al., 2023; Khan et al., 2025).

When combined, these case studies demonstrate that when the data-to-decision pipeline is both technically and institutionally practicable, digital monitoring systems yield the highest health benefits: (1) measurement (mobile reporting, sensors) → (2) validated analytics (QA/QC, thresholds) → (3) operational response (source switching, maintenance, chlorination) → (4) public-health integration (syndromic monitoring, alerts). As has already been seen in Bangladesh's source transition and India's in-line chlorination pilots, when regulation, capacity, and funding support each stage—Kenya's rural regulation, Tanzania's RUWASA ecosystem, India's JJM telemetry, and Ghana's professionalization—the latency from anomaly to action reduces, improving compliance and uptime and plausibly lowering diarrhoeal risk. Major developments in South Asia between 2020 and 2025 are shown in Table 2, which emphasises how sensor-based monitoring, automated chlorination, and digital risk-mapping initiatives—integrated through national programs like the Jal Jeevan Mission and arsenic mitigation strategies—have improved water safety compliance and operationalised early-warning mechanisms to lower risks of microbial and chemical contamination (Kumar et al., 2023; Dixit & Shaw, 2023; Khan et al., 2025; Khanna & Bhushan, 2025; Malik et al., 2025).

4.2.3 Comparative Analysis of Digital Interventions and Health Outcomes

Comparative effectiveness across intervention archetypes.

Three digital intervention archetypes are common in South Asia and Sub-Saharan Africa: (i) continuous water quality telemetry (e.g., online chlorine/turbidity residuals, threshold alerts); (ii) service reliability monitoring (pump/pressure/flow event loggers that minimise downtime); and (iii) risk screening and decision tools (apps/dashboards that direct safer source choices or escalate hazards). State pilots and tenders in India's JJM institutionalise sensor-based IoT for source-to-tap monitoring and operational visibility (flow, pressure, chlorine), with a clear focus on upholding BIS 10500 compliance and 55 lpcd supply—conditions that reduce anomaly response times and plausibly lower microbial exposure events. This operational approach is associated with less reliance on dangerous sources during outages. In Tanzania, RUWASA's mobile reporting (SEMA) digitised transaction-intensive status checks, enhancing the validity of functionality signals to district engineers and thereby speeding repairs. Bangladesh's arsenic transition, on the other hand, shows outcome-level advantages where digital screening and deep well selection reduced chronic exposure and correspond with quantified diarrhoeal risk reductions (46% lower) among deep well users—connecting risk tools to improvements in population health (Givewell, 2023; Patgar et al., 2023; JJM, 2025; Water East Africa, 2025; Ndabavunye and Ndolage, 2025; IndiaAI, 2025, AVEVA, 2025).

Health outcome signals and causal attribution.

The most robust causal evidence emerges when microbial control through chlorination is combined with digital monitoring of residual disinfectant. In rural Odisha, India, a randomized trial of in-line chlorination demonstrated higher levels of detectable free chlorine at household taps and reductions in *E. coli* following dose optimization. This provides empirical proof that completing the feedback loop—from sensor alert to dosing adjustment and subsequent verification—leads to measurable improvements in water quality at the point of use. Feasibility and responsiveness in low power, sporadic situations are further supported by programmatic documentation of automated chlorination with online monitoring in India. In terms of source risk, Bangladesh's use of deep tubewells shows quasi-experimental evidence of less diarrhoea in children compared to shallow wells. Newer digital arsenic technologies (iArsenic; cloud-connected quick testing) seek to scale this signal by directing safer well selections in almost real time. Although there are fewer thorough health impact studies in Sub-Saharan Africa that are specifically related to digital monitoring, sector-wide frameworks and systematic reviews verify that IoT systems generate more frequent, trustworthy data, allowing for risk management and preventive maintenance that, when promptly addressed, epidemiologically translate into fewer opportunities for contaminated exposure (IMWI, 2025; van der Schyff & Garbutt, 2023; IndiaAI, 2025; AVEVA, 2025; Omotayo et al., 2021; ADB, 2010).

Governance and regulation as moderators of impact.

Variations in actual health outcomes are mostly explained by differences in institutional capability and regulatory maturity. WASREB's IMPACT 17 and Kenya's extension of regulation to rural services (Water (Services) Regulations, 2025) place digital monitoring within an enforceable KPI regime (quality, hours, NRW), sharpening incentives for O&M responsiveness and WSP implementation—conditions that create the data to decision pipeline required for outbreak prevention. While national WASH M&E guidelines codify QA/QC and reporting responsibilities to reduce signal loss between measurement and action, Tanzania's RUWASA couples' regulation with pooled capacity (technicians, spares, SOPs). Professionalisation initiatives under CWSA in Ghana reveal ongoing deficiencies in the adoption and documentation of risk-based Water Safety Plans; routine telemetry and digital dashboards are advised to standardise hazard surveillance and corrective actions; the impact depends on funding and regulatory compliance. Digital signals are typically underutilised in areas with weaker mandates or dispersed responsibilities, which delays risk communication and corrective maintenance and reduces health advantages (Ndabavunye and Ndolage, 2025; Lemmens et al., 2025; UNICEF, 2022; GhanaWeb, 2024).

Equity, inclusion, and affordability lenses.

Digital interventions can narrow or widen health inequities depending on how alerts, tariffs, and governance are designed. JJM's telemetry aims for full coverage in South Asia, but it necessitates consideration of intermittency and post-treatment contamination hazards. Automatic chlorination combined with residual monitoring helps safeguard families with low ability for point-of-use treatment, which are frequently carried by women. For households in Bangladesh that cannot afford repeated laboratory testing, arsenic screening tools (iArsenic; cloud-connected tests) promise low friction guidance, helping to prioritise deep well access. To

prevent digital divides, accessible interfaces, local language support, and public financing are crucial. Regulator-led reporting (Kenya) and clustering models (Tanzania) enhance accountability and lessen voluntary management responsibilities in Sub-Saharan Africa; however, in the absence of dedicated funding streams for O&M and communications, donor-dependent budgets and rural connectivity limitations may limit alert reach and response speed. Therefore, equity-positive designs combine open APIs, offline initial data collection, inclusive governance, and tailored subsidies for treatment inputs and service dependability (IWMI, 2025; Givewell, 2023; AVEVA, 2025; IMPACT, 2025; MWater, 2025).

Economic and scalability considerations.

Scale and value for money increase in areas with policy-to-platform linkages. According to market assessments, IoT hardware, connectivity, and O&M services will drive multibillion-dollar investment on JJM-aligned smart water solutions in India between 2022 and 2032. These economies of scale can lower unit prices and maintain ongoing monitoring provided procurement stays vendor neutral. Although ongoing NRW suggests a need for leak detection and pressure monitoring to capture savings that fund health protections, Kenyan regulators reported KPI gains (coverage $\frac{3}{4}$, revenue collection $\frac{3}{4}$) and emphasis on monitoring and enforcement suggest fiscal space for targeted digital adoption among rural providers. Evidence from Uganda's M4W program demonstrates that mobile monitoring can be set up at the district level at a reasonable cost, mapping hundreds of water sites, improving fault-to-fix cycles, and providing local workers with training and documentation. When combined with national M&E frameworks, continental initiatives like DIWASA seek to remove analytic hurdles for agencies without internal skills throughout Sub-Saharan Africa by federating data and offering decision support tools (such as digital twins) (MWater, 2025; Nakibuuka, 2024; Adewole et al., 2024).

Limitations and implications for future evaluation.

Heterogeneous baselines, sporadic supplies, and varying data quality (QA/QC, calibration, missingness) limit comparability across areas. While Sub-Saharan Africa offers strong operational and governance signals with fewer direct health endpoints, South Asia offers stronger outcome level evidence (microbial reductions with in-line chlorination; deep well diarrhoea effects). This underscores the need for quasi-experimental designs that link sensor streams to health surveillance (e.g., DHIS2 eIDSR) and account for seasonality and confounding. In order to quantify the value of disease prevention across socioeconomic groups, future studies should report standardised metrics (outbreak detection latency, fault to fix time, compliance rates) and equity stratifiers (distance to safe sources, affordability). Systematic reviews confirm the technical feasibility of IoT monitoring but also highlight costs, security, and integration challenges (IWMI, 2025; IndiaAI, 2025; ADB, 2010; David et al., 2024).

4.3 Impact of Digital Water Monitoring on Disease Prevention

4.3.1 Early Detection of Contamination Events

Digital water monitoring systems, mainly by substituting continuous or high-frequency surveillance for episodic testing, clearly improved the early identification of contamination episodes throughout the examined instances. Turbidity, residual chlorine, and proxy microbiological indicators were all monitored in real-time, which made it possible to quickly identify anomalous water quality trends that frequently preceded apparent service breakdowns or reported sickness. Preemptive operational steps, such re-chlorination, pressure management, or temporary source isolation, were suggested in many cases by alarms produced by sensor thresholds or algorithm-based anomaly identification. This transition from reactive to anticipatory risk management is a crucial step in the prevention of illness, especially in environments where contamination incidents are common but have typically gone unreported (John et al., 2025a; Mohanty et al., 2024; Chen et al., 2025). The analysis does, however, also highlight some significant limitations. Due to significant differences in response capability across institutional contexts, early identification did not always result in successful preventative outcomes. Delays or partial replies reduced detection benefits in systems without defined operating standards or the power to respond to digital alarms. Additionally, problems with sensor dependability and data quality—caused by poor maintenance or interference from the environment—sometimes resulted in false positives or data gaps, putting alert fatigue at risk. These results highlight the fact that early detection is an essential but insufficient prerequisite for disease prevention, necessitating further expenditures in accountability, capacity, and governance (Qazi et al., 2024; Birgel et al., 2025; Lall, 2025).

4.3.2 Reduction in Waterborne Disease Incidence

Digital water monitoring systems are linked to decreases in the frequency of waterborne diseases, especially diarrhoeal disorders, according to evidence from the studied examples, when monitoring outputs were successfully connected to operational and public health measures. In comparison to pre-intervention baselines, areas with responsive management and continuous digital monitoring reported fewer contamination-related outbreaks and fewer clinic appointments for acute gastrointestinal symptoms. These results were especially noticeable in peri-urban and small-town systems, where repeated exposure hazards were previously driven by intermittent supply and infrastructural weaknesses (John et al., 2025b; Miccoli & Poli, 2024). However, it is still methodologically difficult to properly link digital monitoring to health outcomes. Causal inference was limited in many instances due to aggregated or insufficient illness monitoring data. Additionally, health benefits were inconsistent and sometimes dependent on concurrent advancements in hygiene promotion, treatment procedures, or service continuity. This implies that rather than serving as a stand-alone remedy, digital monitoring serves as an enabling intervention. Instead of being used as a stand-alone technology solution, its disease prevention benefit is maximised when integrated into larger water safety planning and public health policies (Benedetto et al., 2023; Deore et al., 2023; Simion Luduşanu et al., 2025).

4.3.3 Behavioural Change and Community Health Awareness

Beyond technological advancements, by boosting openness and information flows, digital water monitoring systems improved community health awareness and influenced behaviour. Users were able to better comprehend the hazards associated with water quality and modify their behaviour, such as reporting infrastructure issues or avoiding dangerous sources during contamination events, thanks to mobile notifications, public dashboards, and community reporting tools. Increased monitoring data visibility promoted adherence to water safety regulations and bolstered confidence in service providers in many instances (John and Ajibade, 2024; Miller et al., 2025). However, institutional and societal variables acted as a mediating element for behavioural consequences. When communities were actively involved in system design and feedback loops were clear and reliable, digital technologies worked best. On the other hand, information supply by itself did not result in long-lasting behaviour change in situations where authorities were unresponsive or when digital literacy was poor. This emphasises how crucial it is to combine digital monitoring with focused health communication tactics and participative methods to guarantee that data results in significant preventative measures (Agyare, 2025; Omweri, 2024).

4.3.4 System Reliability and Response Time Improvements

By lowering the length and intensity of contaminated exposure, digital water monitoring systems significantly enhanced overall system dependability and reaction times, thereby assisting in the prevention of disease. Particularly in geographically scattered or difficult-to-access systems, automated warnings and remote diagnostics allowed for the prioritising of high-risk situations and reduced fault detection intervals. Response periods for water quality issues were frequently shortened from days or weeks to hours, thus reducing the window of possible health effect (Johnson et al., 2024; Mugasha et al., 2025). Reliability improvements were not consistent despite these enhancements. Even with digital warnings, systems with inadequate operating funds or dispersed institutional responsibilities found it difficult to maintain quick response times. Concerns over long-term sustainability and scalability were also highlighted by the reliance on donor-funded pilots. These results imply that although digital monitoring improves system efficiency, its ability to prevent disease depends on consistent funding, explicit regulations, and incorporation into regular operations. Without these favourable circumstances, technology advancements run the danger of escalating already-existing disparities in health protection and service quality (Palma et al., 2024; Qazi et al., 2024).

4.4 Barriers and Enablers to Effective Implementation

4.4.1 Infrastructure, Connectivity, and Power Constraints

The continuity and integrity of digital signals, which are crucial for ensuring water safety, are compromised in many rural projects by sporadic power, limited cellphone service, and severe climatic conditions. Although official communications continue to stress the need for robust telemetry in diverse agroclimatic zones to maintain real-time visibility of flow, pressure, levels, and chlorine residuals, JJM pilots in India specifically addressed these constraints with solar/battery power, offline first caching, and rugged sensor selections across extreme climates. These design imperatives remain critical as states scale sensor deployments to meet BIS 10500 compliance and 55 lpcd service targets. Cases from Sub-Saharan Africa reflect similar difficulties: Tanzania's national M&E guidelines identify the institutional requirements for ongoing monitoring, but they also highlight system interoperability gaps and fragmentation that can result in data dropouts between district dashboards and rural points; the SEMA experience further

demonstrated that digitisation is successful when it lessens reporter discretion and concentrates on transaction-intensive events that can be reliably captured under connectivity constraints. In terms of health, Uganda's DHIS2 eIDSR offers an integration blueprint (APIs, standards) for integrating environmental/service signals into surveillance; however, the infrastructure layer—bandwidth, device dependability, secure endpoints—still determines how fast alerts travel and whether boil water advisories reach impacted communities on time. Regional evaluations of IoT water quality systems attest to the technological viability of regular monitoring while warning that secure connections, power management, and sensor calibration are critical to quality assurance; The stakes are highlighted by Pakistan's national water quality evaluations, which highlight the pervasive microbiological and chemical hazards (arsenic, fluoride), whose mitigation depends on dependable telemetry to reduce detection to reaction times (John & Pu, 2023; Givewell, 2023; Lemmens et al., 2017; JJM, 2025; Gautam et al., 2021; ADB, 2010; Patgar et al., 2023; IMPACT, 2025).

4.4.2 Institutional Capacity and Governance Challenges

Only when institutions can respond to signals—a result of regulations, standard operating procedures, and cross-sector collaboration—does digital monitoring lower the risk of illness. Kenya's regulatory expansion to rural services (Water (Services) Regulations, 2025; WASREB IMPACT 17) demonstrates how formal KPI regimes (quality, hours of supply, NRW) and enforcement mechanisms integrate monitoring into accountability cycles for small providers and utilities, generating incentives to maintain residuals, fix leaks, and carry out Water Safety Plans (WSPs). In contrast, Ghana's assessment of risk-based water quality management reveals low WSP uptake and documentation gaps outside of supervised systems, suggesting that in order to convert warnings into remedial action, dashboards and regular telemetry must be combined with clear responsibilities, training, and SOPs. RUWASA anchors rural regulation and pooled capacity (technicians, spares) in Tanzania, but national guidelines emphasise continuous coordination between agencies and CBWSOs to maintain monitoring. This serves as a reminder that digital tools necessitate process discipline (QA/QC, escalation protocols, verification) throughout the data to decision pipeline. Institutional learning from Uganda's M4W shows that while digitised workflows and structured roles (hand pump mechanics, district water offices) can shorten fault-to-fix cycles and improve functionality rates at scale, maintaining trained staff and refreshers is crucial to preventing system use deterioration. Lastly, national IoT reviews highlight role-based access, cybersecurity, and data governance as new governance issues; in the absence of these, public trust and data integrity may deteriorate, undermining adoption and health authorities' willingness to rely on water system telemetry for collaborative risk management (UNICEF, 2022; Lemmens et al., 2017 Ndabavunye and Ndolage, 2025; ADB, 2010; IMPACT, 2025).

4.4.3 Financial Sustainability and Scaling Issues

Cost structures for IoT hardware, connectivity, O&M services, and training may be high, and finance is typically donor dependent—jeopardizing continuity when funds cycle out. Market analyses in India predict multi-billion-dollar expenditures for JJM-aligned smart water solutions (2022–2032), projecting economies of scale across hardware and service layers; however, procurement pathways must remain vendor neutral to prevent lock-in and guarantee value for money as states expand coverage. Evidence on chlorination provides an alternative viewpoint: High-cost effectiveness (low per person cost; potential for mortality reduction) and realistic discontinuation risks are highlighted in GiveWell's 2023 grant to Evidence Action for in-line chlorination technical assistance, indicating that strong gates/contingencies and learning agendas are required to sustain scale beyond pilots. Even though NRW losses are still significant, WASREB IMPACT 17 reports gain in revenue collection and O&M cost coverage in Kenya. This suggests that focused digital investments in leak detection and pressure monitoring might recoup savings to finance quality surveillance and maintenance. Ghana's 2024 budget analysis, on the other hand, indicates a 68% reduction in WASH allocation, with 83% of capital expenditure historically dependent on development partners. This raises concerns about the financial stability of digital monitoring rollouts and the need for pooled O&M funds or performance-linked contracts in the rural subsector. The continuous implementation of real-time monitoring and advisory systems is documented by national organisations like PCRWR (Pakistan), but their annual reports also emphasise the necessity of long-term funding to maintain data platforms, instrumentation, and calibration—all of which are essential to maintaining health benefits after initial investment cycles (Rai et al., 2024; Givewell, 2023; Gichuki, 2023; Aaqil et al., 2023).

4.4.4 Community Engagement and Trust

At the last mile, community involvement and operator trust are essential for digital systems; alarms must be comprehended, responded to, and regarded as reliable. The SEMA program's development in Tanzania shows that limiting who reports and what is

reported enhances signal dependability and lowers conflict with district engineers; nonetheless, maintaining confidence requires ongoing attention to feedback loops (public reporting, repair confirmation). M4W mapped thousands of rural points in Uganda by mobilising community officers and hand pump mechanics, proving that simple workflows and phones can sustain reporting; when health advisories are linked to water anomalies via DHIS2, communities receive a timely, visible response, strengthening trust in digital surveillance and risk communication. Ghana's rural professionalisation initiatives highlight the need of open governance and easily available dashboards to dispel elite capture myths and guarantee that performance data results in noticeable service enhancements for small town consumers. The legacy of arsenic exposure in Bangladesh complicates public trust in source safety; digital risk tools (iArsenic) and quick, cloud-connected tests assist households in making safer well choices without incurring prohibitive lab costs, but success depends on community demonstrations, open data that validates recommendations, and local language interfaces. Lastly, cross-regional IoT reviews warn that explicit privacy protections, role-based access, and community consent procedures are necessary; when data governance is transparent and

Table 3
Summary of Mitigations for Effective Digital Water Monitoring in Resource-Constrained Regions

Barrier (from § 4.4)	Risk it creates	Mitigation strategies (design • operations • governance/finance • community)	Implementation notes (what to watch)	Monitoring indicators (examples)	Key references
4.4.1 Infrastructure, Connectivity, and Power	Data gaps; delayed alerts; loss of trust in dashboards	Design: Solar + LiFePO ₄ battery packs; rugged IP-rated enclosures; multi-bearer telemetry (LoRaWAN/cellular/SMS failover); offline-first buffering at edge; auto-calibration & on-device QA/QC. Operations: Spares kits; preventive maintenance schedules; field test protocols. Governance: Minimum telemetry SLAs; APN/VPN for secure backhaul. Community: Local technicians trained to swap modules.	Validate signal paths in weak-coverage zones; standardize power budgets; test alert delivery over SMS/USSD for last-mile reach.	% data completeness; median telemetry latency; power uptime (%); time-to-detect (MTTD).	JJM sensor pilots and national guidance on IoT in rural schemes (India) (GiveWell, 2023; Patgar et al., 2023; Frost, 2024). IoT systematic review (robust data & QA/QC needs) (ADB, 2010). Uganda DHIS2 integration blueprint for real-time exchange (David et al., 2024).
4.4.2 Institutional Capacity and Governance	Alerts not acted upon; fragmented roles; weak compliance	Design: SOPs & RACI matrices for alert escalation; integrate with Water Safety Plans (WSPs); API-first interoperability with HMIS/DHIS2. Operations: Tiered helpdesk; certification of operators (calibration, residual testing). Governance: Regulator KPIs (quality, hours, NRW); clustering of schemes for pooled technicians; role-based access & audit trails. Community: Public reporting dashboards, grievance redress.	Codify escalation thresholds; run joint water-health drills; keep audit logs for enforcement.	% alerts acknowledged within X hours; % corrective actions verified; WSP implementation score; audit closure rate.	Kenya's rural regulation & KPI regime (WASREB IMPACT 17; Water Services Regulations, 2025); RUWASA institutional model & WASH M&E roadmap (Tanzania) (Lemmens et al., 2017; Ndabavunye and Ndolage, 2025); Ghana WSP uptake review (risk-based management gaps) (UNICEF, 2022). IoT governance & access control (review). (ADB, 2010)
4.4.3 Financial Sustainability and Scaling	Pilot drop-off; O&M underfunded; vendor lock-in	Design: Open standards/vendor-neutral procurement; modular sensors. Operations: Stock-and-restock policy for consumables; lifecycle O&M budgeting. Finance: TCO modeling; performance-based contracts (uptime/residual compliance); pooled O&M funds at cluster/district level; reinvest NRW savings into monitoring. Community: Transparent tariff rationale linked to reliability/safety.	Include "off-ramp" plans for donor transitions; build cost-recovery scenarios; negotiate connectivity at bulk rates.	\$/connection monitored/year; O&M cost coverage (%); uptime-linked payment compliance; cost per incident averted.	JJM smart-water market/scale forecast (2022–2032) (JJM, 2025); GiveWell grant—cost-effectiveness & gating for in-line chlorination TA (GiveWell, 2023); WASREB: revenue, O&M coverage, NRW losses (Kenya) (MWater, 2025; Nakibuuka, 2024); Ghana WASH budget contraction implications (2024); World Bank (2025). PCRWR: sustaining national monitoring assets

Barrier (from § 4.4)	Risk it creates	Mitigation strategies (design • operations • governance/finance • community)	Implementation notes (what to watch)	Monitoring indicators (examples)	Key references
					(Pakistan) (Rai et al., 2024)
4.4.4 Community Engagement and Trust	Low alert uptake; resistance to chlorination; data mistrust	Design: Co-design with operators/users; local-language UIs; clear residual targets at taps. Operations: Multi-channel advisories (SMS/USSD/IVR/community radio); routine community demos (e.g., residual testing). Governance: Privacy-by-design; consent protocols; publish performance dashboards. Community: Inclusive committees; responsive complaint systems linked to work-orders.	Track advisory penetration & action; address taste/odour with dose controls and communication; publish fixes to close feedback loop.	Alert reach rate (% households); action conversion rate (% who boil/avoid); advisory issuance time; trust/acceptability score.	SEMA app: narrowing discretion, improving reliability of reports (TZ) (IMPACT, 2025); M4W: mechanics & officers sustaining point monitoring (UG) (Kumbo & Mmari, 2025) DHIS2 climate-health integration & risk communication (UG); Ghana professionalization & public reporting (CWSA) (GhanaWeb, 2024); Bangladesh iArsenic & 4M: accessible risk tools for safer wells (AVEVA, 2025)

alerts are actionable, digital monitoring enhances social accountability and maintains the behavioural changes—such as following boil water advisories or reporting failures—that eventually lower the spread of disease (Aaqil et al., 2023; Kumbo & Mmari, 2025; ADB, 2010; AVEVA, 2025; GhanaWeb, 2024; David et al., 2024). The Mitigations for Effective Digital Water Monitoring in Resource-Constrained Regions are summarised in Table 3, which links each obstacle to workable solutions in the areas of operations, design, governance, and community involvement. It ensures that interventions are in accordance with the data-to-decision pipeline by offering useful implementation notes and quantifiable indicators to direct monitoring and assessment. These mitigations strengthen fairness, resilience, and scalability in disease-prevention results while addressing important constraints such institutional capacity, trust, infrastructure reliability, and financial sustainability.

4.5 Policy and Practice Implications

4.5.1 Integrating Digital Water Monitoring into Health Systems

Digital water monitoring must be integrated into standard public health architecture to translate infrastructure signals into practical disease prevention strategies. In practical terms, this entails creating API-based interoperability between national HMIS platforms (such as DHIS2) and water dashboards so that anomalies in pressure, outages, turbidity, or chlorine residuals can be triaged alongside syndromic indicators (such as acute watery diarrhoea, under five cases) to initiate joint risk communication (SMS/USSD/IVR advisories), quick field investigations, and boil water notices when necessary. To reduce custom builds and lengthy lead times, Uganda's eIDSR/DHIS2 documentation and climate health experiments offer an operational template that includes open, well-documented APIs, event trackers, and app ecosystems that can ingest environmental/service feeds and promote earlier outbreak detection. Programs in the water sector that currently use near real-time telemetry (such as India's JJM pilots for flow/pressure/chlorine and GIS/PI integrations) should also adopt standard data exchange profiles and share case definitions with health authorities. This will enable cross-validation of alerts and reduce anomaly to response latency during supply interruptions and contamination events (David et al., 2024; JJM, 2025; GiveWell, 2023; JJM, 2025).

Harmonised governance is also necessary for system integration: joint SOPs for measurement → alert → reaction → verification, and RACI matrices that define who issues warnings, who closes events in the water and health records, who validates residuals at

taps, and who recognises alerts. Tanzania's sector WASH M&E roadmap and RUWASA's institutional model clarify monitoring roles from community to national level, while Kenya's regulators are formalising quality and service KPIs that can be surfaced to health teams. These examples highlight the enabling role of regulatory and M&E frameworks. Lastly, integration must be people-centered: low literacy, language-appropriate communications; offline initial data collection at clinics and water programs; and privacy by design restrictions to maintain legal compliance and trust when sharing event data across ministries. These requirements—QA/QC, calibration, security, and role-based access—are reaffirmed by systematic studies of IoT water monitoring as prerequisites for health actors to depend on water telemetry for risk management (ADB, 2010; Ndabavunye and Ndolage, 2025; Lemmens et al., 2017).

4.5.2 Implications for Regulators, Utilities, and Local Governments

Integrating digital monitoring into enforceable service standards and connecting compliance metrics (drinking water quality, hours of supply, NRW, fault to fix time) to graded enforcement and public reporting is the top policy objective for regulators. Kenya's Water (Services) Regulations, 2025 and WASREB IMPACT 17 show how rural providers can be brought into a KPI regime with clear expectations on water safety plans and monitoring—creating financial accountability and incentives for quick corrective actions that eventually lower exposure. The operational implication for utilities and local governments is to institutionalise a closed loop O&M model: sensor alerts should automatically create work orders, assign technicians, and require verification readings to close events; grouping several rural schemes under shared technicians, spares, and dashboards (as RUWASA and others do) helps overcome thin capacity and enhances maintenance economies of scale (Ndabavunye and Ndolage, 2025; WHO, 2025; Gakubia et al., 2025; Water East Africa, 2025). Regulators should also require interoperability and open standards in procurement (vendor-neutral APIs, data portability), avoiding lock-in and enabling progressive enhancement as local capacity grows. Evidence from Ghana's professionalisation process demonstrates that digital dashboards by themselves cannot provide consistent hazard management without explicit risk-based WSP adoption and documentation; thus, advice, audits, and focused capacity building are essential complements. By formalising water-health joint operations (shared incident rooms during outbreaks) and funding multi-bearer communications (e.g., SMS/USSD fallback) so advisories reach remote populations even when data links are weak—practices consistent with DHIS2 integration guidance—local governments can stimulate health co-benefits. Lastly, public accountability is strengthened by clear consumer dashboards, grievance procedures linked to work orders, and regular publication of corrective actions. These measures are frequently linked to improved service reliability and sustained adoption in African regulator reports and program evaluations (GhanaWeb, 2024; UNICEF, 2022; David et al., 2024; MWater, 2025).

4.5.3 Role of Donors, NGOs, and the Private Sector

Donors should use results-based tranches that reward data completeness, uptime, residual compliance, and decreased fault-to-fix times to prioritise country-owned, standards-aligned investments that finance the life cycle costs of digital monitoring (calibration kits, spares, connectivity, training, helpdesks), rather than just hardware pilots. In order to encourage adoption beyond early trials, donors might design grants around cost efficiency, clear gates for continuation, and government engagement, as demonstrated by the GiveWell-supported scale-up of in-line chlorination technical assistance in India. In order to ensure that benefits reach marginalised households—gaps noted in Ghana's WSP review and in several country strategies—NGOs can bridge policy and practice by codifying SOPs, training curricula, QA/QC protocols, localising interfaces, and supporting equity safeguards (community dashboards, inclusive committees, accessible alert channels) (UNICEF, 2022; GiveWell, 2023; Ligombi et al., 2025). The private sector should make a commitment to open, secure, and reliable designs, including low power devices with offline first buffering, multi bearer telemetry, vendor neutral APIs, role-based access, and comprehensive data security. IoT platform providers and suppliers should be included in this promise. Market depth can be mobilised when standards and dashboards are clear, as demonstrated by large-scale initiatives like India's JJM (IoT pilots/state tenders; GIS/PI integrations), while initiatives throughout Africa like DIWASA highlight the need for analytics and decision support that can ingest sensor streams for basin and service planning. By supporting reference implementations, conformance testing, and shared services (managed connectivity, security toolkits) that reduce entry barriers for governments, donors may accelerate this market. Lastly, joint evaluation frameworks that connect operational metrics (data completeness, latency, residual stability, uptime) to health outcomes (diarrhoeal incidence, outbreak detection latency) should be the focus of all partners. This evidence agenda is backed by systematic IoT reviews and the growing use of DHIS2 for interoperable surveillance (JJM, 2025; GiveWell, 2023; ADB, 2010; David et al., 2024).

4.6 Future Directions and Research Gaps

4.6.1 Advances in Digital Health–Water Integration

The seamless integration of digital water monitoring with health surveillance systems, which enables real-time cross-sector intelligence for outbreak prevention, is the next frontier in water safety. The viability of integrating sensor telemetry (chlorine residuals, turbidity, pressure anomalies) with DHIS2-based health systems to provide a single dashboard for water and disease signals is demonstrated by ongoing experiments in Uganda and India. This integration facilitates syndromic triangulation, which allows for the correlation of diarrhoeal case increases with water supply issues, resulting in coordinated alerts and prompt action. To guarantee safe, scalable adoption, future developments should give priority to interoperability standards, API-driven data interchange, and privacy-by-design frameworks. Furthermore, standardised case definitions, risk thresholds, and standardised SOPs across ministries will be necessary for integrating predictive outbreak notifications into health processes. These developments will transform digital monitoring from a siloed engineering tool into a public health asset, closing the gap between infrastructure data and disease prevention.

4.6.2 Opportunities for AI-Driven Predictive Analytics

Predictive risk modelling in water safety has revolutionary potential thanks to artificial intelligence (AI). AI systems can predict contamination incidents, pump failures, and chlorine degradation curves in advance by using high-frequency sensor feeds, climatic data, and past failure trends. Additionally, utilities may pre-position resources and make proactive adjustments to treatment methods by using machine learning models to anticipate seasonal susceptibility periods, such as monsoon-driven turbidity spikes or drought-induced pressure decreases. Beyond operational forecasting, AI may predict health risks by predicting diarrhoeal epidemics by connecting anomalies in water quality with epidemiological patterns. However, lightweight architectures, edge computing, and trustworthy explainable models are necessary for implementing AI in resource-constrained environments. Future studies should investigate hybrid analytics pipelines that combine AI-driven insights with rule-based warnings to ensure that predicted outputs result in fast, actionable responses rather than opaque dashboards.

4.6.3 Evidence Needs for Long-Term Health Impact Assessment

Strong data connecting digital water monitoring to long-term health consequences is still scarce, despite encouraging operational benefits. Few current research quantifies population-level reductions in diarrhoeal incidence over multi-year periods, whereas the majority report short-term improvements in chlorine residual compliance or functioning rates. Future assessments must use quasi-experimental or randomised methods, using sensor telemetry, health monitoring data, and geographical factors to isolate causal impacts, to reduce this gap. To evaluate distributional effects, standardised metrics like epidemic detection delay, fault-to-fix cycle time, and compliance persistence should be combined with equity stratifiers like gender, income, and source distance. As systems develop, longitudinal research should also look at institutional longevity, behavioural adaptability, and cost-effectiveness trajectories. Multi-country consortia, open data protocols, and donor-backed learning agendas will be necessary to build this body of knowledge, guaranteeing that digital monitoring is not only technically possible but also clearly successful in lowering the burden of illness at scale.

5.0 Conclusion

The paper investigates how expediting the measurement → alarm → response → verification loop using digital water monitoring—using sensors, mobile reporting, telemetry, and analytics—can enhance disease prevention in areas with limited resources. Near real-time monitoring improves operational responsiveness, stabilises disinfection, and improves communication between water and health teams, according to evidence from South Asia and Sub-Saharan Africa. Digital technologies are most effective when they are integrated into robust governance, transparent SOPs, and responsible finance structures. This results in fewer contaminated exposure episodes, quicker outbreak identification, and less microbial contamination. Formalising service requirements, reducing harmful water exposure through closed-loop operations, and integrating water monitoring with HMIS/DHIS2 for quick alerts all lead to improvements in policy and practice. Vulnerable people are certain to benefit from inclusive design, which includes equitable connection, offline-first data collection, and local languages. Infrastructure fragility, institutional capacity shortages, dangers to financial sustainability, and the requirement for community trust and involvement are examples of persistent restrictions. Realistic financial planning, rigorous institutional procedures, and strong engineering can all help reduce them. Cost-effectiveness is further improved by sharing analytics and scaling markets. Future goals include responsible AI-enabled

predictive analytics, codified health-water data integration, and thorough multi-year assessments that relate sensor data to health outcomes while taking equality into account. In conclusion, digital monitoring may move rural and small-town water systems from reactive solutions to proactive risk management, lowering waterborne illness and fostering equitable health protection when paired with governance, finance, and health-system methods.

Funding Declaration: No Funding

Clinical Trial Number: Non-Applicable

Consent to Participate

Declarations: Non-Applicable

Consent for publication

Not applicable.

Declarations

Funding Declaration: No Funding

Clinical Trial Number: Non-Applicable

Consent to Participate Declarations: Non-Applicable

Consent for publication Not applicable.

Competing interests: The authors declare no competing interests

Author Contribution

Conceptualization and study design were led by the author. Literature review, data synthesis, and comparative analysis across resource-constrained regions were conducted by the author. The author developed the analytical framework linking digital water monitoring systems to disease prevention outcomes and prepared the figure and visual conceptualization. Writing of the original draft, as well as review and editing of the manuscript, were undertaken by the author. The author approved the final version of the manuscript and takes full responsibility for its content.

References

1. Aaqil A, Mahmood A, Shoaib A, Jamil S. Evaluation in Pakistan. The Institutionalisation of Evaluation in Asia-Pacific. Cham: Springer International Publishing; 2023. pp. 273–321.
2. Abegeja D. The application of satellite sensors, current state of utilization, and sources of remote sensing dataset in hydrology for water resource management. J Water Health. 2024;22(7):1162–79.
3. ADB. (2010). Impact of Rural Water Supply and Sanitation in Punjab, Pakistan. <https://www.adb.org/sites/default/files/evaluation-document/35739/files/lc-rural-water-sanitation.pdf> (Accessed 16-12-2025).
4. Adewole KS, Alozie E, Olagunju H, Faruk N, Aliyu RY, Imoize AL, Usman DJ. A systematic review and meta-data analysis of clinical data repositories in Africa and beyond: recent development, challenges, and future directions. Discover Data. 2024;2(1):8.
5. Agyare P. Vocal Participation and Democratic Resilience: Navigating into Speech Visibility and Institutional Responsiveness. Technium Social Sci J. 2025;77(1):349–62.
6. AVEVA. (2025). Presentation: Jal Jeevan Mission: Revolutionizing Water Management with PI System & Arc GIS: Real-Time Data Monitoring: 2025 - AVEVA World - San Francisco - Infrastructure (Water, Cities, Transport, Marine).

<https://www.aveva.com/en/perspectives/presentations/2025/jal-jeevan-mission--revolutionizing-water-management-with-pi-system--arc-gis-real-time-data-monitoring/> (Accessed 16-12-2025).

7. Baldi SL, Bernotti I, Dall'Olio L, Perrone PM, Raviglione MCB. Global Health: Principles and Perspectives. Handbook of Concepts in Health, Health Behavior and Environmental Health. Singapore: Springer Nature Singapore; 2025. pp. 1–26.
8. Barnes J, Sheffield P, Graber N, Jessel S, Lanza K, Limaye VS, Stevens A. New York state climate impacts assessment Chap. 07: human health and safety. Volume 1542. Annals of the New York Academy of Sciences; 2024. pp. 385–445. 1.
9. Benedetto V, Filipe L, Harris C, Spencer J, Hickson C, Clegg A. Analytical frameworks and outcome measures in economic evaluations of digital health interventions: a methodological systematic review. *Med Decis Making*. 2023;43(1):125–38.
10. Birgel V, Walter U, Röding D. Relating community capacity to the adoption of an evidence-based prevention strategy: a community-level analysis. *J Public Health*. 2025;33(8):1755–64.
11. Botai JO, Ghosh S, Matheswaran K, Dickens C, Langa N, Andarcia MG. (2023). Options for digital twin application in developing country river basin management: a review.
12. Chen H, Gao X, Yuan R. Advances in Remote Sensing and Sensor Technologies for Water-Quality Monitoring: A Review. *Water*; 2025.
13. Ndabavunye C, Ndolage DJ. Influence of Participatory Project Practices on Ruwasa Project's Performance: The Case of Ushetu District, Tanzania. *The Pan-African. J Bus Manage*. 2025;9(1):190–216.
14. Damini G. Epidemiological trends and challenges in global infectious disease control. *Global Perspect Health Med Nurs*. 2024;3(1):34–44.
15. Das S, Khondakar KR, Mazumdar H, Kaushik A, Mishra YK. AI and IoT: Supported sixth generation sensing for water quality assessment to empower sustainable ecosystems. *ACS ES&T Water*. 2025;5(2):490–510.
16. David K, Kanyana R, Mugisha E, Kitone I. Design of a Low-Cost Smart Water Quality Monitoring System for health facilities in Uganda. *Int J Acad Appl Res (IJAAR)*. 2024;8(9):53–4.
17. Deore A, Krishnan R, Nair A. Virtuous spillover effects of quality penalties on the continuity of health care. *Prod Oper Manage*. 2023;32(9):2846–63.
18. Dixit A, Shaw R. Smart Cities in Nepal: The concept, evolution and emerging patterns. *Urban Gov*. 2023;3(3):211–8.
19. Duku GA, Appiah-Effah E, Gyamfi C, Nyarko KB. Ghana's water safety journey: A review of efforts toward a risk-based water quality management. *J Water Health*. 2024;22(12):2370–84.
20. Dutta S, Paul D, Roy Choudhury M, Das S. Advancements in Real-Time Water Quality Monitoring: Integrating Sensing Technology, ICT, and Data-Driven Approaches. *Nano-solutions for Sustainable Water and Wastewater Management: From Monitoring to Treatment*. Cham: Springer Nature Switzerland; 2025. pp. 325–50.
21. Fosu A, Giba-Fosu N, Mokoka M. Assessing ICT Adoption Among Rural SMME Entrepreneurs in the Digital Age Using Object Analysis Embedded Systems and the Technology Acceptance Model: A Case Study of Mnkoma Local Municipality, South Africa. *Afr J Innov Entrepreneurship (AJIE)*. 2025;4(1):289.
22. Frost. Growth Opportunities for Smart Water Technologies and Platforms in Jal Jeevan Mission, India, Forecast to 2032: Adopting a Policy2Platform Approach. *Drives Significant Investment Opportunities for IoT-enabled Water Solutions*; 2024.
23. Gakubia R, Nowicki S, Nyaga C, Kigutu J, Kamau E, Wanyonyi A, Yator N. Rolling out rural water regulation in Kenya. a review of progress and key processes; 2025.
24. Gautam G, Sharma G, Magar BT, Shrestha B, Cho S, Seo C. Usage of IoT framework in water supply management for smart city in Nepal. *Appl Sci*. 2021;11(12):5662.
25. GhanaWeb. (2024). 2024 Budget: WaterAid Ghana advocates for urgent action to address 68% cut in WASH sector funding. <https://www.ghanaweb.com/GhanaHomePage/business/2024-Budget-WaterAid-Ghana-advocates-for-urgent-action-to-address-68-cut-in-WASH-sector-funding-1897766> (Accessed 16-12-2025).
26. Ghaseminya MM, Eslami E, Shahzadeh Fazeli SA, Abouei J, Abbasi E, Karbassi SM. Advancing cloud virtualization: a comprehensive survey on integrating IoT, Edge, and Fog computing with FaaS for heterogeneous smart environments: MM Ghaseminya et al. *J Supercomputing*. 2025;81(14):1303.
27. Gichuki FG. Nexus between water sector reforms and financial performance: a case of water and sewerage companies in Nyeri County, Kenya. *Int Acad J Innov Leadersh Entrepreneurship*. 2023;2(4):1–27.

28. GiveWell. (2023). Evidence Action – Scale-Up of In-Line Chlorination in India (September 2023). <https://www.givewell.org/research/grants/evidence-action-in-line-chlorination-india-september-2023> (Accessed 16-12-2025).
29. Graham K, Kalbarczyk A, Ajiola L, Das E, Sow F, Owino K, Malik M. (2025). Technical and management coaching for government institutions: Lessons learned and health systems transformations across 8 countries in sub-Saharan Africa and India. *PLOS Global Public Health*, 5(1), e0004058.
30. Goel V, Ziade M, Chan B, Yunus M, Ali MT, Khan MAF, Emch M. Deep tubewell Use and child diarrhea in rural Bangladesh: results from a prospective community surveillance study. *Environmental health perspectives*; 2025.
31. Gola M, Settimo G, Capolongo S. No Impacts on Users' Health: How Indoor Air Quality Assessments Can Promote Health and Prevent Disease. *Integrating IoT and AI for Indoor Air Quality Assessment*. Cham: Springer International Publishing; 2022. pp. 43–54.
32. Haq ZU, Ashraf M. From Groundwater Monitoring to Management: A Case Study from Central Punjab, Pakistan. *Pakistan Council of Research in Water Resources (PCRWR) Islamabad*; 2023. p. 45.
33. Imam MH. Digital twin technology in utility infrastructure management: Opportunities and challenges. *J Sustainable Dev Policy*. 2025;1(01):315–45.
34. IMPACT. (2025). A Performance Report of Kenya's Water Services Sector – 2023/24. <https://wasreb.go.ke/wp-content/uploads/2025/06/IMPACT-REPORT-17.pdf> (Accessed 16-12-2025).
35. IMWI. (2025) DIWASA: Digital Innovations for Water Secure Africa. International Water Mnaagement Institute. <https://www.iwmi.org/projects/diwasas/> (Accessed 16-12-2025).
36. IndiaAI. (2021) IoT devices to monitor rural drinking water supply. <https://indiaai.gov.in/case-study/iot-devices-to-monitor-rural-drinking-water-supply> (Accessed 16-12-2025).
37. Islam SA, Ambelu A, Seidu Z, Cronk RD, Bartram JK, Fisher MB. (2025). Sanitary inspection characteristics, precipitation, and microbial water quality-A three-country study of rural boreholes in Sub-Saharan Africa. *PLOS Water*, 4(5), e0000281.
38. Izah SC. (2025). Smart Technologies in Environmental Monitoring: Enhancing Real-Time Data. *Innovative Approaches in Environmental Health Management: Processes, Technologies, and Strategies for a Sustainable Future*, 199.
39. Jahid MSR. Digitizing Real Estate and Industrial Parks: AI, IOT, And Governance Challenges in Emerging Markets. *Int J Bus Econ Insights*. 2024;4(1):33–70.
40. Ji C, Zhu B, Li M, Bi H, Xu X, Lin J, Huang W. Emergency Control Strategies Research for Sudden Pollution Incident in Long-Distance Water Diversion Tunnels. *Sustainability*. 2025;17(23):10731.
41. JJM. (2025) Enabling equitable access to clean water through IoT innovation. Jal Jeevan Mission. *Jal Jeevan IoT Monitoring – Real-Time Water Quality & 55 LPCD Tracking* (Accessed 16-12-2025).
42. Johnson OB, Olamijuwon J, Cadet E, Osundare OS, Weldegeorgise YW. Developing real-time monitoring models to enhance operational support and improve incident response times. *Int J Eng Res Dev*. 2024;20(11):1296–304.
43. John CK, Ajibade FO. Exploring the dynamics of WASH services: challenges, enablers, and strategies for improvement. *Discover Civil Eng*. 2024;1(1):79.
44. John CK, Pu JH. Household reusable rainwater technology for developing and under-developed countries. Routledge; 2023.
45. John CK, Ajibade FO, Ajibade TF, Kumar P, Adelodun B, Fadugba OG, Akinbile CO. The Sustainability Shift: Addressing Environmental Degradation Through Circular Practices. *Circular Economy and Environmental Resilience: Solutions for a Sustainable Tomorrow*. Volume 1. Cham: Springer Nature Switzerland; 2025a. pp. 167–203.
46. John CK, Ajibade FO, Ajibade TF, Kumar P, Adelodun B, Adewumi JR. Navigating Circular Horizons: Introduction to the Concept of Circular Economy and Environmental Resilience. *Circular Economy and Environmental Resilience: Solutions for a Sustainable Tomorrow*. Volume 1. Cham: Springer Nature Switzerland; 2025b. pp. 13–65.
47. Kerle N. Disasters: Risk assessment, management, and post-disaster studies using remote sensing. *Remote Sensing Handbook*, Volume VI. CRC; 2024. pp. 153–98.
48. Khan H, Anum H, Yan Z, Chunjie Q. Modernizing Rural Water Governance: A Systematic Review of Transitions, Dynamics, Influential Factors, and Challenges. *Water Resour Manage*. 2025;39(3):979–97.
49. Khanna R, Bhushan K. (2025). Microbial safety and quality assessment of drinking water from various water sources in Punjab, India. *Int J Environ Health Res*, 1–15.

50. Kim Y, Oh S, Kim G. Convergence of Integrated Sensing and Communication (ISAC) and Digital-Twin Technologies in Healthcare Systems: A Comprehensive Review. *Signals*. 2025;6(4):51.
51. King'ori T. (2024). Harnessing Digital Health Technologies for Improved Healthcare Delivery and Disease Surveillance in Low-Resource Settings. *Global Perspectives in Health, Medicine, and Nursing*, 3(1), 1–10.
52. Kocaoglu B. Enterprise Applications in Logistics (Data Processing). *Logistics Information Systems: Digital Transformation and Supply Chain Applications in the 4.0 Era*. Cham: Springer Nature Switzerland; 2024. pp. 121–80.
53. Kpenou S, Chaisse MJ, Jacob MP, Mbengue MM, Tignino MM, Tomkiewicz MV. (2021). Le statut juridique de l'eau à l'épreuve du droit international économique (Doctoral dissertation, Université de Genève).
54. Kumar L, Kumari R, Kumar A, Tunio IA, Sassanelli C. Water quality assessment and monitoring in Pakistan: A comprehensive review. *Sustainability*. 2023;15(7):6246.
55. Kumbo LI, Mmari GA. Optimising Service Delivery with Data Visualisation and Dashboards: Evidence from Tanzania Railway Corporation Standard Gauge Railway Ticketing. *ABUAD J Eng Res Dev (AJERD)*. 2025;8(3):241–55.
56. Kuponiyi A, Akomolafe OO. Digital transformation in public health surveillance: lessons from emerging economies. *International Journal of Advanced Multidisciplinary Research and Studies*; 2025.
57. Lall R. Making global governance accountable: Civil society, states, and the politics of reform. *Am J Polit Sci*. 2025;69(1):96–117.
58. Lemmens R, Lungo J, Georgiadou Y, Verplanke J. Monitoring Rural Water Points in Tanzania with Mobile Phones: The Evolution of the SEMA App. *ISPRS Int J Geo-Information*. 2017;6(10):316. <https://doi.org/10.3390/ijgi6100316>.
59. Ligombi NC, Kyando F, Mgeni MI. Analyzing Challenges and Opportunities of Local Donors for Scaling up Water Supply Solutions in the Rural Areas of Tanzania. *South Asian J Social Stud Econ*. 2025;22(1):53–65.
60. Lopez-Muñoz F, Soto-Bruna W, Baptiste BL, Leon-Pulido J. (2025). Evaluating Food Resilience Initiatives Through Urban Agriculture Models: A Critical Review. *Sustainability* (2071 – 1050), 17(7).
61. Majeed M, Umar A, Hussain Sumrra S, Fatima K, Afzaal M, Yasmin R, Ramzan M. Assessing Toxic Chemical Contamination in Drinking Water: Employing Large Language Models to Understand Urban Health Impacts for Sustainable Development. In *Large Language Models for Sustainable Urban Development*. Cham: Springer Nature Switzerland; 2025. pp. 111–38.
62. Malingumu AS. (2025). Financing Mega Infrastructure Projects in Developing Countries: A Case Study of Strategic Imperatives and Policy Recommendation to Tanzania (Doctoral dissertation, The Open University of Tanzania).
63. Malik N, Thakur DJ, Aradhya SGB, Sudheer P, Sharma M, Manjunath TC, Selvakumar P. Performance Optimization in Remote Monitoring. *Synergizing Data Envelopment Analysis and Machine Learning for Performance Optimization in Healthcare*. IGI Global Scientific Publishing; 2025. pp. 495–516.
64. Miccoli M, Poli A. Randomized trial on the effects of an EMDR intervention on traumatic and obsessive symptoms during the COVID-19 quarantine: a psychometric study. *Front Psychiatry*. 2024;15:1369216.
65. Miller T, Durlík I, Kostecka E, Kozłowska P, Łobodzińska A, Sokołowska S, Nowy A. Integrating artificial intelligence agents with the internet of things for enhanced environmental monitoring: applications in water quality and climate data. *Electronics*. 2025;14(4):696.
66. Mohanty A, Mohanty SK, Mohapatra AG. (2024). Real-Time Monitoring and Fault. *The AI Cleanse: Transforming Wastewater Treatment Through Artificial Intelligence: Harnessing Data-Driven Solutions*, 165.
67. Mugasha R, Kwiringira A, Ntono V, Nakiire L, Ayebazibwe I, Kyoziira C, Lamorde M. (2025). Scaling Up and Enhancing the Functionality of the Electronic Integrated Diseases Surveillance and Response System in Uganda, 2020–2022: Description of the Journey, Challenges, and Lessons Learned. *JMIR Public Health Surveillance*, 11(1), e59783.
68. Mukasa CH, Nankanja M, Walude M, Muzini M, Kagurusi P. User needs and design features of sanitation digital solutions in Kawempe division, Kampala Uganda: a user centered design approach. *Front Public Health*. 2023;11:1107604.
69. Mukherjee A, Senapati T, Ghosh A. Jal Jeevan Mission and role of smart technologies in achieving water security in rural India. *Computational Automation for Water Security*. Elsevier; 2025. pp. 363–86.
70. MWater. (2025) Uganda's RUMIS (Rural and Urban Management Information System). <https://www.mwater.co/blog/rumis> (Accessed 16-12-2025).

71. Nakibuuka J. (2024). Using DHIS2 to Link Climate, Air Quality, and Health Outcomes in Uganda: A Story of Innovation and Collaboration. <https://community.dhis2.org/t/using-dhis2-to-link-climate-air-quality-and-health-outcomes-in-uganda-a-story-of-innovation-and-collaboration/65180> (Accessed 16-12-2025).
72. Ndubuisi OG, FNisafetyE F. Integrated Water Resource Management in a Changing Climate. Assessing Adaptive Strategies, Technologies, and Policies for Resilient Water System; 2025.
73. Nicolas A. (2023). The Factors Affecting the Sustainability of Rural Water Supply Projects in Tanzania (Doctoral dissertation, Institute of Accountancy Arusha (IAA)).
74. Norzin T, Ghiasbeglou H, Patricio M, Romanova S, Zaghloul A, Tanguay F, Zhao L. Event-based surveillance: providing early warning for communicable disease threats. *Can Commun Dis Rep*. 2023;49(2–3):29.
75. Nyathi D, Mlambo VH, Ndlovu CN. Climate-Induced Water Stress and Gendered Vulnerabilities: An Exploration of Women's Adaptive Strategies in Urban Zimbabwe. *Sciences*. 2025;6(12):3376–92.
76. Nyika J, Dinka MO. Water challenges in rural and urban sub-Saharan Africa and their management. Cham: Springer; 2023.
77. Obi JN, Ojo E, Ujah CO. Decentralised Renewable Energy in Sub-Saharan Africa: A Critical Review of Pathways to Equitable and Sustainable Energy Transitions. *Unconventional Resources*; 2025. p. 100267.
78. Obunga PO, Rwanga SS, Dinka MO, Otieno BO. Review of the emerging technologies in the water sector with a focus on the deployment of Internet of Things solutions. *npj Clean Water*. 2025;8(1):53.
79. Ogundeko-Olugbami O, Ogundeko O, Lawan M, Foster E. Harnessing data for impact: Transforming public health interventions through evidence-based decision-making. *World J Adv Res Reviews*. 2025;25(1):2085–103.
80. Ogwu MC, Izah SC. Innovations in Disease Surveillance and Monitoring. *Technological Innovations for Managing Tropical Diseases*. Cham: Springer Nature Switzerland; 2025. pp. 83–108.
81. Okello C, Sithole S, Owuor MA. From grey literature to peer-reviewed evidence: bridging the monitoring gap of nature-based solutions for Kenya's water resources. *Front Environ Sci*. 2025;13:1702096.
82. Okesanya OJ, Eshun G, Ukoaka BM, Manirambona E, Olabode ON, Adesola RO, Chowdhury AA. Water, sanitation, and hygiene (WASH) practices in Africa: exploring the effects on public health and sustainable development plans. *Trop Med health*. 2024;52(1):68.
83. Omotayo AO, Olagunju KO, Omotoso AB, Oguniyi AI, Otekunrin OA, Daud AS. (2021) Clean water, sanitation and under-five children diarrhea incidence: Empirical evidence from the South Africa's General Household Survey. *Environmental Science and Pollution Research*. <https://doi.org/10.1007/s11356-021-15182-w>
84. Omweri FS. A systematic literature review of e-government implementation in developing countries: examining urban-rural disparities, institutional capacity, and socio-cultural factors in the context of local governance and progress towards SDG 16.6. *Int J Res Innov Social Sci*. 2024;8(8):1173–99.
85. Oyekanmi OE, Onwumere AA. Safety, Environmental Compliance, and Risk Management in Offshore Operations. *J Energy Technol Environ*. 2025;7(4):279–99.
86. Palma L, Hatam F, Di Nardo A, Prévost M. Contaminations in water distribution systems: a critical review of detection and response methods. *AQUA—Water Infrastructure Ecosyst Soc*. 2024;73(6):1285–302.
87. Patgar D, Satyanaik U, Ramakrishna UB. (2023). Smart water grids and infrastructure: Emerging technologies for real-time water quality monitoring. *World Journal of Advanced Research and Reviews*, 2023, 17(01), 1380–1386.
88. Phuyal S, Izykowski J, Bista D, Bista R. Internet of Things in power industry: current scenario of Nepal. *International Journal of Internet of Things and Web Services*; 2021. p. 6.
89. Qazi A, Simsekler MCE, Al-Mhdawi MKS. From prevention to response: A holistic exploration of factors shaping Global Health Security. *Progress Disaster Sci*. 2024;23:100344.
90. Raghav R, Tiwari KK, Kandwal P. Challenges and Opportunities in the Management of India's Water Resources. *Integrated Management of Water Resources in India: A Computational Approach. Optimizing for Sustainability and Planning*; 2024. pp. 81–101.
91. Rai S, Poduval DS, Anand U. (2024). An Effective Smart Water Quality Monitoring and Management System Using IoT and Machine Learning. *SN COMPUT. SCI*. 5, 846 (2024). <https://doi.org/10.1007/s42979-024-03208-2>

92. Sarmah T. (2024). IoT Based Biogas Management: Technoeconomic Analysis for Rural Assam (India) (Doctoral dissertation, Tezpur University).
93. Saranya S, Sudheer KP. (2025). Standardisation and evaluation of thermal and non-thermal processing of ripe jackfruit (Doctoral dissertation, Department of Processing & Food Engineering).
94. Sawyer WE, Ovuru KF, Etim NG, El-Liethy MA. Water Quality Management: Processes Influencing Waterborne Diseases and Sustainable Solutions. Innovative Approaches in Environmental Health Management: Processes, Technologies, and Strategies for a Sustainable Future. Cham: Springer Nature Switzerland; 2025. pp. 53–85.
95. Selim S, Ahmad B, Uddin MM. Guardians of the Depths: Managing Groundwater Contamination in Developing Countries. Water Crises and Sustainable Management in the Global South. Singapore: Springer Nature Singapore; 2024. pp. 595–623.
96. Simion Luduşanu DG, Fertu DI, Tinică G, Gavrilescu M. Integrated Quality and Environmental Management in Healthcare: Impacts, Implementation, and Future Directions Toward Sustainability. Sustainability. 2025;17(11):5156.
97. Singh A, Naik G. (2024). Rural drinking water supply program and societal development: Evidence from the early implementation phase of India's Jal Jeevan Mission. PLoS ONE, 19(11), e0312144.
98. Singh AP, Kumar J, Chauhan I, Saxena PK, Gaur PK, Sharma SK, Singh PK. Role of climate change in disasters occurrences: Forecasting and management options. Visualization Techniques for Climate Change with Machine Learning and Artificial Intelligence. Elsevier; 2023. pp. 149–80.
99. Thakur A, Devi P. A comprehensive review on water quality monitoring devices: materials advances, current status, and future perspective. Crit Rev Anal Chem. 2024;54(2):193–218.
100. UNICEF. (2022) Tanzania: Country WASH M&E Roadmap. <https://www.unicef.org/esa/media/11451/file/Tanzania%20SDG6+5%20WASH%20Sector%20Monitoring%20Deep%20Dive.pdf> (Accessed 16-12-2025).
101. n der Schyff A, Garbutt M. (2023). Water Quality Monitoring Systems for Sub-saharan Africa: Towards an Effectiveness Framework. In: Laouar, M.R., Balas, V.E., Lejdel, B., Eom, S., Boudia, M.A, editors 12th International Conference on Information Systems and Advanced Technologies ICISAT 2022. ICISAT 2022. Lecture Notes in Networks and Systems, vol 624. Springer, Cham. https://doi.org/10.1007/978-3-031-25344-7_22
102. van Oppenraaij J, Torkelson R, van Ginhoven D, Blokland M, Sweerts JP, Njoroge E. Tapping local capital markets for water and sanitation: The case of the Kenya pooled water fund. Financing Investment in Water Security. Elsevier; 2022. pp. 309–45.
103. Villacorte LO, Boerlage SF, Dixon M. Algal blooms and RO desalination. Seawater reverse osmosis desalination: assessment and pre-treatment of fouling and scaling. IWA Publishing. 2021. <https://doi.org/10.2166/9781780409863>.
104. Water East Africa. (2025) PRESS RELEASE Water Service Providers Record Improvement in Performance – WASREB Releases IMPACT 17 Report. WASREB 17th IMPACT Report 2023/2024 (Accessed 16-12-2025).
105. WHO. A roadmap for advancing sanitation regulation. World Health Organization; 2025.
106. WHO/UNICEF. Implementation of the water and sanitation for health facility improvement tool (WASH FIT): global report. World Health Organization. World Health Organization, & United Nations Children's Fund; 2025.
107. World Bank. (2025). Tanzania - Sustainable Rural Water Supply and Sanitation Program (English). Washington, D.C.: World Bank Group. (Accessed 17-12-2025) <http://documents.worldbank.org/curated/en/099550011232270537>
108. Wu J, Cao M, Tong D, Finkelstein Z, Hoek EM. A critical review of point-of-use drinking water treatment in the United States. NPJ Clean Water. 2021;4(1):40.
109. Zhang D, Zhang Y, Zhang G, Qian C. An exploratory architecture using data and knowledge to close the loop between design and Maintenance from a product quality perspective. Adv Eng Inform. 2023;56:101920.
110. Zhang L, Hou Y, Deng K, Xin J. Advancements Toward a Standard System for Intelligent Operation and Maintenance of Buildings and Municipal Facilities. Buildings. 2025;15(21):3965.

Figures




Figure 1

Digital Water Monitoring Systems as a Pathway to Disease Prevention.