Lab Assessment 2

Name: Shri Varsha S

Registration number: 23MIS0375

Course title: Agile Development Process and Devops Lab

Slot: L57+L58

Course code: ISWE406P

Faculty name: Dr. Ramalingam M

23rd Jan,2026 Lab

Experiment 1: Create a freestyle Project.

1) Create a new item select freestyle project



2) Go to configure and set these fields and click Save





3) Click on Build Now.



4) To check click on console output.



Experiment 2: Pipeline creation using 2 freestyle projects and build pipeline plugin

1) Create freestyle Job1



2)Set the fields and click save.





3)Click on Build now.



4)To check click on console output



5) Create freestyle Job2



6) Set fields and click on save







7) Click build now.





8) To connect Job1 and Job2 create a pipeline and click on save.



9) Pipelines created.



24th Jan,2026 Lab

Experiment 3: Create Pipelines (directly).

1) Create Job using pipeline.



2) Set the fields and click on save.



3) Click on build now.





4)To check click on console output.

Jenkins / pipeline_57 / #1 / Console Output

Status
Changes
Console Output
Edit Build Information
Delete build '#1'
Timings
Git Build Data
Pipeline Overview
Restart from Stage
Replay
Pipeline Steps
Workspaces

Console Output

```
Started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57
[Pipeline] {
[Pipeline] stage
[Pipeline] { (checkout code)
[Pipeline] checkout (hide)
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/kavyathatavarthi/exp1-cli.git
 > git.exe init C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57 # timeout=10
Fetching upstream changes from https://github.com/kavyathatavarthi/exp1-cli.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/kavyathatavarthi/exp1-cli.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe config remote.origin.url https://github.com/kavyathatavarthi/exp1-cli.git # timeout=10
 > git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision bd3053527391e7e26e0b635f6ad590a7ded4bd7e (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f bd3053527391e7e26e0b635f6ad590a7ded4bd7e # timeout=10
Commit message: "Update exp1.py"
first time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Run Command)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57>dir
 Volume in drive C is Windows
 Volume Serial Number is 368D-E1FD

 Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57

06-02-2026  17:32    <DIR>          .
06-02-2026  17:32    <DIR>          ..
06-02-2026  17:32                51 exp1.py
06-02-2026  17:32                34 exp2.py
               2 File(s)             85 bytes
               2 Dir(s)  385,107,062,784 bytes free
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Jenkins / pipeline_57 / #1 / Pipeline Overview

#1

Manually run by admin Started 1 min 12 sec ago Queued 2 ms Took 2 sec

Graph

Start — checkout code — Run Command — End

Search

checkout code 1.2s
Run Command 0.3s

Run Command 0.3s Started 1m 10s a

Windows Batch Script dir

```
0
1 C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57>dir
2  Volume in drive C is Windows
3  Volume Serial Number is 368D-E1FD
4
5  Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_57
6
7 06-02-2026  17:32    <DIR>          .
8 06-02-2026  17:32    <DIR>          ..
9 06-02-2026  17:32                51 exp1.py
10 06-02-2026  17:32                34 exp2.py
11               2 File(s)             85 bytes
12               2 Dir(s)  385,107,062,784 bytes free
```

06th, Jan 2026

Task 1:

1)Pipeline 1:

1)Create job using pipeline.



2) Set the fields and click on save.



3) Click on Build now.



4) To check click on console output.

Jenkins / pipeline1 / #2 / Console Output

Status
Changes
Console Output
Edit Build Information
Delete build '#2'
Timings
Git Build Data
Pipeline Overview
Restart from Stage
Replay
Pipeline Steps
Workspaces

Console Output

Download

```
Started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline1
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout Code)
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\pipeline1\.git # timeout=10
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/kavyathatavarthi/exp1-cli.git # timeout=10
Fetching upstream changes from https://github.com/kavyathatavarthi/exp1-cli.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/kavyathatavarthi/exp1-cli.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision bd3053527391e7e26e0b635f6ad590a7ded4bd7e (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f bd3053527391e7e26e0b635f6ad590a7ded4bd7e # timeout=10
 > git.exe branch -a -v --no-abbrev # timeout=10
 > git.exe checkout -b main bd3053527391e7e26e0b635f6ad590a7ded4bd7e # timeout=10
Commit message: "Update exp1.py"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Show Files)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline1>dir
 Volume in drive C is Windows
 Volume Serial Number is 368D-E1FD
```

Jenkins / pipeline1 / #2 / Pipeline Overview

#2

Manually run by admin | Started 41 min ago | Queued 2 ms | Took 1.8 sec

Graph

Start → Checkout Code → Show Files → End

Search

Checkout Code 1.0s
Show Files 0.31s

Show Files 0.31s Sta

Windows Batch Script dir

```
0
1 C:\ProgramData\Jenkins\.jenkins\workspace\pipeline1>dir
2  Volume in drive C is Windows
3  Volume Serial Number is 368D-E1FD
4
5  Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline1
6
7 06-02-2026  16:30    <DIR>          .
8 06-02-2026  16:30    <DIR>          ..
9 06-02-2026  16:30                51 exp1.py
10 06-02-2026  16:30                34 exp2.py
11               2 File(s)             85 bytes
12               2 Dir(s)  386,239,090,688 bytes free
```

2)Pipeline 2:

1)Create job using pipeline.



2)Set the fields and click on save.



3)Click on Build now.



5) To check click on console output.





3)Pipeline3:

1)Create job using pipeline.



2)Set fields and click on save.



3)Click on build now.



4)To check click on console output.

Jenkins / pipeline3 / #1 / Console Output

- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#1'
- Timings
- Git Build Data
- Pipeline Overview
- Restart from Stage
- Replay
- Pipeline Steps
- Workspaces

Console Output

```
Started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline3
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout Code)
[Pipeline] git
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/kavyathatavarthi/exp1-cli.git
 > git.exe init C:\ProgramData\Jenkins\.jenkins\workspace\pipeline3 # timeout=10
Fetching upstream changes from https://github.com/kavyathatavarthi/exp1-cli.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/kavyathatavarthi/exp1-cli.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe config remote.origin.url https://github.com/kavyathatavarthi/exp1-cli.git # timeout=10
 > git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision bd3053527391e7e26e0b635f6ad590a7ded4bd7e (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f bd3053527391e7e26e0b635f6ad590a7ded4bd7e # timeout=10
 > git.exe branch -a -v --no-abbrev # timeout=10
 > git.exe checkout -b main bd3053527391e7e26e0b635f6ad590a7ded4bd7e # timeout=10
Commit message: "Update exp1.py"
First time build. Skipping changelog.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Print Message)
[Pipeline] echo
Hello! Jenkins Pipeline executed successfully
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Jenkins / pipeline3 / #1 / Pipeline Overview

#1

Manually run by admin | Started 36 min ago | Queued 5 ms | Took 1.7 sec

Graph

Start → Checkout Code → Print Message → End

Search

- Checkout Code 1.2s
- Print Message 36ms

Print Message — 36ms — Started 36

Hello! Jenkins Pipeline executed successfully

```
Hello! Jenkins Pipeline executed successfully
```

4)Pipeline 4:

1)Create job using pipeline.



2)Set fields and click on save.



3)Click on build now.



4)To check click on console output.





5)Check demo.txt in file explorer.



database.t CREATE TA html import jav Untitled salary.java demo.txt

File Edit View

```
This file is created by Jenkins
```

5)Pipeline 5:

1)Create job using pipeline.



2)Set the fields.



3)Click on Build now.



4)To check click on console output.



Jenkins / pipeline5 / #1 / Pipeline Overview

#1

Manually run by admin Started 32 min ago Queued 2 ms Took 2 sec

Graph

Start — Checkout Code — Read File — End

Search

Checkout Code 1.2s

Read File 0.31s

Read File 0.31s Started 3

Windows Batch Script type exp1.py

```
0
1 C:\ProgramData\Jenkins\.jenkins\workspace\pipeline5>type exp1.py
2 print("Helloww worldd")
3 print("Version2 loaded")
```