

Implement Client Script & UI Policy (Incident)

ServiceNow | Incident Management

Team Details

Team ID	SWTID-2026-5016
Team Size	4
Team Leader	Sidhaarthan T
Team Member	Arivarasu R
Team Member	Ak Iraniyan
Team Member	Shri Visagan M V

Topic: Implement Client Script & UI Policy (Incident)

Project Overview

Problem Statement

Incident records require consistent and accurate data entry to support effective triage, routing and resolution. Relying only on user awareness and manual checks can lead to incomplete, inconsistent or incorrect data being submitted, which affects reporting accuracy, SLA compliance and overall service quality. To address this, conditional field behaviour and validation must be enforced directly at the user interface level. Standardized UI Policies and Client Scripts control field visibility, mandatory status and save-time validation, so that Incident records meet the defined business rules before they are submitted.

Objective

The objective of this project is to demonstrate how ServiceNow client-side controls can enforce data integrity on Incident records. The implementation shows how UI Policies and Client Scripts can dynamically make fields mandatory, auto-populate values, control field behaviour and prevent record submission when required conditions are not met. The solution ensures that Incidents are created with complete and valid information, improving data quality and consistency across the platform.

Skills

- Incident Management
- UI Policy
- UI Policy Actions
- Client Scripts
- Form Validation

Milestones

No.	Milestone	Page
1	Create UI Policy on Incident	3
2	Create UI Policy Action - Urgency	5
3	Create onChange Client Script	6
4	Create onSubmit Client Script (Save Validation)	7
5	Create onCellEdit Client Script	8
6	Testing the Configuration	9
7	Conclusion	13

Milestone 1: Create UI Policy on Incident

Activity 1: Create UI Policy

1. Log in to the ServiceNow instance with administrative or configuration access.
2. Navigate to **System UI > UI Policies**.
3. Click **New** to create a new UI Policy record.
4. Fill in the details: **Short description**: High Impact Control (the policy applies additional controls when an Incident has a high impact); **Table**: Incident; **Active**: true.
5. In the Conditions section set **Field**: Impact, **Operator**: is, **Value**: 1 - High, so that the policy triggers only when the Incident impact is High.
6. Set **Reverse if false** to true, so that field changes applied by the policy are reverted when the condition is not met.
7. Create a UI Policy Action on the field **Assignment group** and set **Mandatory** = **True** and **Read only** = **False**.
8. Review the configuration and click **Submit** to save the UI Policy.

Field	Value
Short description	High Impact Control
Table	Incident [incident]
Active	True
Condition	Impact is 1 - High
Reverse if false	True
Action field	Assignment group (Mandatory = True, Read only = False)

Output

The screenshot shows the ServiceNow interface for managing UI Policies. The left-hand navigation pane is open, showing the 'UI Policies' option under the 'System UI' category. The main content area displays a table of existing UI Policies. The table has columns for 'Short description', 'Table', 'Conditions', 'Reverse if false', 'On load', 'Updated', and 'Order'. Several policies are listed, including 'UI Policy to hide related feature flags when hidePagination set to true', 'Mark fields as mandatory without DB override', 'Always Hide Read-only Related List Field', 'Hide meta fields', 'Set Table column ReadOnly', 'Clear save signature before action execution value - when precondition is not Signature', and 'Content vs parameters'. A 'New' button is located in the top right corner of the table, indicating where to click to create a new policy.

The screenshot shows the 'UI Policy - High Impact Control' configuration page in ServiceNow. The left sidebar contains a navigation menu with categories like System Mobile, Mobile UI, Service Catalog, and System Diagnostics. The main content area is titled 'UI Policy - High Impact Control' and includes a 'View: Advanced' dropdown. The configuration details are as follows:

- Table:** Incident [incident] (highlighted with a red box)
- Application:** Global
- Active:** ☒
- Short description:** High Impact Control (highlighted with a red box)
- Order:** 100
- When to Apply:** Script
- Conditions:** Impact is 1 - High (highlighted with a red box)
- Global:** ☒
- Reverse if false:** ☒ (highlighted with a red box)
- On load:** ☒
- Inherit:** ☐

Below the conditions, there are two informational boxes: 'If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific' and 'Apply the UI policy actions when the form is loaded and when the user changes values on the form'. At the bottom, it states 'Reverse the effects of the UI policy actions when the Conditions evaluate to false' and 'Tables that extend the specified Table inherit this UI Policy'.

The screenshot shows the 'UI Policy Action - assignment_group' configuration page in ServiceNow. The left sidebar is the same as the previous screenshot. The main content area is titled 'UI Policy Action - assignment_group' and includes a 'View: Advanced' dropdown. The configuration details are as follows:

- UI policy:** High Impact Control
- Table:** Incident [incident]
- * Field name:** Assignment group (highlighted with a red box)
- Application:** Global
- Mandatory:** True (highlighted with a red box)
- Visible:** Leave alone
- Read only:** False (highlighted with a red box)
- Clear the field value:** ☐

At the bottom, there are 'Update' and 'Delete' buttons.

Milestone 2: Create UI Policy Action - Urgency

Activity 1: Configure the Urgency Field

1. Open the **High Impact Control** UI Policy created earlier and scroll to the **UI Policy Actions** related list.
2. Click **New** to create a UI Policy Action.
3. Set **Field name**: Urgency. This is the field to be controlled.
4. Set **Read only**: true, so the Urgency field becomes read-only whenever the condition (Impact = High) is met. Users can see the field but cannot change its value.
5. Leave **Visible** as is (do not change), so the field remains visible on the form.
6. Click **Submit**. The action is now linked to the High Impact Control UI Policy and applies automatically when an Incident has High Impact.

Optional Verification

- Open an Incident record and set Impact to High.
- Check that the Urgency field becomes read-only.
- Change Impact to a different value to confirm the field reverts.

Output

The screenshot shows the ServiceNow interface for configuring a UI Policy Action. The left sidebar displays the navigation menu with 'UI pol' selected. The main content area is titled 'UI Policy Action - urgency'. It shows the configuration for a UI policy named 'High Impact Control' applied to the 'Incident [incident]' table. The 'Field name' is set to 'Urgency'. The 'Read only' checkbox is checked, and the 'Visible' checkbox is unchecked. The 'Mandatory' checkbox is unchecked. The 'Application' is set to 'Global'. The 'Update' and 'Delete' buttons are visible at the bottom of the configuration area.

Field name	Value
Urgency	

Property	Value
Read only	True
Visible	Leave alone
Mandatory	Leave alone

Milestone 3: Create onChange Client Script

Activity 1: Create Client Script

1. Go to **System UI > Client Scripts** and click **New**.
2. **Name:** Auto set urgency for high impact; **Table:** Incident; **Type:** onChange; **Field name:** Impact; **Active:** true.
3. Paste the script given below in the script editor and click **Submit**.
4. Verify: open an Incident and change Impact to High. The Urgency field should update automatically.

Script

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == '') {
        return;
    }
    if (newValue == '1') { // High Impact
        g_form.setValue('urgency', '1');
        g_form.showFieldMsg('impact',
            'High impact incidents must have High urgency and an assignment group.',
            'info');
    }
}
```

Output

Name	Active	Table	Application	View	Type	Updated
Maximum Duration Range Check	true	Transaction Quota Rule [sysrule_quota]	Global		onChange	2012-05-30 14:47:01
Create default value	true	Response Template Channel [sys_template_mpt_channel]	Templated Shippets		onChange	2020-09-22 17:06:27
Show overlay field based on data labels	true	Widgets [sys_widgets]	Global		onChange	2021-04-23 02:59:51
Set protocol based on auth type	false	HTTP(S) Connection [http_connection]	Global		onChange	2017-06-02 15:49:24
Set default values for ODC PACE flow	true	OAuth ODC Entry [oauth_oauth_entry]	Global		onChange	2020-02-28 00:59:58
Make notification read only	true	Additional Notification Recipients [sys_notification_recipient]	Global		onload	2021-05-13 04:51:51
Deprecated - SN - Make serial number man	false	Asset [sys_asset]	Global		onChange	2025-03-06 00:42:54
Validate Stateful Name	true	MDK Kib Deployment Request [mdk_kib_deployment]	Global		onChange	2022-10-09 23:38:07
Set Use current record if delete	true	Action Item [sys_ag_write_back_action_item]	Global		onChange	2019-04-14 07:30:02
Warning when no destination type enabled	true	Notification [sys_notification]	Global		onload	2021-05-13 04:51:51
Sync Status Change Handler	true	Advanced Portal Navigation [sys_portal_accessible_navigation]	Employee Center		onChange	2024-12-23 03:29:15
Populate, hide/show relation core table	true	Finding Constraint [sys_finding_def_constraint]	Global		onChange	2022-09-12 07:27:29
Mark type read only	true	System Address Filters [sys_email_system_filter]	Global		onload	2020-02-17 02:09:09
Populate Process Definition	true	Activity [sys_act_activity]	Global		onload	2022-08-22 13:59:47
Populate downgrade from license	true	Software Upgrade and Downgrades [smdb_mdm_downgrade_model]	Global		onChange	2014-02-03 16:40:33
Set Activity Definition Variables	true	Workflow UI Policy Action [wf_ui_policy_action]	Global		onChange	2016-02-05 07:22:26
Set file name extn	true	Export Set [sys_export_set]	Global		onload	2017-05-23 16:49:28

New client scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "global_script_block_client_globals" to false.

Name: Auto set urgency for high impact
 Table: Incident
 UI Type: Desktop
 Type: onChange
 Field name: Impact

Description:

Messages:

Script

```
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue == '') {
3     return;
4   }
5   if (newValue == '1') { // High Impact
6     g_form.setValue('urgency', '1');
7     g_form.showFieldMsg('impact',
8       'High impact incidents must have High urgency and an assignment group.',
9       'info');
10  }
11 }
12
13
14
15
```

isolate script

Update Delete

Milestone 4: Create onSubmit Client Script (Save Validation)

Activity 1: Create Client Script

1. Go to **System UI > Client Scripts** and click **New**.
2. **Name:** Prevent save if Assigned To missing; **Table:** Incident; **Type:** onSubmit; **Active:** true.
3. Paste the script given below. It checks whether Assigned To is empty for a High impact Incident and prevents the save if it is.
4. Click **Submit**.
5. Verify: try saving an Incident (Impact = High) without Assigned To. The save is prevented and an error is displayed.

Script

```
function onSubmit() {  
    if (g_form.getValue('impact') == '1' &&  
        g_form.getValue('assigned_to') == '') {  
        g_form.showErrorBox(  
            'assigned_to',  
            'Assigned To is mandatory for High impact incidents.'  
        );  
        return false;  
    }  
    return true;  
}
```

Output

The screenshot shows the ServiceNow interface for creating a new Client Script. The left sidebar shows the navigation menu with 'Client Scripts' selected. The main area displays the configuration form for a Client Script named 'Prevent save if assigned to missing'. The form includes fields for Name, Table (Incident), UI Type (Desktop), and Type (onSubmit). The Script field contains the following code:

```
1 function onSubmit() {  
2     if (g_form.getValue('impact') == '1' &&  
3         g_form.getValue('assigned_to') == '') {  
4  
5         g_form.showErrorBox(  
6             'assigned_to',  
7             'Assigned To is mandatory for High Impact Incidents.'  
8         );  
9         return false;  
10    }  
11    return true;  
12 }  
13  
14
```

The 'Isolate script' checkbox is checked. The 'Update' and 'Delete' buttons are visible at the bottom.

Milestone 5: Create onCellEdit Client Script

Activity 1: Create Client Script

1. Go to **System UI > Client Scripts** and click **New**.
2. **Name:** Prevent state change via list edit; **Table:** Incident; **Type:** onCellEdit; **Field name:** State; **Active:** true.
3. Paste the script given below. It prevents users from changing the State field directly from the list view.
4. Click **Submit**.
5. Verify: open the Incident list and try to change State directly in the list. The change is blocked.

Script

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
  
    alert('State cannot be changed from the list. Please open the Incident.');  
    // Cancel the list edit  
    callback(false, oldValues);  
}
```

Output

The screenshot shows the ServiceNow interface for creating a new client script. The left sidebar shows the navigation menu with 'Client Scripts' selected. The main area displays the configuration form for a new client script named 'Prevent state change via list edit'. The form includes fields for Name, Table (Incident), UI Type (Desktop), Type (onCellEdit), and Field name (State). The 'Active' checkbox is checked. A red box highlights the Name, Table, Type, and Field name fields. Below these fields are sections for Description and Messages. At the bottom, there is a 'Script' section with a text area containing the provided JavaScript code. A red box highlights the script code. The 'Isolate script' checkbox is checked.

Client Script - Prevent state change via list edit

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name: Prevent state change via list edit
Table: Incident (Incident)
UI Type: Desktop
Type: onCellEdit
Field name: State

Application: Global
Active: ☒
Inherited: ☐
Global: ☒

Description:
Messages:

Script

```
1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
2  
3     alert('State cannot be changed from the list. Please open the Incident.');4  
5     // Cancel the list edit  
6     callback(false, oldValues);  
7 }  
8  
9
```



Isolate script: ☒

Milestone 6: Testing the Configuration

Activity 1: Test Mandatory Enforcement

1. Go to **Incident > Create New** to open a new Incident form.
2. Select **High** for the Impact field. This triggers the UI Policy and Client Script behaviours.
3. Leave **Assigned To** empty to test the onSubmit Client Script.
4. Click **Submit** to attempt to save the record.
5. Verify: the Incident is not saved, and an error message states that Assigned To is mandatory for High impact incidents.

Output



Activity 2: Test Successful Save

1. Open the Incident form and select a user in the **Assigned To** field.
2. Click **Submit**.

3. Verify: the Incident saves successfully. Urgency is auto-set (onChange) and Urgency is read-only (UI Policy Action).

Output

The screenshot shows the ServiceNow Incident form for 'INC0010012'. The form is in the 'Create' state. The 'Assigned to' field is highlighted with a red box, showing 'Beth Anglin'. The 'Submit' button is also highlighted with a red box. The form includes fields for Number, Caller, Category, Subcategory, Service, Service offering, Configuration item, Short description, Channel, State, Impact, Urgency, Priority, Assignment group, and Assigned to. The 'Urgency' field is set to '1 - High' and is read-only. The 'Impact' field is set to '1 - High' and is read-only. The 'Priority' field is set to '1 - Critical' and is read-only. The 'Assignment group' is set to 'Software'. The 'Assigned to' field is set to 'Beth Anglin'.

Activity 3: Reverse Condition Test

1. Go to **Incident > Open** and select an Incident where Impact is High.
2. Change **Impact** from High to Medium to test Reverse if false and the Client Script behaviour.
3. Verify: Assigned To is no longer mandatory and Urgency is editable again (read-only action reversed).
4. Save the record. It saves without errors.

Output

The screenshot shows the ServiceNow Incident form for 'INC0010012' in the 'Open' state. The 'Impact' field is highlighted with a red box, showing '2 - Medium'. The 'Urgency' field is highlighted with a red box, showing '1 - High'. The 'Assigned to' field is highlighted with a red box, showing 'Beth Anglin'. The form includes fields for Number, Caller, Category, Subcategory, Service, Service offering, Configuration item, Short description, Channel, State, Impact, Urgency, Priority, Assignment group, and Assigned to. The 'Urgency' field is now editable. The 'Impact' field is set to '2 - Medium'. The 'Priority' field is set to '2 - High'. The 'Assignment group' is set to 'Software'. The 'Assigned to' field is set to 'Beth Anglin'.

Activity 4: Test List Edit Blocking

1. Go to **Incident > All** to view Incident records in a list.
2. Double-click the **State** field of any Incident to edit it directly in the list.

3. Verify: an alert states the State cannot be changed from the list, and the State value remains unchanged.

Output

The screenshot shows the ServiceNow Incidents list view. The left sidebar has the 'Incident' filter selected. The table displays a list of incidents. The 'State' column for incident INC0008111 is highlighted with a red box, showing the value 'New'.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF: Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 14:05:48	admin
INC0008001	2021-01-15 13:04:14	ATF: TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	Plata Plata	3 -					2016-08-10	

The screenshot shows the ServiceNow Incidents list view with a modal alert. The alert message is "dev354432.service-now.com says State cannot be changed from the list. Please open the Incident." The 'In Progress' state is highlighted with a red box.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF: Test1	System Administrator	5 - Planning	In Progress	Inquiry / Help	(empty)	(empty)	2019-07-22 14:05:48	admin
INC0008001	2021-01-15 13:04:14	ATF: TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	Plata Plata	3 -					2016-08-10	

Activity 5: Test Form-Based Update

1. Open the same Incident record on the Incident form.
2. Change the **State** field to a new value (for example In Progress).
3. Click **Update** to save.
4. Verify: the State change is saved successfully, and other fields such as Assigned To and Urgency still follow the configured rules.

Output

servicenow All Incident INC0008111

Incident - INC0008111

Number INC0008111

* Caller System Administrator

Category Inquiry / Help

Subcategory -- None --

Service offering

Configuration item

* Short description ATF : Test1

Description

Country -- None --

States -- None --

Save

- Add to Visual Task Board
- Copy Incident
- Create Incident Task
- Create Outage
- Create Problem
- Create Request
- Create Child Incident
- Create Normal Change
- Create Standard Change
- Create Emergency Change
- Refresh Impacted Services
- Metrics Timeline
- Follow on Live Feed
- Analyze Access
- Configure
- Export
- View
- Create Favorite
- Copy URL
- Copy sys_id
- Show XML
- History
- Reload form

Channel -- None --

State In Progress

Impact 3 - Low

Urgency 3 - Low

Priority 5 - Planning

Assignment group

Assigned to

Notes Related Records Resolution Information

Watch list

Work notes list

Work notes

servicenow All Incidents

Incidents

All > Active = true

	Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
☐	INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantaz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
☐	INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
☐	INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
☐	INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
☐	INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
☒	INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	In Progress	Inquiry / Help	(empty)	(empty)	2026-01-14 03:31:59	admin
☐	INC0008001	2021-01-15 13:04:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
☐	INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
☐	INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspace	(empty)	2025-12-03 18:11:31	system
☐	INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
☐	INC0000000	2016-08-10	Unable to access team	David Miller	3 -	New	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

Conclusion

The Implement Client Script & UI Policy (Incident) micro project demonstrates how UI Policies and Client Scripts work together to enforce dynamic field behaviour, automate updates and prevent incorrect data submission on Incident forms. By using onChange, onSubmit and onCellEdit scripts alongside UI Policy actions, the project ensures that fields such as Assigned To and Urgency respond appropriately to changes in Impact, maintaining clean and consistent data.

This solution enforces mandatory fields and controls user interactions while remaining lightweight, efficient and easy to implement. It is well suited to short-duration micro projects and shows practical best practices for improving form usability and data integrity in ServiceNow.

Key Outcomes

- Assignment group becomes mandatory when Impact is High (UI Policy and Reverse if false).
- Urgency becomes read-only for High impact and is auto-set to High by the onChange script.
- Incidents with High impact cannot be saved without Assigned To (onSubmit).
- State cannot be changed through list editing (onCellEdit), only through the form.
- All behaviours were tested and produced the expected results.

Team ID	SWTID-2026-5016
Team Size	4
Team Leader	Sidhaarthan T
Members	Arivarasu R, Ak Iraniyan, Shri Visagan M V