

Abstract Class in Java

Read Discuss(40+) Practice

An abstract class in Java is one that is declared with the abstract keyword. It may have both abstract and non-abstract methods (methods with bodies). An abstract is a java modifier applicable for classes and methods in java but *not for Variables*. In this article, we will learn the use of abstract class in java.

What is Abstract class in Java?

Java abstract class is a class that can not be initiated by itself, it needs to be subclassed by another class to use its properties. An abstract class is declared using the "abstract" keyword in its class definition.

Illustration of Abstract class

```
abstract class Shape
{
    int color;
    // An abstract function
    abstract void draw();
}
```

In Java, the following some *important observations* about abstract classes are as follows:

- 1. An instance of an abstract class can not be created.
- 2. Constructors are allowed.

```
Sale Ends In 04:14:18 Java Arrays Java Strings Java OOPs Java Collection Java 8 Tutorial Java M
```

- 4. There can be a **final method** in abstract class but any abstract method in class(abstract class) can not be declared as final or in simpler terms final method can not be abstract itself as it will yield an error: "Illegal combination of modifiers: abstract and final"
- 5. We can define static methods in an abstract class
- 6. We can use the **abstract keyword** for declaring **top-level classes** (**Outer cl well as inner classes** as abstract



We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our <u>Cookie Policy</u> & <u>Privacy Policy</u>

Got It!

8. If the **Child class** is unable to provide implementation to all abstract methods of the **Parent class** then we should declare that **Child class as abstract** so that the next level Child class should provide implementation to the remaining abstract method

Example of Abstract Class in Java

Java

```
// Abstract class
abstract class Sunstar {
    abstract void printInfo();
}
// Abstraction performed using extends
class Employee extends Sunstar {
    void printInfo() {
        String name = "avinash";
        int age = 21;
        float salary = 222.2F;
        System.out.println(name);
        System.out.println(age);
        System.out.println(salary);
    }
}
// Base class
class Base {
    public static void main(String args[]) {
        Sunstar s = new Employee();
        s.printInfo();
    }
}
```

Output

```
avinash
21
222.2
```

Let us elaborate on these observations and do justify them with help of clean java programs as follows.

Properties of Abstract class

Observation 1

In Java, just like in C++ an instance of an abstract class cannot be created, we can have references to abstract class type though. It is as shown below via the clean java program.

Example

Java

```
// Java Program to Illustrate
// that an instance of Abstract
// Class can not be created
// Class 1
// Abstract class
abstract class Base {
    abstract void fun();
}
// Class 2
class Derived extends Base {
    void fun()
        System.out.println("Derived fun() called");
}
// Class 3
// Main class
class Main {
    // Main driver method
    public static void main(String args[])
    {
        // Uncommenting the following line will cause
        // compiler error as the line tries to create an
```

```
Base b = new Derived();
b.fun();
}
```

```
Derived fun() called
```

Observation 2

Like C++, an **abstract class** can contain **constructors** in Java. And a constructor of an abstract class is called when an instance of an inherited class is created. It is as shown in the program below as follows:

Example:

Java

```
// Java Program to Illustrate Abstract Class
// Can contain Constructors
// Class 1
// Abstract class
abstract class Base {
    // Constructor of class 1
   Base()
    {
        // Print statement
        System.out.println("Base Constructor Called");
    }
    // Abstract method inside class1
    abstract void fun();
}
// Class 2
class Derived extends Base {
    // Constructor of class2
   Derived()
        System.out.println("Derived Constructor Called");
    }
    // Method of class2
    void fun()
```

```
// Class 3
// Main class
class GFG {

    // Main driver method
    public static void main(String args[])
    {

         // Creating object of class 2
         // inside main() method
         Derived d = new Derived();
         d.fun();
     }
}
```

```
Base Constructor Called
Derived Constructor Called
Derived fun() called
```

Observation 3

In Java, we can have *an abstract class without any abstract method*. This allows us to *create classes that cannot be instantiated but can only be inherited*. It is as shown below as follows with help of a clean java program.

Example:

Java

```
// Java Program to illustrate Abstract class
// Without any abstract method

// Class 1
// An abstract class without any abstract method
abstract class Base {

    // Demo method. This is not an abstract method.
    void fun()
    {

        // Print message if class 1 function is called
        System.out.println("Function of Base class is called");
    }
}
```

```
// Class 3
class Main {

    // Main driver method
    public static void main(String args[])
    {

         // Creating object of class 2
         Derived d = new Derived();

         // Calling function defined in class 1 inside main()
         // with object of class 2 inside main() method
         d.fun();
    }
}
```

Function of Base class is called

Observation 4

Abstract classes can also have final methods (methods that cannot be overridden)

Example:

Java

```
// Java Program to Illustrate Abstract classes
// Can also have Final Methods

// Class 1
// Abstract class
abstract class Base {
    final void fun()
    {
        System.out.println("Base fun() called");
    }
}

// Class 2
class Derived extends Base {
}

// Class 3
```

```
Base fun() called
```

Observation 5

For any abstract java class we are not allowed to create an object i.e., for an abstract class instantiation is not possible.

Java

```
// Java Program to Illustrate Abstract Class
// Main class
// An abstract class
abstract class GFG {
    // Main driver method
    public static void main(String args[])
    {
        // Trying to create an object
        GFG gfg = new GFG();
    }
}
```

Output:

```
mayanksolanki@MacBook-Air Desktop % javac GFG.java

GFG.java:11: error: GFG is abstract; cannot be instantiated

GFG gfg = new GFG();

A

1 error

mayanksolanki@MacBook-Air Desktop %
```

Observation 6

Similar to the interface we can define static methods in an abstract class that can be called independently without an object.

Java

```
// Java Program to Illustrate
// Static Methods in Abstract
// Class Can be called Independently
// Class 1
// Abstract class
abstract class Helper {
    // Abstract method
    static void demofun()
        // Print statement
        System.out.println("Geeks for Geeks");
    }
}
// Class 2
// Main class extending Helper class
public class GFG extends Helper {
    // Main driver method
    public static void main(String[] args)
        // Calling method inside main()
```

Geeks for Geeks

Observation 7

We can use the **abstract keyword** for declaring top-level classes (Outer class) as well as inner classes as abstract

Java

```
import java.io.*;
abstract class B {
    // declaring inner class as abstract with abstract
    // method
    abstract class C {
        abstract void myAbstractMethod();
    }
}
class D extends B {
    class E extends C {
        // implementing the abstract method
        void myAbstractMethod()
        {
            System.out.println(
                "Inside abstract method implementation");
        }
    }
}
public class Main {
   public static void main(String args[])
    {
        // Instantiating the outer class
        D outer = new D();
        // Instantiating the inner class
        D.E inner = outer.new E();
        inner.myAbstractMethod();
    }
}
```

Output

Inside abstract method implementation

Observation 8

If a class contains at least one abstract method then compulsory that we should declare the class as abstract otherwise we will get a compile-time error ,If a class contains at least one abstract method then, implementation is not complete for that class, and hence it is not recommended to create an object so in order to restrict object creation for such partial classes we use abstract keyword.

Java

```
/*package whatever //do not write package name here */
import java.io.*;
// here if we remove the abstract
// keyword then we will get compile
// time error due to abstract method
abstract class Demo {
    abstract void m1();
}
class Child extends Demo {
   public void m1()
      System.out.print("Hello");
    }
}
class GFG {
    public static void main(String[] args)
        Child c = new Child();
        c.m1();
    }
}
```

Output

Hello

Observation 9

If the Child class is unable to provide implementation to all abstract methods of the

Child class should provide implementation to the remaining abstract method.

Java

```
// Java Program to demonstrate
// Observation
import java.io.*;
abstract class Demo {
    abstract void m1();
    abstract void m2();
    abstract void m3();
}
abstract class FirstChild extends Demo {
    public void m1() {
      System.out.println("Inside m1");
}
class SecondChild extends FirstChild {
    public void m2() {
      System.out.println("Inside m2");
    public void m3() {
      System.out.println("Inside m3");
}
class GFG {
    public static void main(String[] args)
        // if we remove the abstract keyword from FirstChild
        // Class and uncommented below obj creation for
        // FirstChild then it will throw
        // compile time error as did't override all the
        // abstract methods
        // FirstChild f=new FirstChild();
        // f.m1();
        SecondChild s = new SecondChild();
        s.m1();
        s.m2();
        s.m3();
}
```

Output

T....2.4. ...4

Inside m3

In C++, if a class has at least one <u>pure virtual function</u>, then the class becomes abstract. Unlike C++, in Java, a separate keyword abstract is used to make a class abstract.

Conclusion

Points to remember from this article are mentioned below:

- An abstract class is a class that can not be initiated by itself, it needs to be subclassed by another class to use its properties.
- An abstract class can be created using "abstract" keywords.
- We can have an abstract class without any abstract method.

FAQs of Abstract class

1. What is an abstract class in Java?

An abstract class in Java is a class that can not be initiated on its own but can be used as a subclass by another class.

2. What is the abstract class purpose?

The main purpose of the abstract class is to create a base class from which many other classes can be derived.

3. What is the main advantage of abstract class?

An abstract class provides the provides of data hiding in Java.


4. Why abstract class is faster than interface?

An abstract class is faster than an interface because the interface involves a search before calling any overridden method in Java whereas abstract class can be directly used.

Must-Read Topics:


- Difference between Abstract class and Interface in Java
- Difference between Abstract class and Abstract Methods
- Constructors in Java Abstract Class

Similar Reads






Difference between Abstract Class and Interface in Java





Java | Abstract Class and Interface | Question 1





Java | Abstract Class and Interface | Question 3



Can We Instantiate an Abstract Class in Java?



Constructor in Java Abstract Class



Implement Interface using Abstract Class in Java



abstract keyword in java

Related Tutorials



Java AWT Tutorial



Spring MVC Tutorial



Spring Tutorial



Spring Boot Tutorial



Java 8 Features - Complete Tutorial

Previous

Next

Article Contributed By:



GeeksforGeeks

Vote for difficulty

Current difficulty: Easy

Improved By: RAJAT BHATTA 1, gauravmoney26, rocknaga81, solankimayank, adityakumar129,

sagartomar9927, imkunal0306, kashishsoda, paritoshchaudhari, ankitshivaneas,

worldofsimpleprogrammers, kamleshjoshi18, ankur5oz5, laxmishinde5t82, dhanu7207

Article Tags: Java-Abstract Class and Interface, Java-Object Oriented, Java

Practice Tags: Java

Improve Article

Report Issue



A-143, 9th Floor, Sovereign Corporate Tower, Sector-136, Noida, Uttar Pradesh -201305

feedback@geeksforgeeks.org





Company Explore

About Us Job-A-Thon Hiring Challenge

Legal Hack-A-Thon

Careers GfG Weekly Contest

In Media Offline Classes (Delhi/NCR)

Contact Us DSA in JAVA/C++

Languages	DSA Concepts
-----------	--------------

Python Data Structures

Java Arrays

C++ Strings

PHP Linked List

GoLang Algorithms

SQL Searching

R Language Sorting

Android Tutorial Mathematical

Dynamic Programming

Web Development

DSA Roadmaps

DSA for Beginners HTML

Basic DSA Coding Problems CSS

Complete Roadmap To Learn DSA JavaScript

DSA for FrontEnd Developers Bootstrap

DSA with JavaScript ReactJS

Top 100 DSA Interview Problems AngularJS

All Cheat Sheets NodeJS

DSA Roadmap by Sandeep Jain Express.js

Lodash

Python

Computer Science

GATE CS Notes Python Programming Examples

Operating Systems Django Tutorial

Computer Network Python Projects

Database Management System Python Tkinter

Software Engineering OpenCV Python Tutorial

Digital Logic Design Python Interview Question

Engineering Maths

Data Science & ML DevOps

Data Science With Python Git

Data Science For Beginner AWS

Machine Learning Tutorial Docker

Pandas Tutorial Azure

NumPy Tutorial GCP

NLP Tutorial

Deep Learning Tutorial

Competitive Programming

Top DSA for CP

Top 50 Tree Problems

Top 50 Graph Problems

Top 50 Array Problems

Top 50 String Problems

Top 50 DP Problems

Top 15 Websites for CP

Interview Corner

Company Wise Preparation

Preparation for SDE

Experienced Interviews

Internship Interviews

Competitive Programming

Aptitude Preparation

Commerce

Accountancy

Business Studies

Economics

Management

Income Tax

Finance

Statistics for Economics

SSC/ BANKING

SSC CGL Syllabus

SBI PO Syllabus

SBI Clerk Syllabus

IBPS PO Syllabus

System Design

What is System Design

Monolithic and Distributed SD

Scalability in SD

Databases in SD

High Level Design or HLD

Low Level Design or LLD

Top SD Interview Questions

GfG School

CBSE Notes for Class 8

CBSE Notes for Class 9

CBSE Notes for Class 10

CBSE Notes for Class 11

CBSE Notes for Class 12

English Grammar

UPSC

Polity Notes

Geography Notes

History Notes

Science and Technology Notes

Economics Notes

Important Topics in Ethics

UPSC Previous Year Papers

Write & Earn

Write an Article

Improve an Article

Pick Topics to Write

Write Interview Experience

Aptitude Questions

SSC CGL Practice Papers

@geeksforgeeks, Some rights reserved