

Dependency Injection is the main functionality provided by Spring IOC(Inversion of Control). The Spring-Core module is responsible for injecting dependencies through either Constructor or Setter methods. The design principle of Inversion of Control emphasizes keeping the Java classes independent of each other and the container frees them from object creation and maintenance. These classes, managed by Spring, must adhere to the standard definition of Java-Bean. Dependency Injection in Spring also ensures loose coupling between the classes.

Need for Dependency Injection

Suppose class One needs the object of class Two to instantiate or operate a method, then class One is said to be dependent on class Two. Now though it might appear okay to depend on a module on the other but in the real world, this could lead to a lot of problems, including system failure. Hence such dependencies need to be avoided. Spring IOC resolves such dependencies with <u>Dependency Injection</u>, which makes the code easier to test and reuse. Loose coupling between classes can be possible by defining interfaces for common functionality and the injector will instantiate the objects of required implementation. The task of instantiating objects is done by the container according to the configurations specified by the developer.

Types of Spring Dependency Injection

There are two types of Spring Dependency Injection. They are:

- Setter Dependency Injection (SDI): This is the simpler of the two DI methods. In this, the DI will be injected with the help of setter and/or getter methods. Now to set the DI as SDI in the bean, it is done through the bean-configuration file For this, the property to be set with the SDI is declared under the property> tag in the bean-config file
- Constructor Dependency Injection (CDI): In this, the DI will be injected with the

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our <u>Cookie Policy</u> & <u>Privacy Policy</u>

Got It!

configuration file For this, the property to be set with the CDI is declared under the <constructor-arg> tag in the bean-config file.

Dependency Injection by Setter Method with Example

Setter injection is a dependency injection in which the spring framework injects the dependency object using the setter method. The call first goes to no argument constructor and then to the setter method. It does not create any new bean instance. Let's see an example to inject dependency by the setter method.

- 1. Employee.java (POJO class)
- 2. config.xml
- 3. Main.java
- 1. Employee.java file

Java

```
package com.spring;

public class Student {
    private String studentName;
    private String studentCourse;

    public String getStudentName()
    {
        return studentName;
    }

    public void setStudentName(String studentName)
    {
}
```

2. Config.xml file

XML

```
<?xml version="1.0" encoding="UTF-8"?>
<beans
 xmlns="http://www.springframework.org/schema/beans"
 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns:context="http://www.springframework.org/schema/context"
 xsi:schemaLocation="<a href="http://www.springframework.org/schema/beans">http://www.springframework.org/schema/beans</a>
                        https://www.springframework.org/schema/beans/spring-beans.xsd
                       http://www.springframework.org/schema/context
                        http://www.springframework.org/schema/context/spring-context.xsd'
     <bean class="com.springframework.Student" name="stud">
       roperty name="studentName">
                <value> John </value>
       property/>
       roperty name="studentCourse">
                <value> Spring Framework </value>
           cproperty/>
    </bean>
</beans>
```

3. Main.java file

lava

```
import java.io.*;
import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationCotenxt;

public class GFG {
    public static void main(String[] args)
    {
        ApplicationContext context = new ClassPathXmlApplicationCotenxt("config.xml");
        Student student= (Student)context.getBean("stud");
        System.out.println(student);
    }
}
```


Output:

```
Student{ studentName= John , studentCourse= Spring Framework }
```

Last Updated: 19 Nov, 2021

7

Similar Reads



Related Tutorials





Previous Next

Article Contributed By:

kk00

K

Easy

kk00

Follow

Vote for difficulty

Medium Normal

Hard

Expert

Java-Spring, Picked, Java Article Tags:

Improve Article

Report Issue



A-143, 9th Floor, Sovereign Corporate Tower, Sector-136, Noida, Uttar Pradesh -201305

feedback@geeksforgeeks.org





Company Explore

About Us Job-A-Thon Hiring Challenge

Legal Hack-A-Thon

Careers GfG Weekly Contest

In Media Offline Classes (Delhi/NCR)

Contact Us DSA in JAVA/C++

Advertise with us Master System Design

Master CP

Languages DSA Concepts

Python Data Structures

Java Arrays

C++ Strings

PHP Linked List

GoLang Algorithms

SQL Searching

R Language Sorting

Android Tutorial Mathematical

Dynamic Programming

DSA Roadmaps Web Development

DSA for Beginners HTML

Basic DSA Coding Problems CSS

Complete Roadmap To Learn DSA JavaScript

DSA for FrontEnd Developers Bootstrap

DSA with JavaScript ReactJS

Top 100 DSA Interview Problems AngularJS

All Cheat Sheets NodeJS

DSA Roadmap by Sandeep Jain Express.js

Lodash

Computer Science Python

Computer Network Python Projects

Database Management System Python Tkinter

Software Engineering OpenCV Python Tutorial

Digital Logic Design Python Interview Question

Engineering Maths

Data Science & ML DevOps

Data Science With Python Git

Data Science For Beginner AWS

Machine Learning Tutorial Docker

Maths For Machine Learning Kubernetes

Pandas Tutorial Azure

NumPy Tutorial GCP

NLP Tutorial

Deep Learning Tutorial

Competitive Programming System Design

Top DSA for CP What is System Design

Top 50 Tree Problems Monolithic and Distributed SD

Top 50 Graph Problems Scalability in SD

Top 50 Array Problems Databases in SD

Top 50 String Problems High Level Design or HLD

Top 50 DP Problems Low Level Design or LLD

Top 15 Websites for CP Top SD Interview Questions

Interview Corner GfG School

Company Wise Preparation CBSE Notes for Class 8

Preparation for SDE CBSE Notes for Class 9

Experienced Interviews CBSE Notes for Class 10

Internship Interviews CBSE Notes for Class 11

Competitive Programming CBSE Notes for Class 12

Aptitude Preparation English Grammar

Commerce UPSC

Accountancy Polity Notes

Business Studies Geography Notes

Write & Earn

Management Science and Technology Notes

Income Tax Economics Notes

Finance Important Topics in Ethics

Statistics for Economics UPSC Previous Year Papers

SSC/ BANKING

SSC CGL Syllabus Write an Article

SBI PO Syllabus Improve an Article

SBI Clerk Syllabus Pick Topics to Write

IBPS PO Syllabus Write Interview Experience

IBPS Clerk Syllabus Internships

Aptitude Questions

SSC CGL Practice Papers

@geeksforgeeks, Some rights reserved