

# Lextract: A Python Pipeline for the Automated Extraction of Market Definitions

Shriyan S. Yamali <sup>1</sup>

<sup>1</sup> Independent Researcher, United States

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

## Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Open Journals](#) 

## Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

## License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

## Summary

Lextract is a Python pipeline that automatically extracts relevant market definitions from the European Commission's merger and antitrust decision PDFs. Relevant market definitions establish the scope of competition legislation and identify the specific set of products in an area ([Tsangaris, 2017](#)), which make them indispensable for economists, lawyers, and regulators when determining the effects of mergers and evaluating anticompetitive behavior ([Patakyová, 2020](#)). This pipeline has been designed for researchers and competition law experts who require a quick and accurate way to extract relevant market definitions from many cases at once. This level of accuracy is accomplished by using strict natural language processing and rule-based pattern recognition ([Breton et al., 2025](#); [Castano et al., 2024](#)) to identify market definitions while excluding all irrelevant information. By automating this process, Lextract enables merger and antitrust research at scale and contributes to more efficient competition policy analysis.

## Statement of need

Competition authorities routinely delineate relevant markets as a first step in merger and antitrust assessments. The definition of the relevant market establishes the market position of firms operating within it, therein making its establishment necessary for regulators and courts to control mergers and evaluate potential abuses of dominant positions; this makes defining the relevant market a predominant step in competition law analysis. For instance, in the 2025 case *United States v. Google LLC*, the outcome of the decision was impacted by how the relevant market was defined and whether or not Google and its services were found to hold a dominant position within that market ("[Antitrust — Sherman Act, Section 2](#)," 2025).

Furthermore, the Commission has published over 6,000 merger and antitrust decisions ([Bernhardt & Dewenter, 2024](#)) and continues to add 280 more annually ([Affeldt et al., 2021](#)), each structured and formatted idiosyncratically, with inconsistent placement of definitions and headings that vary in language. As a result, deterministic approaches such as regex are brittle and ineffective ([Wang et al., 2020](#)) for extracting market definitions, while manual extraction is slow and irreproducible at scale. This pipeline rectifies this issue by providing a simple, open source way to extract market definitions that does not require manual guidance nor rely upon inaccurate pattern-matching techniques.

## State of the field

Despite its significance, only one commercial product addressing the need to quickly access relevant market definitions exists: LexisNexis's [Caselex Market Definitions Module](#). As shown in Table 1, Caselex differs fundamentally from Lextract across many aspects pertinent to academic research. While Caselex offers broad multilingual coverage across 63 competition authorities and benefits from human editorial review, it suffers from being proprietary, immutable, and

inaccessible to many academics. Its contents are fixed and cannot be updated, extended, or reproduced by users. These constraints make it poorly suited to empirical research, where reproducibility, programmatic access, and the ability to extend or adapt a dataset are essential (Chin et al., 2024). Lextract addresses each of these limitations directly; it is open source, outputs structured JSON, is fully reproducible, and can be adapted to process new decisions or retargeted to different LLM backends without restriction.

| Feature                | Lextract           | Caselex (LexisNexis) |
|------------------------|--------------------|----------------------|
| Cost                   | Free               | Paid subscription    |
| Access                 | Open source        | Proprietary          |
| Updateable by user     | Yes                | No                   |
| Output format          | Structured JSON    | Web interface only   |
| Programmatic access    | Yes                | No                   |
| Reproducible           | Yes                | No                   |
| Human editorial review | Yes (done by user) | Yes                  |

Table I: Comparison of Lextract and the Caselex Market Definitions Module

## Software design

The general workflow for extracting market definitions is split into three sections and five steps. The first section involves the scraping of data, which makes use of regex: 1. A script processes an Excel file downloaded from the [Commission's case search portal](#) and extracts the links of decision documents and corresponding metadata (i.e., case number, year, policy area), saved in a plain text file. 2. Another script processes this file, and, using the decision document links, scrapes the decision text and converts it into a text corpus with the metadata, repeating this step for each link, while also sorting the corpus based on its length, with a breakpoint at 80,000 characters. It is during this process that decision documents without market definitions, identified by certain phrases or a page length less than three, are excluded.

The second section is responsible for the semantic extraction of market definitions: 3. Google Gemini is used to identify and extract only the section of the text corpus that contains the market definition section. 4. Afterwards, the process becomes more granular, with Gemini again being used, only this time to identify and isolate each individual market definition within those sections. Each definition is then tagged with a topic and saved in a structured JSON file, where each object contains all elements of the aforementioned metadata, a topic, and the market definition.

The third and final section improves the presentation of the data: 5. Each separate JSON file is cleaned to remove extraneous characters and then aggregated into a single file, which can then be used for research and analysis. By structuring the workflow this way, each processed case is consistently analyzed, reducing variability and improving accuracy (Pastrana et al., 2025). It also allows Lextract's code to maintain a high level of accuracy, substantiated by its comprehensive test suite with 95% code coverage.




Figure 1: Workflow Diagram of the Pipeline

## Evaluation

To assess the quality of Lextract’s output, a pattern-based validity evaluation was conducted via a companion script included in the repository. Fifty market definitions were manually verified from source PDFs and compiled into a reference set, against whose structural and linguistic patterns every definition in the full output is scored. A definition is considered valid if it satisfies three independent checks: its length falls within the range observed in the reference set, it contains at least one legal phrase appearing in 15% or more of reference definitions, and it contains at least one structural marker typical of EC scope determinations (e.g., relevant market, left open, Commission considers, for the purposes of this decision). Vocabulary overlap was deliberately excluded, as the reference set covers only a narrow slice of industries while the full dataset spans dozens of sectors.

The JurisMercatus database, containing 4,105 definitions extracted from over 600 EC decisions, was used to test the pipeline’s efficacy. The pipeline achieved a validity rate of 76.6%, with the primary failure mode being the absence of a structural marker, accounting for 777 of the 962 invalid definitions. As shown in Figure 2, validity is broadly consistent across years, ranging from 68% to 86%, with a modest decline in 2024 that likely reflects a higher proportion of simplified procedure decisions. These results indicate that Lextract reliably produces structurally well-formed market definitions.




Figure 2: Validity Rates of the Pipeline

## Research impact statement

Lextract powers the database of [JurisMercatus](#), an open source search interface that allows users to semantically search for market definitions. JurisMercatus has been used by members of the antitrust community, including researchers, practitioners, and students, to locate and compare market definitions more efficiently than would be possible through manual review. The data was then applied to support ongoing studies.

## Limitations

It should be noted that this system, as with all systems, is not perfect and contains inaccuracies. First, with regards to step three, as a result of the previously mentioned fact that the heading used to identify the market definition section is inconsistently phrased, what constitutes a market definition is heuristically and arbitrarily defined, potentially leading to inaccuracies, especially when the language of decision texts deviates significantly from the expected pattern. Secondly, the quality and reliability of the extraction are limited to that of the input. In other words, should the input consist of missing pages or unconventional language, the model may be confused and output partial, hallucinated, or inaccurate results ([Valentin et al., 2024](#)). Additionally, though it is understood that decisions are adjudicated in many different languages, with the European Commission using multiple itself, to maintain accuracy, the pipeline excludes all decisions that are not provided in English, thereby limiting its application to other languages without at least a moderate amount of modification.

Lastly, while this pipeline makes use of Google Gemini, it is model-agnostic and, if properly refactored, could utilize any LLM. This includes commercially hosted models like OpenAI's or locally deployed ones such as LLaMA, Mistral, or DeepSeek. However, accuracy and consistency will vary significantly depending on model size and capabilities. Generally, smaller models, especially local ones without a sufficient context length or reasoning ability, will tend to hallucinate outputs, misidentify sections, or produce partial definitions ([Kalai et al., 2025](#)).

| Model Type                  | Accuracy | Context Length | Speed    | Cost     |
|-----------------------------|----------|----------------|----------|----------|
| Hosted L (eg. GPT-4o)       | High     | Very High      | Moderate | High     |
| Hosted S (eg. Gemini Flash) | Moderate | High           | Fast     | Moderate |
| Local L (eg. DeepSeek 67B)  | Moderate | Medium         | Slow     | Low      |
| Local S (eg. LLaMA 3-8B)    | Low      | Low            | Moderate | Low      |

Table II: Comparison of the relative capabilities (accuracy, context length, speed, cost) of different LLMs when extracting relevant market definitions. “L” = Large models (>30B parameters); “S” = Small models (<30B parameters).

## AI usage disclosure

Lextract uses Google Gemini 2.0 Flash at runtime to identify market-definition sections and extract individual definitions from decision text. Generative AI tools were used to assist with the development of this project to the extent of code refactoring and manuscript proofreading. The author reviewed, edited, and validated all AI-assisted outputs, made the substantive design decisions, and remains responsible for the accuracy and originality of the software and paper.

## Acknowledgements

I am grateful to Professor Thibault Schrepel of Stanford Law School for his invaluable advisement and guidance throughout the course of this project. This research received no funding from any government agency, university, company, or non-profit organization.

## Conflict of Interest

The author declares no conflict of interest.

## References

- Affeldt, P., Duso, T., & Szücs, F. (2021). 25 years of european merger control. *International Journal of Industrial Organization*, 76. <https://doi.org/10.1016/j.ijindorg.2021.102720>
- Antitrust — sherman act, section 2. (2025). *Harvard Law Review*, 138(3). <https://harvardlawreview.org/print/vol-138/united-states-v-google-llc>
- Bernhardt, L., & Dewenter, R. (2024). The impact of the more economic approach on EU merger decisions. *Stanford Computational Antitrust*. <https://law.stanford.edu/wp-content/uploads/2024/12/Bernhardt-Dewenter.pdf>
- Breton, J., Billami, M. M., Chevalier, M., Nguyen, H. T., Satoh, K., Trojahn, C., & Zin, M. M. (2025). Leveraging LLMs for legal terms extraction with limited annotated data. *Artificial Intelligence and Law*. <https://doi.org/10.1007/s10506-025-09448-8>
- Castano, S., Ferrara, A., Furiosi, E., Montanelli, S., Picascia, S., Riva, D., & Stefanetti, C. (2024). Enforcing legal information extraction through context-aware techniques: The ASKE approach. *Computer Law & Security Review*, 52, 105903. <https://doi.org/10.1016/j.clsr.2023.105903>
- Chin, J., Zeiler, K., Dilevski, N., Holcombe, A. O., Gatfield-Jeffries, R., Bishop, R., Vazire, S., & Schiavone, S. (2024). The transparency of quantitative empirical legal research published in highly ranked law journals (2018–2020): An observational study. *F1000Research*. <https://doi.org/10.12688/f1000research.127563.2>

- 147 Kalai, A. T., Nachum, O., Vempala, S. S., & Zhang, E. (2025). *Why language models*  
148 *hallucinate*. <https://arxiv.org/abs/2509.04664>
- 149 Pastrana, M., Ordoñez, H., Cobos-Lozada, C. A., & Muñoz, M. (2025). Best practices  
150 evidenced for software development based on DevOps and scrum: A literature review.  
151 *Applied Sciences*, 15(10). <https://doi.org/10.3390/app15105421>
- 152 Patakyová, M. T. (2020). Competition law in digital era – how to define the relevant  
153 market? *4th International Scientific Conference on Economics & Management*. <https://doi.org/10.31410/EMAN.2020.171>  
154
- 155 Tsangaris, P. (2017). Competition law enforcement. In *Capacity withdrawals in the electricity*  
156 *wholesale market: Between competition law and regulation* (pp. 37–103). Springer Nature  
157 Link. [https://doi.org/10.1007/978-3-662-55513-2\\_3](https://doi.org/10.1007/978-3-662-55513-2_3)
- 158 Valentin, S., Fu, J., Detommaso, G., Xu, S., Zappella, G., & Wang, B. (2024). *Cost-effective*  
159 *hallucination detection for LLMs*. [https://www.amazon.science/publications/cost-effective-](https://www.amazon.science/publications/cost-effective-hallucination-detection-for-llms)  
160 [hallucination-detection-for-llms](https://www.amazon.science/publications/cost-effective-hallucination-detection-for-llms)
- 161 Wang, P., Brown, C., Jennings, J. A., & Stolee, K. T. (2020). An empirical study on regular  
162 expression bugs. *Proceedings of the 17th International Conference on Mining Software*  
163 *Repositories*, 103–113. <https://doi.org/10.1145/3379597.3387464>

DRAFT