### **Python Lists**

INTRODUCTION TO PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp



### **Python Data Types**

- float real numbers
- int integer numbers
- str string, text
- bool True, False

```
height = 1.73
tall = True
```

• Each variable represents single value

#### **Problem**

- Data Science: many data points
- Height of entire family

```
height1 = 1.73
height2 = 1.68
height3 = 1.71
height4 = 1.89
```

Inconvenient

### **Python List**

```
• [a, b, c]
```

```
[1.73, 1.68, 1.71, 1.89]
```

```
[1.73, 1.68, 1.71, 1.89]
```

```
fam = [1.73, 1.68, 1.71, 1.89] fam
```

```
[1.73, 1.68, 1.71, 1.89]
```

- Name a collection of values
- Contain any type

REMEMBER

Contain different types

### **Python List**

• [a, b, c]

```
fam = ["liz", 1.73, "emma", 1.68, "mom", 1.71, "dad", 1.89]
fam
```

```
['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
```

```
[['liz', 1.73], ['emma', 1.68], ['mom', 1.71], ['dad', 1.89]]
```

### List type

```
type(fam)
```

#### list

type(fam2)

#### list

- Specific functionality
- Specific behavior

# Let's practice!

INTRODUCTION TO PYTHON



### **Subsetting Lists**

INTRODUCTION TO PYTHON



Hugo Bowne-Anderson

Data Scientist at DataCamp



### **Subsetting lists**

```
fam = ["liz", 1.73, "emma", 1.68, "mom", 1.71, "dad", 1.89]
fam

['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]

fam[3]
1.68
```



### **Subsetting lists**

```
['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
fam[6]
'dad'
fam[-1]
1.89
fam[7]
1.89
```



### **Subsetting lists**

```
['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
fam[6]
'dad'
fam[-1] # <-
1.89
fam[7] # <-
1.89
```



### List slicing

```
fam
['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
fam[3:5]
[1.68, 'mom']
fam[1:4]
[1.73, 'emma', 1.68]
                         [ start : end ] REMEMBER
                            inclusive
                                       exclusive
```



### List slicing

```
fam
['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
fam[:4]
['liz', 1.73, 'emma', 1.68]
fam[5:]
[1.71, 'dad', 1.89]
```



# Let's practice!

INTRODUCTION TO PYTHON



### **Manipulating Lists**

INTRODUCTION TO PYTHON



Hugo Bowne-Anderson
Data Scientist at DataCamp



### List Manipulation

Change list elements

**REMEMBER** 

- Add list elements
- Remove list elements



#### Changing list elements

```
fam = ["liz", 1.73, "emma", 1.68, "mom", 1.71, "dad", 1.89]
fam
 ['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.89]
fam[7] = 1.86
fam
 ['liz', 1.73, 'emma', 1.68, 'mom', 1.71, 'dad', 1.86]
fam[0:2] = ["lisa", 1.74]
fam
['lisa', 1.74, 'emma', 1.68, 'mom', 1.71, 'dad', 1.86]
```



### Adding and removing elements

```
fam + ["me", 1.79] REMEMBER

['lisa', 1.74, 'emma', 1.68, 'mom', 1.71, 'dad', 1.86, 'me', 1.79]

fam_ext = fam + ["me", 1.79]

del(fam[2]) REMEMBER
fam

['lisa', 1.74, 1.68, 'mom', 1.71, 'dad', 1.86]
```



### Behind the scenes (1) VVIMP




### Behind the scenes (1)

```
x = ["a", "b", "c"]
y = x
y[1] = "z"
y
```

```
['a', 'z', 'c']
```

X




### Behind the scenes (1)

```
x = ["a", "b", "c"]
y = x
y[1] = "z"
y
```

```
['a', 'z', 'c']
```

X




### Behind the scenes (1)


```
x = ["a", "b", "c"]
y = x
y[1] = "z"
y
```

```
['a', 'z', 'c']
```

X




### Behind the scenes (2)



### Behind the scenes (2)


```
x = ["a", "b", "c"]
y = list(x)
y = x[:] REMEMBER
```



### Behind the scenes (2)

```
x = ["a", "b", "c"]
y = list(x)
y = x[:]
y[1] = "z"
x
```

```
['a', 'b', 'c']
```



# Let's practice!

INTRODUCTION TO PYTHON

