

Name-Shruti Chintawar
Roll no-10

Exp no-1

aws

Services

N. ▾

voclabs/user3386928=2022.shruti.ch ▾

The memory and CPU of the EC2 instance that will be created for Cloud9 to run on.

☒ **t2.micro (1 GiB RAM + 1 vCPU)**
Free-tier eligible. Ideal for educational users and exploration.

☐ **t3.small (2 GiB RAM + 2 vCPU)**
Recommended for small web projects.

☐ **m5.large (8 GiB RAM + 2 vCPU)**
Recommended for production and most general-purpose development.

☐ **Additional instance types**
Explore additional instances to fit your need.

Platform [Info](#)

This will be installed on your EC2 instance. We recommend Amazon Linux 2023.

Amazon Linux 2023 ▾

Timeout

How long Cloud9 can be inactive (no user input) before auto-hibernating. This helps prevent unnecessary charges.

30 minutes ▾


Network settings [Info](#)

Connection

How your environment is accessed.

☐ **AWS Systems Manager (SSM)**
Accesses environment via SSM without opening inbound ports (no ingress).

☒ **Secure Shell (SSH)**
Accesses environment directly via SSH, opens inbound ports.



aws Services Search [Alt+S] N. Virginia voclabs/user3386928=2022.shruti.chi

User name

Shruti@123

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

☒ Provide user access to the AWS Management Console - *optional*

If you're providing console access to a person, it's a [best practice](#) to manage their access in IAM Identity Center.

Console password

☐ Autogenerated password

You can view the password after you create the user.

☒ Custom password

Enter a custom password for the user.

shrustibest

- Must be at least 8 characters long
- Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # \$ % ^ & * () _ + - (hyphen) = [] { } | ' "

☒ Show password

☒ Users must create a new password at next sign-in - Recommended

Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

i If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user. [Learn more](#)

