



Theoretical Document for DevOps Pipeline Process- Task-1

Step-1:

Load the folder or python script into repo. Here I have loaded my script which does the expected processing.




Step-2: Select the Version control system (VCS) to continue. In my case it is Azure Repo Git.




Step-3:

Select the respective repo at which the code, datasets are present. In my case it is present in Hexa-DevOps




Step-4:

Then select python package to configure the pipeline.




Step-5:

Ensure the YAML file configured properly



Step-6:

Once all configurations are set then click save and run



Step-7:

And then we can see the summary of the pipeline and it is scheduled to run with the configured agent.

The screenshot shows the Azure DevOps web interface. The left sidebar contains a navigation menu with items: Overview, Boards, Repos, Pipelines (selected), Pipelines (with a sub-menu icon), Environments, Library, Test Plans, and Artifacts. At the bottom of the sidebar is 'Project settings'. The main content area is titled 'Pipelines' and has tabs for 'Recent', 'All', and 'Runs'. A 'New pipeline' button is in the top right. Below the tabs is a 'Filter pipelines' input field. The 'Recently run pipelines' section displays a table with one entry:

Pipeline	Last run
Hexa-DevOps	#20250825.1 • Set up CI with Azure Pipelines Individual CI for master Just now <1s