Date: 09/09/2023

1.Given a list of numbers , print a new list that contain number divisible by 5

example : [5,15,3,2,1]
output : [5,15]

TimeComplexity : O(n)
SpaceComplexity : O(n)

```
def divisibleBy5(nums):
        if len(nums) == 0:
                return []
        res = []
        for n in nums:
                if n%5 == 0:
                        res.append(n)

        return res
```

Test Cases:
input : [5,15,3,2,1]
output : [5,15]

input : []
output : []

input : [0]
output : [0]

==========

2.Given an list of numbers, modify the list such that all 0 go to end of this list

example :
input : [1, 0, 2, 0, 3, 0, 5]
output : [1,2,3,5,0,0,0]

TC : O(n)
SC : O(1)

```
def moveZeroes(nums):
        i = 0
        for j in range(len(nums)):
                        if nums[j] != 0:
```

```
                    nums[i],nums[j]=nums[j],nums[i]
                    i += 1
        return nums
```

Test Cases:
TC 1:
input : [1,2,0,3,0,5]

TC 2:
input : []
return : []

TC3:
input : [1]
output: [1]

```
def moveZeroes(nums):
    i = 0
    j = 0
    while i < len(nums) and j < len(nums):
        while nums[i] != 0:
            i = i + 1
        j = i + 1
        while j < len(nums) and nums[j] == 0:
            j = j + 1
        if j < len(nums):
            nums[i],nums[j]=nums[j],nums[i]
            i = i + 1
            j = j + 1
    return nums
nums = [0,0,0,5,0]
print(moveZeroes(nums))
```

move zeroes with new list

```
def moveZeroes(nums):
    res = []
    for i in range(len(nums)):
        if nums[i] != 0:
            res.append(nums[i])
    return res + [0] * (len(nums)-len(res))
nums = [0,0,0,5,0,1,4]
```

```
print(moveZeroes(nums))
```