

EXP 6

QUESTIONS 16 / 48 completed

Pos-Neg

POS-NEG

Write a program to read in an integer and determine if it is positive, negative, or zero.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 int main(){
4     int a;
5     cout<<"enter the number :"<<endl;
6     cin>>a;
7
8     if (a>0)
9     {
10         cout<<"it is positive";
11     }
12     else if(a<0){
13         cout<<"it is negative";
14     }
15     else {
16         cout<<"it is zero";
17     }
18     return 0;
19 }
```

EXP 7

QUESTIONS 16 / 48 completed

Vow-Cons

VOW-CONS

Write a program to read in a character and determine if it is a vowel or a consonant.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 int main()
4 {
5     char ch;
6     cout<<"enter the word"<<endl;
7     cin>>ch;
8
9     if(ch=='a' || ch=='e' || ch=='i' || ch=='o' || ch=='u' || ch=='A' || ch=='E' || ch=='I')
10         cout<<"it is vowel";
11 }
12 else{
13     cout<<"it is consonant";
14 }
15 return 0;
16 }
```

EXP 8

QUESTIONS 16 / 48 completed

Greater

GREATER

Write a program to read in two integers and use the conditional operator to determine which number is greater.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 int main(){
4     int a=23,b=76,greater;
5     greater=(a>b)?a:b;
6     cout<<"the greatest number is:"<<greater;
7     return 0;
8 }
```

EXP 9

QUESTIONS 17 / 48 completed

Divisible

DIVISIBLE

Write a program to read in an integer and determine if it is divisible by 3 or not using the ternary conditional operator.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 int main(){
4     int a=13;
5     if(a%3==0){
6         cout<<"it isdivisibleby 3";
7     }
8     else{
9         cout<<"not divisible by 3";
10    }
11    return 0;
12 }
```

EXP 10

QUESTIONS 16 / 48 completed

Swap

SWAP

Write a program to read in two integers and swap their values using the bitwise XOR operator.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 int main(){
4     int a,b;
5     cout<<"enter 2 numbers:"<<endl;
6     cin>>a>>b;
7
8     a=a^b;
9     b=a^b;
10    a=a^b;
11
12    cout<<"after swapping:"<<endl;
13    cout<<"a"<<a<<endl;
14    cout<<"b"<<b;
15    return 0;
16
17 }
```