

1.

QUESTIONS 35 / 48 completed

RT-Pettern

## RT-PETTERN

Write a program to print the following pattern using nested for loops:

```
*  
**  
***  
****  
*****
```

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>  
2 using namespace std;  
3 int main(){  
4     int n=5;  
5     for(int i=1;i<=n;i++){  
6         for(int j=1;j<=i;j++){  
7             cout<<"*";  
8         }  
9         cout<<endl;  
10    }  
11    return 0;  
12 }
```

INPUT

5

2

QUESTIONS 35 / 48 completed

RT-Pattern

### RT-PETTERN

Write a program to print the following pattern using nested for loops:

```

1
22
333
4444
55555
  
```

PROGRAM EDITOR

C++

Run Save

```

1 #include <iostream>
2 using namespace std;
3 int main(){
4     int n=5;
5     for(int i=1;i<=n;i++){
6         for(int j=1;j<=i;j++){
7             cout<<i;
8         }
9         cout<<endl;
10    }
11    return 0;
12 }
  
```

INPUT

5

3.

QUESTIONS 35 / 48 completed

Diamond

### DIAMOND

Write a program to print the following pattern using nested for loops:

```

*
***
*****
*****
*****
***
*
  
```

PROGRAM EDITOR

C++

Run Save

```

1 #include <iostream>
2 using namespace std;
3 int main(){
4     int n=5;
5     for(int i=1;i<=n;i++){
6         for(int j=1;j<=n-i;j++){
7             cout<<" ";
8         }
9         for(int j=1;j<=2*i-1;j++){
10            cout<<"*";
11        }
12        cout<<endl;
13    }
14    for(int i=n-1;i>=1;i--){
15        for(int j=1;j<=n-i;j++){
16            cout<<" ";
17        }
18        for(int j=1;j<=2*i-1;j++){
19            cout<<"*";
20        }
21        cout<<endl;
  
```

INPUT

5

4.

QUESTIONS 35 / 48 completed

Pramid-Type1

PRAMID-TYPE1

Write a program to print the following pattern using nested for loops:

```

1
121
12321
1234321
123454321

```

PROGRAM EDITOR

C++

Run Save

```

1 #include <iostream>
2 using namespace std;
3 int main(){
4     int n=5;
5     for(int i=1;i<=n;i++){
6         for(int j=1;j<=n-i;j++){
7             cout<<" ";
8         }
9         for(int j=1;j<=i;j++){
10            cout<<j;
11        }
12        for(int j=i-1;j>=1;j--){
13            cout<<j;
14        }
15        cout<<endl;
16    }
17    return 0;
18 }

```

INPUT

5

5.

QUESTIONS 35 / 48 completed

Pramid-Type2

PRAMID-TYPE2

Write a program to print the following pattern using nested for loops:

```

1
232
34543
4567654
567898765

```

PROGRAM EDITOR

C++

Run Save

```

1 #include <iostream>
2 using namespace std;
3 int main(){
4     int n=5;
5     for(int i=1;i<=n;i++){
6         for(int j=1;j<=n-i;j++){
7             cout<<" ";
8         }
9         int val=i;
10        for(int j=1;j<=i;j++){
11            cout<<val++;
12        }
13        val-=2;
14        for(int j=1;j<=i;j++){
15            cout<<val--;
16        }
17        cout<<endl;
18    }
19    return 0;
20 }

```

INPUT

5