

## EXPERIMENT NO 11

### PROGRAM

```
<!DOCTYPE html>

<html>

<head>

    <title>Organized Web Page</title>

    <style>

        body {

            font-family: Arial, sans-serif;

            background-color: #f0f8ff;

            margin: 20px;

        }

        h1 {

            color: darkblue;

        }

        p {

            color: #333;

            line-height: 1.6;

        }

        ul {

            list-style-type: square;

            color: green;

        }
```

```
    img {  
        width: 200px;  
        height: auto;  
    }  
    </style>  
</head>  
<body>  
    <h1>Welcome to My Web Page</h1>  
    <p>This page is styled using internal CSS.</p>  
    <ul>  
        <li>HTML</li>  
        <li>CSS</li>  
        <li>JavaScript</li>  
    </ul>  
    
```

19

```
</body>
```

```
</html>
```

## OUTPUT

## Image Slider with Radio Buttons



### EXPERIMENT NO 12

#### PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Organized Web Page</title>
```

```
  <style>
```

```
    body {
```

```
    font-family: Arial, sans-serif;

    background-color: #f0f8ff;

    margin: 20px;

}

h1 {

    color: darkblue;

}

p {

    color: #333;

    line-height: 1.6;

}

ul {

    list-style-type: square;

    color: green;

}

img {

    width: 200px;

    height: auto;

}

</style>

</head>

<body>

    <h1>Welcome to My Web Page</h1>
```

```
<p>This page is styled using internal CSS.</p>
```

```
<ul>
```

```
<li>HTML</li>
```

```
<li>CSS</li>
```

```
<li>JavaScript</li>
```

```
</ul>
```

```

```

19

```
</body>
```

```
</html>
```

## OUTPUT

# Welcome to My Web Page

This page is styled using internal CSS.

- HTML
- CSS
- JavaScript

 Sample Image 19

## EXPERIMENT NO 13

### PROGRAM

```
<!DOCTYPE html>

<html>

<head>

  <title>Inline and Internal CSS</title>

  <style>

    h2 {

      color: green;

      text-align: center;

    }

    p {

      font-family: Verdana;

      color: #444;

    }

  </style>

</head>

<body>

  <h2>CSS Styling Example</h2>

  <p>This paragraph is styled with internal CSS.</p>

  <p style="color: blue; font-size: 18px;">This paragraph uses inline CSS.</p>

</body>

</html>
```

## OUTPUT

### CSS Styling Example

This paragraph is styled with internal CSS.

This paragraph uses inline CSS.

## EXPERIMENT NO 14

### PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Absolute Positioning</title>
```

```
    <style>
```

```
      .box1, .box2 {
```

```
        position: absolute;
```

```
        width: 200px;
```

```
        height: 200px;
```

```
    }

    .box1 {

        background-color: red;

        top: 50px;

        left: 50px;

    }

    .box2 {

        background-color: blue;

        top: 70px;

        left: 70px;

        opacity: 0.7;

    }

</style>

</head>

<body>

    <div class="box1"></div>


    <div class="box2"></div>

</body>

</html>
```

## OUTPUT





## EXPERIMENT NO 15

### PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Background Repeat</title>
```

```
  <style>
```

```
body {  
    background-image: url('https://via.placeholder.com/100');  
    background-repeat: repeat;  
}  
</style>  
</head>  
<body>  
    <h1>Repeating Background</h1>  
    <p>This page uses a repeating background image.</p>  
</body>  
</html>
```

## OUTPUT

# Repeating Background

This page uses a repeating background image.

