



SRF ID: 0606201473002

Aadhar Cardno: 3377 0729 6110

Lab No. : 1452105200003

Reg No. : 3711637

Patient Name : Miss. Muskan Bansal

Reg. Date : 22/Jan/2022 01:15PM

DOB/Sex : 18-JUN-1999 / Female

Sample Coll. Date : 22/Jan/2022 02:02PM

Barcode No : A1580737

Sample Rec. Date : 22/Jan/2022 02:02PM

Referred By : Self

Approved Date : 23/Jan/2023 02:22PM
: K L Diagnostic

Ref. Source :

Panel

Test Name

Observation Value

Unit

Bio. Ref. Interval

MOLECULAR MICROBIOLOGY

COVID-19 VIRUS QUALITATIVE PCR



Sample Type: *Nasopharyngeal / Oropharyngeal Swab*

COVID-19 Virus QUALITATIVE RT-PCR

Negative

Negative

INTERPRETATION:

RESULT	REMARKS
Positive	RNA Specific to SARS-CoV-2 Detected
Negative	RNA Specific to SARS-CoV-2 Not detected
Inconclusive	A repeat sample is required for confirmation

NOTE:

1. Internal Control, Negative Control & Positive Control are used in each assay.
2. Limit of detection of the assay is 100 RNA copies/reaction.
3. Negative result does not rule out the possibility of 2019-nCoV Infection. Presence of inhibitors, mutations & insufficient organism RNA can influence the result.
4. 2019-nCoV test is conducted on the kit approved by ICMR / CE-IVD / US-FDA.
5. Kindly consult referring Physician / Authorized hospital for appropriate follow up.
6. This is a qualitative test. The Ct values do not provide a measure of viral load due to inherent variability in sampling and kits. As per ICMR guidelines, it is not recommended to rely on numerical Ct values for determining infectiousness of COVID-19 patients and deciding patient management protocols.
https://www.icmr.gov.in/pdf/covid/techdoc/Advisory_on_correlation_of_COVID_severity_with_Ct_values.pdf