PRACTICAL NO. 9

AIM: Write HTML code for the following table :

S.No.	Particulars	No. of Items	Price
1.	Hard Disks	2	4000.00
2.	Monitors	3	15000.00
3.	CD ROM	2	1000.00
4.	DVD Writer	4	6000.00

SOURCE CODE:

```
<html>

<head>

        <title>EXP9</title>

</head>

<body>

<table border="1px" width="50%" height="30%" cellspacing="0">

<tr>

<td height="10" width="10%">S.NO.</td>

<td height="10" width="40%">Particular</td>

<td height="10" width="25%">No. of Items</td>

<td height="10" width="25%">Price</td>

</tr>

<tr>

<td>1</td>

<td>Hard disks</td>

<td>2</td>

<td>4000.00</td>
```

</tr>

<tr>

<td>2</td>

<td>Monitors</td>

<td>3</td>

<td>15000.00</td>

</tr>

<tr>

<td>3</td>

<td>CD ROM</td>

<td>2</td>

<td>1000.00</td>

</tr>

<tr>

<td>4</td>

<td>DVD Writer</td>

<td>4</td>

<td>6000.00</td>

</tr>

</table>

</body>

</html>

OUTPUT:

S.No	Particulars	no.of items	Price
1.	Hard disks	2	4000.oo
2.	Monitors	3	15000.oo
3.	CD ROM	2	1000.oo
4.	DVD Writer	4	6000.oo

PRACTICAL NO. 10

AIM: Create a table to show your class time-table.

SOURCE CODE:

```html
<html>

<head>

        <title>EXP 10</title>

</head>

<body>


<table border="1px" width="80%" height="60%" cellspacing="0">

<tr>

<th height="30" width="11.11%"></td>

<th height="30" width="11.11%" align="center">1</th>

<th height="30" width="11.11%" align="center">2</th>

<th height="30" width="11.11%" align="center">3</th>

<th height="30" width="11.11%" align="center">4</th>

<th height="30" width="11.11%" align="center">5</th>

<th height="30" width="11.11%" align="center">6</th>

<th height="30" width="11.11%" align="center">7</th>

<th height="30" width="11.11%" align="center">8</th>

</tr>

<tr>

        <th height="20" rowspan="2" align="center" style="font-size: 30px;">MO</th>

        <td bgcolor="purple" height="20" rowspan="2" align="center" style="font-size: 30px;">DELD</td>

        <td  bgcolor="purple" height="20" rowspan="1" align="center" colspan="1" style="font-size: 30px;">DELD</td>
```

21

```
<td bgcolor="pink" height="20"  align="center" rowspan="1" colspan="2" style="font-size: 30px;">CST LAB
</td>

			<td height="20" rowspan="2" colspan="1" align="center" style="font-size: 30px;"></td>

			<td bgcolor="darkpink" height="20" rowspan="2" colspan="1" align="center" style="font-size:
30px;">CST</td>

			<td bgcolor="green" height="20" rowspan="1" colspan="2" align="center" style="font-size:
30px;">OOP LAB </td>


</tr>

<tr>

	<td></td>

	<td bgcolor="green"  height="20" rowspan="1" align="center" colspan="2" style="font-size:
30px;">OOP LAB </td>

	<td bgcolor="pink" height="20" rowspan="1" align="center" colspan="2" style="font-size: 30px;">CST
LAB </td>


</tr>

<tr>

	<th height="20" rowspan="2" align="center" style="font-size: 30px;">TU</th>

	<td bgcolor="purple" height="20" rowspan="2" align="center" style="font-size: 30px;">DELD</td>

	<td bgcolor="orange" height="20" rowspan="2" align="center" style="font-size: 30px;">CN</td>

	<td bgcolor="green"  height="20" rowspan="1" align="center" colspan="2" style="font-size:
30px;">OOP LAB </td>

	<td height="20" rowspan="2" align="center" colspan="1" style="font-size: 30px;"></td>

	<td bgcolor="darkpink" height="20" rowspan="2" align="center" colspan="1" style="font-size:
30px;">CST</td>


	<td bgcolor="brown" height="20" rowspan="1" align="center" colspan="2" style="font-size:
30px;">CN LAB </td>
```

```
</tr>

<tr>

	<td bgcolor="purple" height="20" align="center" rowspan="1" colspan="2" style="font-size: 30px;">DELD </td>

	<td bgcolor="green" height="20" align="center" rowspan="1" colspan="2" style="font-size: 30px;">OOP </td>

</tr>


<tr>

	<th height="20" rowspan="2" style="font-size: 30px;">WE</th>

	<td bgcolor="purple" height="20" rowspan="1" align="center" colspan="2" style="font-size: 30px;">DELD</td>


	<td bgcolor="green"  height="20" rowspan="1" colspan="2" align="center" style="font-size: 30px;">OOP LAB </td>

	<td height="20" rowspan="2" colspan="1" align="center" style="font-size: 30px;"></td>

	<td height="20" rowspan="1" colspan="1" align="center" style="font-size: 30px;"></td>

	<td bgcolor="pink" height="20" rowspan="1" colspan="2" align="center" style="font-size: 30px;">CST LAB </td>

</tr>

<tr>

	<td bgcolor="pink" height="20" rowspan="1" colspan="2" align="center" style="font-size: 30px;">CST LAB </td>

	<td bgcolor="brown" height="20" rowspan="1" colspan="2" align="center" style="font-size: 30px;">CN LAB </td>

	<td bgcolor="purple" height="20" rowspan="1" colspan="1" align="center" style="font-size: 30px;"> DELD</td>

	<td bgcolor="green"  height="20" rowspan="1" colspan="2" align="center" style="font-size: 30px;">OOP LAB </td>
```

```
</tr>

<tr>

        <th height="20" rowspan="2" align="center" style="font-size: 30px;">TH</th>

        <td bgcolor="orange" height="20" rowspan="2" align="center" style="font-size: 30px;">CN</td>

        <td bgcolor="darkpink" height="20" rowspan="2" align="center" style="font-size: 30px;">CST</td>

        <td bgcolor="brown" height="20" rowspan="1" align="center" colspan="2" style="font-size:
30px;">CN LAB </td>

        <td height="20" rowspan="2" align="center" colspan="1" style="font-size: 30px;"></td>

        <td height="20" rowspan="2" align="center" colspan="1" style="font-size: 30px;"></td>


        <td bgcolor="green" height="20" rowspan="1" align="center" colspan="2" style="font-size:
30px;">OOP </td>

</tr>

<tr>

        <td bgcolor="green"  height="20" align="center" rowspan="1" colspan="2" style="font-size:
30px;">OOP LAB </td>

        <td bgcolor="pink" height="20" align="center" rowspan="1" colspan="2" style="font-size: 30px;">CST
LAB </td>

</tr>

<tr>

        <th height="20" rowspan="2" align="center" style="font-size: 30px;">FR</th>

        <td bgcolor="orange" height="20" rowspan="2" align="center" style="font-size: 30px;">CN</td>

        <td bgcolor="purple" height="20" rowspan="2" align="center" style="font-size: 30px;">DELD</td>

        <td bgcolor="pink" height="20" rowspan="1" align="center" colspan="2" style="font-size: 30px;">CST
LAB </td>

        <td height="20" rowspan="2" align="center" colspan="1" style="font-size: 30px;"></td>

        <td bgcolor="darkpink" height="20" rowspan="2" align="center" colspan="1" style="font-size:
30px;">CST</td>
```

<td bgcolor="green" height="20" rowspan="1" align="center" colspan="2" style="font-size: 30px;">OOP LAB </td>

</tr>

<tr>

<td bgcolor="green" height="20" align="center" rowspan="1" colspan="2" style="font-size: 30px;">OOP LAB </td>

<td bgcolor="brown" height="20" align="center" rowspan="1" colspan="2" style="font-size: 30px;">CN LAB </td>

</tr>

</table>

</body>

</html>

OUTPUT:

PRACTICAL NO. 11

AIM: Write HTML code the following form:

HTML Forms and Input
Form elements are elements that allow the user to enter information (like text fields, text area fields, drop-down menus, radio buttons, checkboxes, etc.) in a form
How it looks in a browser:-

First name:

Last name:

○ Male |
○ Female
I have a bike: ☐
I have a car: ☐
I have an airplane: ☐

Username: Submit

SOURCE CODE:

<html>

<head><title>EXP11</title></head>

<body>

HTML Forms and Input

Form elements are elements that allow the user to enter information (like text fields,text area fields, drop-down menus, radio button, checkboxes, etc.) in a form.

How it looks in a browser:-

<form name="f1" id="1" method="post">

First name:<input type="text" size="15" maxlength="10">

Last name:<input tpe="text" size="15" maxlength="8">

<input type="radio" name="gender" id="1"/>Male

```
<br>

<input type="radio" name="gender" id="2"/>Female

<br>

I have a bike:<input type="checkbox" name="" id=""/><br>

I have a car:<input type="checkbox" name="" id=""/><br>

I have a airplane:<input type="checkbox" name="" id=""/><br>

Username:<input type="text" size="15" maxlength="15"><input type="submit" value="submit">

</form>

</body>

</html>
```

OUTPUT:

PRACTICAL NO. 12

AIM: Write HTML code for the following frames:

SOURCE CODE:

<html>

<head><title>Experiment 12</title></head>

<frameset rows="*,*">

<frame src="f1.html"/>

<frameset cols="*,*,3*">

<frame src="f2.html"/>

<frame src="f3.html"/>

<frameset rows="4*,6*">

<frame src="f4.html">

<frame src="f5.html">

</frameset>

</frameset>

</frameset>

</html>

OUTPUT:

HTML FRAMES

| Frame no.1 | Frame no.2 | Frame no.3 |
| | | Frame no.4 |

PRACTICAL NO. 13

AIM: Write HTML code to display frame

In top-left corner insert an image. In top_right give a good caption to your page. In bottom_left provide various hyperlinks which should open in Bottom_right frame.

SOURCE CODE:

```
<html>

<head>

        <title>EXP13</title>

</head>

<frameset cols="85px,*" rows="85px,*" >

<frame src="chit.png">

<frame src="cap.html">

<frame src="link.html">

<frame name="1">

</frame>

</frame>
```

</frame>

</frame>

</frameset>

</html>

OUTPUT:

PRACTICAL NO. 14

AIM: Write a HTML code to create iframe. (Display a web page within a web page).

SOURCE CODE:

```
<html>

<head>

        <title>EXP14</title>

</head>

<body>

<iframesrc="exp5.html" height="200px" width="500px">

</iframe>

</body>

</html>
```

OUTPUT: