

Exploring Emotion Responses toward Pedestrian Crossing Actions for Designing In-vehicle Empathic Interfaces

Surjya Ghosh

BITS Pilani

Goa, India

surjya.ghosh@gmail.com

Gerard Pons Rodriguez

Centrum Wiskunde & Informatica

Amsterdam, The Netherlands

gerardponsr@gmail.com

Shruti Rao

Centrum Wiskunde & Informatica

Amsterdam, The Netherlands

shruti.rao@cwi.nl

Abdallah El Ali

Centrum Wiskunde & Informatica

Amsterdam, The Netherlands

aea@cwi.nl

Pablo Cesar

Centrum Wiskunde & Informatica

Delft University of Technology

Amsterdam, The Netherlands

p.s.cesar@cwi.nl

ABSTRACT

While affective non-verbal communication between pedestrians and drivers has been shown to improve on-road safety and driving experiences, it remains a challenge to design driver assistance systems that can automatically capture these affective cues. In this early work, we identify users' emotional self-report responses towards commonly occurring pedestrian actions while crossing a road. We conducted a crowd-sourced web-based survey ($N=91$), where respondents with prior driving experience viewed videos of 25 pedestrian interaction scenarios selected from the JAAD (Joint Attention for Autonomous Driving) dataset, and thereafter provided valence and arousal self-reports. We found participants' emotion self-reports (especially valence) are strongly influenced by actions including *hand waving*, *nodding*, *impolite hand gestures*, and inattentive pedestrian(s) crossing while *engaged with a phone*. Our findings provide a first step towards designing in-vehicle empathic interfaces that can assist in driver emotion regulation during on-road interactions, where the identified pedestrian actions serve as future driver emotion induction stimuli.

CCS CONCEPTS

- Human-centered computing → Human computer interaction (HCI).

KEYWORDS

empathic, emotion, in-vehicle interface, drivers, pedestrians, actions

ACM Reference Format:

Surjya Ghosh, Gerard Pons Rodriguez, Shruti Rao, Abdallah El Ali, and Pablo Cesar. 2022. Exploring Emotion Responses toward Pedestrian Crossing Actions for Designing In-vehicle Empathic Interfaces. In *CHI Conference on Human Factors in Computing Systems Extended Abstracts (CHI '22 Extended Abstracts)*, April 29-May 5, 2022, New Orleans, LA, USA. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/3491101.3519764>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI '22 Extended Abstracts, April 29-May 5, 2022, New Orleans, LA, USA

© 2022 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-9156-6/22/04.

<https://doi.org/10.1145/3491101.3519764>

1 INTRODUCTION

Advances in affective computing within the automotive domain have allowed for the design of empathic cars that can automatically infer drivers' emotions [13, 21, 29]. The primary motivation for the development of empathic cars arises from the need to improve road safety, given that drivers' emotional states can impact their driving behavior [4, 13, 21, 23, 29, 47]. While state-of-the-art focuses on environmental factors such as traffic and weather, prior work has shown that pedestrian non-verbal actions have an important yet relatively understated impact on drivers [3, 11, 14]. Therefore, there is a potential scope for enhancing vehicles with empathic interfaces that can automatically understand drivers' affective states and convey this information to drivers using emotion regulation techniques (e.g., ambient displays, bio-feedback) [4, 17, 24, 44]. Actively informing drivers' about their emotional states during driving scenarios such as pedestrian intersections can allow for drivers to regulate their emotions in a timely manner and reduce chances of driving errors that include improper control over the steering wheel and pedals, delayed reaction times, and tunnel vision [12].

For this study, we investigated the emotional responses of people with prior driving experience towards frequently occurring pedestrian actions. We conducted a web-based study ($N = 91$) involving respondents worldwide, who watched short video clips of urban driving scenarios and rated them for valence and arousal. A significant challenge in observing respondents' affective states is the selection of suitable pedestrian actions that can elicit an emotional response in a respondent [10, 25, 36]. Additionally, several pedestrians may be present at the crosswalk at any given point so identifying the relevant pedestrian impacting the respondent is also a non-trivial task [38]. For this early study, we narrow our scope to the JAAD (Joint Attention for Autonomous Driving) dataset, where we select videos with fewer pedestrians, and pre-determine a fixed set of pedestrian actions. As part of key findings, our study identified 10 videos showing 7 different pedestrian actions from the JAAD dataset that may be used as stimuli to induce driver affect. We demonstrate that respondents' valence ratings are more influenced by pedestrian actions. In particular, pedestrians *waving* and *nodding* positively influence respondents' emotion responses while *impolite hand gestures* or *engaging with phone* have a negative influence. Our findings provide a first step towards designing in-vehicle empathic interfaces that can automatically infer a driver's affective state as

part of an emotion recognition pipeline and thereby assist in driver emotion regulation during pedestrian interactions to improve on-road safety.

2 RELATED WORK

Prior work has shown that pedestrian non-verbal actions (e.g., body posture) play a key role in influencing driving behavior [11, 43]. Many studies investigated different aspects of pedestrian actions at crosswalks such as eye contact before crossing [10, 40, 45], including how often and when they typically occurred [5]. Pedestrian conditions like standing or walking before crossings were also studied [33, 41]. Researchers demonstrated that body language like hand, leg, and head movements are important cues of pedestrian actions [18, 40, 42] and often help drivers to yield [10, 36], thereby generating a positive or negative interaction [9, 16].

Several studies have been conducted to infer drivers' affective states using different modalities and settings. Driving simulators have been used to observe and measure physiological signals or acoustic responses elicited by drivers based on traffic and pedestrian interactions [15, 20]. Systematic reviews have identified a few *in-the-wild* studies that observe affective states of the driver [48]. Reiner et al. [2009] inferred arousal states of drivers using heart rate variability (HRV), electrocardiography (ECG) and global positioning system (GPS) data [37]. Bethge et al. [2021] developed a novel application to classify drivers' emotions based on contextual driving data and drivers' facial expressions. [1]. While the foregoing work has focused on identifying and classifying drivers' emotions using contextual factors such as traffic or environmental conditions, there has been less emphasis on driver-pedestrian interactions. This study explores the relationship between self-reported valence and arousal scores and the type of pedestrian actions respondents observed to aid in designing empathetic in-vehicle interfaces that can automatically infer driver affective states.

3 WEB-BASED SURVEY

3.1 Survey Design

We designed a web survey using videos from the publicly available and annotated JAAD dataset [33, 34]. This dataset comprises of 5-15 seconds long video clips of urban driving scenarios across different contexts (e.g. weather, time of day) from a driver's perspective. The dataset also contains 25 videos of pedestrians crossing and performing actions (e.g. *hand wave*, *nod*, *impolite-hand-gesture*) [8, 33], which were selected for the study.

Emotion ratings were based on the Circumplex model of emotion [39], where we look at valence and arousal. Respondents were asked to watch each video and report how pleased (or displeased) and excited (or calm) they would feel as a driver if they observed such an action from a pedestrian. Respondents rated their valence (pleasantness) and arousal (excitement) on a 5-point scale where 1 indicates low valence or arousal, and 5 indicates high valence or arousal [46]. A 5-point scale based on the Self Assessment Manikin (SAM) was used given its popularity in emotion measurement studies [2]. We analyzed the survey questions for reliability and obtained a Cronbach's alpha score of 0.82, and 0.53 for valence and arousal, respectively.

3.2 Study Procedure

The survey was launched on an online crowd-worker platform¹. Respondents watched the pre-selected pedestrian action videos and provided valence and arousal ratings. To ensure data quality, we (a) eliminated responses completed in less than 3 minutes, as this indicates that the respondent may not have seen all the videos, and (b) eliminated responses with identical valence and arousal ratings for all videos. This resulted in 91 valid respondent responses.

3.3 Study Respondents

The study recruited respondents with prior driving experience, who were awarded \$1 to fill an approximately 8 minutes long survey². From the 91 finalized respondents, 82.4% identified as male, and 17.6% as female. 18% were within 17 to 25 years of age, 58% were within 25 to 35 years, and around 25% were within 35 to 50 years of age. 71% drove at least once per week in the last six months prior to filling in the survey. Most respondents (50%) were located in Europe, followed by Asia (25.3%), Africa (16.5%), and North America (7.7%). Figure 1 summarizes the demographic details.




Figure 1: Distribution of survey participants: (a) gender-wise (b) age-wise (c) driving-frequency wise and (d) continent-wise

4 SURVEY FINDINGS

4.1 Influence of Pedestrian Actions on Emotion Self-Reports

To identify if an observed pedestrian action influenced respondents' emotion self-reports, we computed arithmetic and weighted average of valence and arousal ratings corresponding to each video. Weighted average was calculated as follows: $m_{wt} = \frac{\sum_{i=1}^5 i * n_i}{N}$, where i denotes the rating provided by the user, n_i indicates the number of users who provided the rating i , and N indicates the total number of users. Given that the arithmetic and weighted average values

¹<https://www.microworkers.com/>

²<https://forms.gle/VQrbwi2hwkeFof6X6>




Figure 2: Respondents' video-wise average valence and arousal scores reveals variation only in valence scores for different pedestrian actions.

were the same, we report the arithmetic average in Figures 2a and 2b respectively. We observe that while valence ratings for the videos vary, this is not so for arousal ratings. This demonstrates that pedestrian actions observed in the videos can influence respondents' emotion self-reports, particularly the valence component of emotion.

4.2 Selection of Emotion Eliciting Actions




Figure 3: Two positive actions (*handwave, nod*), and two non-positive actions (*impolite-hand-gesture, engage-with-phone*) based on the web-based survey ratings.

We identified the *top-5* and *bottom-5* videos based on the average valence score. Table 1 that identifies actions (seven in total) for corresponding JAAD video IDs, shows high agreement in respondent ratings for the *top-5* and *bottom-5* videos. Two *top-5* videos (video_0299, video_0165) were rated with very high (>4) valence scores of 4.03 and 4.00, while none of the *bottom-5* videos were rated for very low ($<=2$) valence scores. Thus, no video was perceived to be very negative. Figure 3 shows frames from the *top-2* (*handwave, nod*), and *bottom-2* videos (*impolite-hand-gesture, engage-with-phone*) respectively.

Figure 4 shows variation of valence ratings per video across respondent characteristics of gender and driving frequency. For all cases, the *top-5* videos (JAAD ID: video_0165, video_0299, video_0303, video_0135, video_0249) were rated with high valence, and the

Rank (JAAD Id)	Action	Average Valence	Participants (% rated <3)	Participants (% rated =3)	Participants (% rated >3)
1 (video_0299)	handwave	4.03	8.8	18.7	72.5
2 (video_0165)	nod	4.0	7.7	18.7	73.6
3 (video_0135)	Handwave	3.92	7.7	27.5	64.8
4 (video_0303)	nod	3.89	12.1	19.8	68.1
5 (video_0249)	eye_contact	3.88	13.2	22.0	64.8
21 (video_0054)	handwave	2.79	42.9	20.9	36.3
22 (video_0107)	hesitant_crossing	2.77	45.1	26.4	28.6
23 (video_0092)	running_in_the_middle	2.47	56.0	19.8	24.2
24 (video_0066)	impolite_hand_gesture	2.3	59.3	16.5	24.2
25 (video_0272)	engage_with_phone	2.13	64.8	16.5	18.7

Table 1: Ranking *top-5* and *bottom-5* videos based on average valence score for corresponding action. Participants had tendency to rate *top-5* videos with higher score (>3) while rating *bottom-5* videos with lower scores (<3).

Action	Average valence	Average arousal
handwave	3.58	3.12
nod	3.95	3.00
impolite_hand_gesture	2.30	3.32
engage_with_phone	2.13	3.15
running_in_the_middle	2.47	3.15
eye_contact	3.88	3.00
hesitant_crossing	2.77	3.01

Table 2: Participants' average valence and arousal scores for actions reveals greater variation for valence than arousal.

bottom-5 videos (JAAD ID: video_0272, video_0066, video_0092, video_0107, video_0054) were typically rated with low valence ratings. These indicate that the selected 10 videos (c.f., Table 1) may be used as stimuli to induce different emotions towards pedestrian actions. To investigate variance in valence ratings across gender in these videos, we performed an unpaired Mann-Whitney test, given that scores were not normally distributed in both cases. Since driving frequency is a relevant variable in automotive studies, we also grouped driving frequency into high (*every day, and every week*) versus low frequency (*every two weeks, every month, rarely, did not drive in the last 6 months* [30, 31]). However, we found no significant effect of gender ($U = 59104, p = 0.761$) or driving frequency ($U = 39, p = 0.215$) on valence scores for these videos.

4.2.1 Action-wise Valence and Arousal. We additionally examined average valence and arousal scores by actions (Table 2). We observe that average valence scores for actions like *handwave, nod*, and *eye contact* are perceived to be pleasant, while actions like *impolite-hand-gesture* and *engage-with-phone* are perceived as non-pleasant. Average arousal ratings however appear to be uniform across actions (neutral). We also compared the variation in valence and arousal scores based on action types by grouping them into two categories - *pos* and *non_pos*. Since no action was rated as very negative (cf., Table 1), we refer to these *bottom-5* actions as non-positive actions, rather than negative actions. The *pos* actions group comprises of *handwave, nod*, and *eye_contact*, while the *non_pos* group comprises of *impolite_hand_gesture, engage_with_phone, running_in_the_middle* and *hesitant_crossing*. Figures 5a, 5b show the comparison of the valence and arousal scores for these two groups.




Figure 4: Comparison of average valence scores for top-5 and bottom-5 ranked videos from participants grouped by (a) gender, and (b) driving frequency. All groups generally provided higher ratings for top-5 videos and lower ratings for bottom-5 videos.




Figure 5: Comparison of (a) valence scores and (b) arousal scores for pos, non_pos action types. A significant ($p < 0.001$) effect of action type is only observed for valence scores.

The median valence scores for pos and non_pos groups are 4 and 2 respectively. Mann-Whitney's U test was used to evaluate difference in the responses and showed a significant effect of action types ($U = 150812, Z = -13.549, p < 0.001, r = 0.45$). The median arousal score for both groups is 3, resulting in no significant effect of action type on arousal scores.

5 DISCUSSION

5.1 Implications

Identifying drivers' affective states during on-road interactions with pedestrians is important for ensuring overall driving and pedestrian on-road safety. This is especially given that positive, implicit communication between drivers and pedestrians has been known to influence driving behavior [5, 22, 43]. Our key findings first and foremost demonstrate that pedestrians' non-verbal actions influence respondents' emotions across different respondent groups. Moreover, we identified 10 videos with 7 pedestrian actions (waving, nodding, eye contact, hesitant crossing, running in the middle, impolite hand gesture, engaging with phone) from the JAAD dataset that may be used as stimuli to induce driver affect. Particularly, positive actions of *hand waving* and *nodding* induce pleasant self-reports, while non-positive actions such as *impolite hand gestures* or *engaging with phone* induce non-pleasant ones. These cues can later be automatically inferred and communicated to drivers as part of driving intervention strategies, making the driver emotionally cognizant during driver-pedestrian interactions leading to safer road environments.

We have also shown that self-reported valence scores vary more than arousal scores (Figure 2). This could be due to the lack of real-world driving context, or lack of extreme actions in the study (e.g., aggressive pedestrian behavior was not present in the JAAD dataset). Findings also demonstrate low reliability of arousal scores. This may be attributed to variability in understanding the arousal dimension. Studies have closely linked high arousal levels with road safety [7, 28], where watching short interaction videos in the survey may not present sufficient ecological validity to elicit real-world arousal responses.

5.2 Open Challenges and Future Work

There are several open challenges that emerged from this study, which we aim to consider for our future work. First, given that this work was limited to survey respondents and not real-world actions, it remains a challenge to ensure ecological validity for pedestrian crossing scenarios, while ensuring safety of both drivers and pedestrians. Therefore, in our future work we aim to explore a hybrid (real and virtual) simulator setup where real pedestrians can perform crossing interactions.

Second, there are different pedestrian interactions in real world scenarios that were not accounted for in this study (e.g., facial expressions, different hand actions) [25]. Instead, we identified a set of most frequently occurring actions as a starting point in identifying the effect of pedestrian actions on drivers' affective states [35]. Future work could therefore be designed to include a greater variety of pedestrian actions, facial expressions, and verbal remarks. Furthermore, certain videos in the study contained multiple pedestrians crossing at the same time, so identifying the relevant pedestrian impacting a respondent's affective state remains a challenge. Nevertheless, positive and non positive actions from pedestrians in the videos had an influence on participants' self-reported valence and arousal scores. Future work could isolate the impact of pedestrian actions on drivers' affective states by having only one pedestrian cross the road at a time.

Given that driving experience has been shown to impact driving behavior, analysis could be further enhanced by collecting users' driving experience and measuring its impact on self-reported scores [6, 19, 26]. Regardless, we collected demographic data and driving frequency which are also known socio-demographic factors that influence driving behavior [27, 30, 31]. We intend to conduct future work by collecting driving experience, and additional influential variables such as education level and geographical regions predominantly driven in [30, 31]. Finally, we do not account for cultural differences in non-verbal communication between pedestrians and drivers that may vary across countries [32]. For this survey, we only selected videos from the JAAD dataset, and while cultural differences may exist, we see a pattern in responding towards positive and non-positive actions. For future work, we intend to recruit participants from culturally similar regions.

Our work enables future research to better understand the impact of positive and non-positive actions enacted by pedestrians towards drivers. These driver affect inducing cues can then be automatically inferred as part of an in-vehicle emotion regulation pipeline to predict drivers' affective states and intervene, particularly in case of negative emotions. By being aware of their emotions, drivers can obtain the opportunity to regulate them and experience safer on-road driving. Together, our preliminary findings provide a first step towards designing in-vehicle empathic interfaces that can recognize and respond to such pedestrian actions.

REFERENCES

- [1] David Bethge, Thomas Kosch, Tobias Grosse-Puppendahl, Lewis L Chuang, Mohamed Kari, Alexander Jagaciak, and Albrecht Schmidt. 2021. VEmotion: Using Driving Context for Indirect Emotion Prediction in Real-Time. In *The 34th Annual ACM Symposium on User Interface Software and Technology*. ACM, New York United States, Virtual Event USA, 638–651.
- [2] Margaret M Bradley and Peter J Lang. 1994. Measuring emotion: the self-assessment manikin and the semantic differential. *Journal of behavior therapy and experimental psychiatry* 25, 1 (1994), 49–59.
- [3] Michael Braun, Jonas Schubert, Bastian Pfleging, and Florian Alt. 2019. Improving driver emotions with affective strategies. *Multimodal Technologies and Interaction* 3, 1 (2019), 21.
- [4] Michael Braun, Florian Weber, and Florian Alt. 2020. Affective Automotive User Interfaces—Reviewing the State of Emotion Regulation in the Car. *arXiv preprint arXiv:2003.13731* 54, 7 (2020), 23.
- [5] Debargha Dey and Jacques Terken. 2017. Pedestrian interaction with vehicles: roles of explicit and implicit communication. In *Proceedings of the 9th international conference on automotive user interfaces and interactive vehicular applications*. Association for Computing Machinery, Inc, New York, 109–113.
- [6] David W Eby. 1995. *An analysis of crash likelihood: age versus driving experience*. Technical Report. Transportation Research Institute.
- [7] Seyedeh Maryam Fakhrhosseini, Steven Landry, Yin Yin Tan, Saru Bhattachary, and Myounghoon Jeon. 2014. If you're angry, turn the music on: Music can mitigate anger effects on driving performance. In *Proceedings of the 6th International Conference on Automotive User Interfaces and Interactive Vehicular Applications*. Association for Computing Machinery, New York, NY, United States, Seattle WA USA, 1–7.
- [8] Lydia Gauerhof, Richard Hawkins, Chiara Picardi, Colin Paterson, Yuki Hagiwara, and Ibrahim Habli. 2020. Assuring the safety of machine learning for pedestrian detection at crossings. In *International Conference on Computer Safety, Reliability, and Security*. Springer, LNCS, Lisbon Portugal, 197–212.
- [9] Nicolas Gueguen, Chloé Eyssartier, and Sébastien Meineri. 2016. A pedestrian's smile and drivers' behavior: When a smile increases careful driving. *Journal of safety research* 56 (2016), 83–88.
- [10] Nicolas Guégan, Sébastien Meineri, and Chloé Eyssartier. 2015. A pedestrian's stare and drivers' stopping behavior: A field experiment at the pedestrian crossing. *Safety science* 75 (2015), 87–89.
- [11] Azra Habibovic. 2018. Communicating intent of automated vehicles to pedestrians. *Frontiers in psychology* 9 (2018), 1336.
- [12] GM Hancock, PA Hancock, and CM Janelle. 2012. The impact of emotions and predominant emotion regulation technique on driving performance. *Work* 41, Supplement 1 (2012), 3608–3611.
- [13] Myounghoon Jeon. 2015. Towards affect-integrated driving behaviour research. *Theoretical Issues in Ergonomics Science* 16, 6 (2015), 553–585.
- [14] Myounghoon Jeon. 2016. Don't cry while you're driving: Sad driving is as bad as angry driving. *International Journal of Human-Computer Interaction* 32, 10 (2016), 777–790.
- [15] Christian Martyn Jones and Ing-Marie Jonsson. 2005. Automatic recognition of affective cues in the speech of car drivers to allow appropriate responses. In *Proceedings of the 17th Australia conference on Computer-Human Interaction: Citizens Online: Considerations for Today and the Future*. ACM, Australia, 1–10.
- [16] Glen Klien, David D Woods, Jeffrey M Bradshaw, Robert R Hoffman, and Paul J Feltovich. 2004. Ten challenges for making automation a "team player" in joint human-agent activity. *IEEE Intelligent Systems* 19, 6 (2004), 91–95.
- [17] Kevin Koch, Varun Mishra, Shu Liu, Thomas Berger, Elgar Fleisch, David Kotz, and Felix Wortmann. 2021. When do drivers interact with in-vehicle well-being interventions? an exploratory analysis of a longitudinal study on public roads. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies* 5, 1 (2021), 1–30.
- [18] Julian Francisco Pieter Kooij, Nicolas Schneider, Fabian Flohr, and Dariu M Gavrila. 2014. Context-based pedestrian path prediction. In *European Conference on Computer Vision*. Springer, LNCS, Zurich, Switzerland, 618–633.
- [19] Tianjian Li, Ruobing Zhao, Yi Liu, Yueqing Li, and Guanlong Li. 2021. Evaluate the Effect of Age and Driving Experience on Driving Performance with Automated Vehicles. In *International Conference on Applied Human Factors and Ergonomics*. Springer, LNCS, New York, United States, 155–161.
- [20] Christine L. Lisetti and Fatma Nasoz. 2005. Affective Intelligent Car Interfaces with Emotion Recognition.
- [21] Shu Liu, Kevin Koch, Zimu Zhou, Simon Föll, Xiaoxi He, Tina Menke, Elgar Fleisch, and Felix Wortmann. 2021. The Empathetic Car: Exploring Emotion Inference via Driver Behaviour and Traffic Context. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies* 5, 3 (2021), 1–34.
- [22] Andreas Löcken, Carmen Golling, and Andreas Riener. 2019. How should automated vehicles interact with pedestrians? A comparative analysis of interaction concepts in virtual reality. In *Proceedings of the 11th International Conference on Automotive User Interfaces and Interactive Vehicular Applications*. Association for Computing MachineryNew York NYUnited States, Utrecht, Netherlands, 262–274.
- [23] Andreas Löcken, Klas Ihme, and Anirudh Unni. 2017. Towards designing affect-aware systems for mitigating the effects of in-vehicle frustration. In *Proceedings of the 9th international conference on automotive user interfaces and interactive vehicular applications adjunct*. Association for Computing Machinery New York NY United States, Oldenburg Germany, 88–93.
- [24] Andreas Löcken, Philipp Wintersberger, Anna-Katharina Frison, and Andreas Riener. 2019. Investigating user requirements for communication between automated vehicles and vulnerable road users. In *2019 IEEE intelligent vehicles symposium (IV)*. IEEE, IEEE, Paris, France, 879–884.
- [25] Karthik Mahadevan, Sowmya Somanath, and Ehud Sharlin. 2018. Communicating awareness and intent in autonomous vehicle-pedestrian interaction. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. ACM, Associated Computing Machinery New York NY United States, Montreal, Canada, 429.
- [26] Anne T McCartt, Daniel R Mayhew, Keli A Braitman, Susan A Ferguson, and Herbert M Simpson. 2009. Effects of age and experience on young driver crashes: review of recent literature. *Traffic injury prevention* 10, 3 (2009), 209–219.
- [27] G William Mercer. 1987. Influences on passenger vehicle casualty accident frequency and severity: Unemployment, driver gender, driver age, drinking driving and restraint device use. *Accident Analysis & Prevention* 19, 3 (1987), 231–236.
- [28] Sundá M Nesbit, Judith C Conger, and Anthony J Conger. 2007. A quantitative review of the relationship between anger and aggressive driving. *Aggression and Violent Behavior* 12, 2 (2007), 156–176.
- [29] Michael Oehl, Klas Ihme, Anna-Antonia Pape, Mathias Vukelić, and Michael Braun. 2020. Affective use cases for empathic vehicles in highly automated driving: results of an expert workshop. In *International Conference on Human-Computer Interaction*. Springer, ACM, Virtual, 89–100.
- [30] Evangelos Paschalidis, Charisma F Choudhury, and Stephane Hess. 2019. Combining driving simulator and physiological sensor data in a latent variable model to incorporate the effect of stress in car-following behaviour. *Analytic methods in accident research* 22 (2019), 100089.
- [31] Érika Martins Silva Ramos, Cecilia Jakobsson Bergstad, and Jonas Nässén. 2020. Understanding daily car use: Driving habits, motives, attitudes, and norms across trip purposes. *Transportation research part F: traffic psychology and behaviour* 68 (2020), 306–315.
- [32] Champika Ranasinghe, Kai Holländer, Rebecca Currano, David Sirkin, Dylan Moore, Stefan Schneegass, and Wendy Ju. 2020. Autonomous Vehicle-Pedestrian Interaction Across Cultures: Towards Designing Better External Human Machine Interfaces (eHMIs). In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, New York, NY, United States, Honolulu HI USA, 1–8.

- [33] Amir Rasouli, Iuliia Kotseruba, and John K Tsotsos. 2017. Agreeing to cross: How drivers and pedestrians communicate. In *2017 IEEE Intelligent Vehicles Symposium (IV)*. IEEE, IEEE, CA, USA, 264–269.
- [34] Amir Rasouli, Iuliia Kotseruba, and John K Tsotsos. 2017. Are they going to cross? A benchmark dataset and baseline for pedestrian crosswalk behavior. In *Proceedings of the IEEE International Conference on Computer Vision*. IEEE, CA, USA, 206–213.
- [35] Amir Rasouli and John K Tsotsos. 2018. Joint attention in driver-pedestrian interaction: from theory to practice. *arXiv preprint arXiv:1802.02522* abs/1802.02522, NA (2018), 111.
- [36] Zeheng Ren, Xiaobei Jiang, and Wuhong Wang. 2016. Analysis of the influence of pedestrians' eye contact on drivers' comfort boundary during the crossing conflict. *Procedia engineering* 137 (2016), 399–406.
- [37] Andreas Riener, Alois Ferscha, and Mohamed Aly. 2009. Heart on the road: HRV analysis for monitoring a driver's affective state. In *Proceedings of the 1st international conference on automotive user interfaces and interactive vehicular applications*. ACM, New York United States, Essen, Germany, 99–106.
- [38] Malte Risto, Colleen Emmenegger, Erik Vinkhuyzen, Melissa Cefkin, and Jim Hollan. 2017. Human-vehicle interfaces: The power of vehicle movement gestures in human road user coordination. In *Proceedings of the Ninth International Driving Symposium on Human Factors in Driver Assessment, Training, and Vehicle Design*. National Advanced Driving Simulator, Vermont, Iowa City, IA, 411–420.
- [39] James A Russell. 1980. A circumplex model of affect. *Journal of personality and social psychology* 39, 6 (1980), 1161.
- [40] Sarah Schmidt and Berthold Faerber. 2009. Pedestrians at the kerb—Recognising the action intentions of humans. *Transportation research part F: traffic psychology and behaviour* 12, 4 (2009), 300–310.
- [41] Friederike Schneemann and Irene Gohl. 2016. Analyzing driver-pedestrian interaction at crosswalks: A contribution to autonomous driving in urban environments. In *2016 IEEE intelligent vehicles symposium (IV)*. IEEE, IEEE, Gothenburg, Sweden, 38–43.
- [42] Andreas Th Schulz and Rainer Stiefelhagen. 2015. Pedestrian intention recognition using latent-dynamic conditional random fields. In *2015 IEEE Intelligent Vehicles Symposium (IV)*. IEEE, IEEE, Seoul, South Korea, 622–627.
- [43] Matus Sucha, Daniel Dostal, and Ralf Risser. 2017. Pedestrian-driver communication and decision strategies at marked crossings. *Accident Analysis & Prevention* 102 (2017), 41–50.
- [44] Himanshu Verma, Guillaume Pythoud, Grace Eden, Denis Lalanne, and Florian Evéquoz. 2019. Pedestrians and visual signs of intent: towards expressive autonomous passenger shuttles. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies* 3, 3 (2019), 1–31.
- [45] Tianjian Wang, Jianping Wu, Pengjun Zheng, and Mike McDonald. 2010. Study of pedestrians' gap acceptance behavior when they jaywalk outside crossing facilities. In *13th International IEEE Conference on Intelligent Transportation Systems*. IEEE, IEEE, Funchal, Portugal, 1295–1300.
- [46] Janette Warwick and Ted Nettelbeck. 2004. Emotional intelligence is...? *Personality and individual differences* 37, 5 (2004), 1091–1100.
- [47] Felix Wulf, Kathrin Zeeb, Maria Rimini-Döring, Marc Arnon, and Frank Gauterin. 2013. Effects of human-machine interaction mechanisms on situation awareness in partly automated driving. In *16th International IEEE Conference on Intelligent Transportation Systems (ITSC 2013)*. IEEE, IEEE, The Hague, Netherlands, 2012–2019.
- [48] Sebastian Zepf, Javier Hernandez, Alexander Schmitt, Wolfgang Minker, and Rosalind W Picard. 2020. Driver Emotion Recognition for Intelligent Vehicles: A Survey. *ACM Computing Surveys (CSUR)* 53, 3 (2020), 1–30.