Practical 4

Aim:
To develop a simple Shopping Cart Application using AngularJS that allows users to add products to a cart, view selected items, and calculate the total amount.

Procedure:

1. Create an HTML file.
2. Include AngularJS CDN.
3. Create an AngularJS module and controller.
4. Define product buttons.
5. Create a function to add products to the cart.
6. Display cart items using ng-repeat.
7. Calculate and display the total amount.
8. Run the application in a browser.

Concepts Used:

ng-app
Defines the AngularJS application.

ng-controller
Connects the controller with the HTML page.

ng-click
Calls a function when a button is clicked.
ng-repeat
Displays all items stored in the cart.
$scope.cart
Stores product objects in an array.
$scope.total
Stores the total amount of products added to the cart.

Code:

```
<!DOCTYPE html>
<html ng-app="cartApp">
```

```
<head>
   <title>AngularJS Cart Application</title>
   <script
src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.min.js"></script>
</head>

<body ng-controller="cartController">

   <h2>Shopping Cart Application</h2>

   <h3>Products</h3>

   <button ng-click="addToCart('Laptop',50000)">
      Laptop - ₹50000
   </button>

   <button ng-click="addToCart('Mobile',20000)">
      Mobile - ₹20000
   </button>

   <button ng-click="addToCart('Headphones',3000)">
      Headphones - ₹3000
   </button>

   <h3>Cart Items</h3>

   <ul>
      <li ng-repeat="item in cart">
         {{item.name}} - ₹{{item.price}}
      </li>
   </ul>

   <h3>Total Amount: ₹{{total}}</h3>

   <script>
      var app = angular.module("cartApp", []);

      app.controller("cartController", function ($scope) {

         $scope.cart = [];
```

```
        $scope.total = 0;

        $scope.addToCart = function (name, price) {

            $scope.cart.push({
                name: name,
                price: price
            });

            $scope.total += price;
        };

    });
  </script>

</body>
</html>
```