

Lab 1 Perform basic SQL commands like Create, Insert

Database Name: Branch_DIV_Rollno (Example: CSE_3A_101 or Bsc_Hons_101)

Note: Create all the tables under above database.

Create following tables and insert the data into tables using Query as shown below.

DEPOSIT	
Column_Name	DataType
ACTNO	INT
CNAME	VARCHAR(50)
BNAME	VARCHAR(50)
AMOUNT	DECIMAL(8,2)
ADATE	DATETIME

ACTNO	CNAME	BNAME	AMOUNT	ADATE
101	ANIL	VRCE	1000.00	1-3-95
102	SUNIL	AJNI	5000.00	4-1-96
103	MEHUL	KAROLBAGH	3500.00	17-11-95
104	MADHURI	CHANDI	1200.00	17-12-95
105	PRAMOD	M.G. ROAD	3000.00	27-3-96
106	SANDIP	ANDHERI	2000.00	31-3-96
107	SHIVANI	VIRAR	1000.00	5-9-95
108	KRANTI	NEHRU PLACE	5000.00	2-7-95
109	MINU	POWAI	7000.00	10-8-95

BRANCH	
Column_Name	DataType
BNAME	VARCHAR(50)
CITY	VARCHAR(50)

BNAME	CITY
VRCE	NAGPUR
AJNI	NAGPUR
KAROLBAGH	DELHI
CHANDI	DELHI
DHARAMPETH	NAGPUR
M.G. ROAD	BANGLORE
ANDHERI	BOMBAY
VIRAR	BOMBAY
NEHRU PLACE	DELHI
POWAI	BOMBAY

CUSTOMERS	
Column_Name	DataType
CNAME	VARCHAR(50)
CITY	VARCHAR(50)

CNAME	CITY
ANIL	CALCUTTA
SUNIL	DELHI
MEHUL	BARODA
MANDAR	PATNA
MADHURI	NAGPUR
PRAMOD	NAGPUR
SANDIP	SURAT
SHIVANI	BOMBAY
KRANTI	BOMBAY
NAREN	BOMBAY

BORROW	
Column_Name	DataType
LOANNO	INT
CNAME	VARCHAR(50)
BNAME	VARCHAR(50)
AMOUNT	DECIMAL(8,2)

LOANNO	CNAME	BNAME	AMOUNT
201	ANIL	VRCE	1000.00
206	MEHUL	AJNI	5000.00
311	SUNIL	DHARAMPETH	3000.00
321	MADHURI	ANDHERI	2000.00
375	PRAMOD	VIRAR	8000.00
481	KRANTI	NEHRU PLACE	3000.00

Lab 2	<p>Perform SQL queries for Select with operators</p> <p><u>SELECT Operation</u></p> <p>Part – A:</p> <p>From the above given tables perform the following queries:</p> <ol style="list-style-type: none">1. Retrieve all data from table DEPOSIT.2. Retrieve all data from table BORROW.3. Retrieve all data from table CUSTOMERS.4. Display Account No, Customer Name & Amount from DEPOSIT.5. Display Loan No, Amount from BORROW.6. Display loan details of all customers who belongs to ‘ANDHERI’ branch from borrow table.7. Give account no and amount of depositor, whose account no is equals to 106 from deposit table.8. Give name of borrowers having amount greater than 5000 from borrow table.9. Give name of customers who opened account after date '1-12-96' from deposit table.10. Display name of customers whose account no is less than 105 from deposit table.11. Display name of customer who belongs to either ‘NAGPUR’ or ‘DELHI’ from customer table. (OR & IN)12. Display name of customers with branch whose amount is greater than 4000 and account no is less than 105 from deposit table.13. Find all borrowers whose amount is greater than equals to 3000 & less than equals to 8000 from borrow table. (AND & BETWEEN)14. Find all depositors who do not belongs to ‘ANDHERI’ branch from deposit table.15. Display Account No, Customer Name & Amount of such customers who belongs to ‘AJNI’, ‘KAROLBAGH’ Or ‘M.G.ROAD’ and Account No is less than 104 from deposit table. <p>Part – B:</p> <ol style="list-style-type: none">1. Display all the details of first five customers from deposit table.2. Display all the details of first three depositors whose amount is greater than 1000.3. Display Loan No, Customer Name of first five borrowers whose branch name does not belongs to ‘ANDHERI’ from borrow table.4. Retrieve all unique cities using DISTINCT. (Use Customers Table)5. Retrieve all unique branches using DISTINCT. (Use Branch Table) <p>Part – C:</p> <ol style="list-style-type: none">1. Retrieve top 50% record from table BORROW.2. Display top 10% amount from table DEPOSIT.3. Display top 25% customer who deposited more than 5000.4. Retrieve first 10% Loan Amounts.5. Retrieve all unique customer names with city.6. Retrieve all Loan records with one more column in Loan Amount as 10% extra amount.7. Retrieve all odd/even value loan number from Borrow table.																		
Lab 3	<p>Perform SQL queries for Select into and Update</p> <p><u>Select into Operation</u></p> <p>Part – A:</p> <p>Create table as per following.</p> <table><tr><th colspan="3">CRICKET</th></tr><tr><th>Name</th><th>City</th><th>Age</th></tr><tr><td>Sachin Tendulkar</td><td>Mumbai</td><td>30</td></tr><tr><td>Rahul Dravid</td><td>Bombay</td><td>35</td></tr><tr><td>M. S. Dhoni</td><td>Jharkhand</td><td>31</td></tr><tr><td>Suresh Raina</td><td>Gujarat</td><td>30</td></tr></table>	CRICKET			Name	City	Age	Sachin Tendulkar	Mumbai	30	Rahul Dravid	Bombay	35	M. S. Dhoni	Jharkhand	31	Suresh Raina	Gujarat	30
CRICKET																			
Name	City	Age																	
Sachin Tendulkar	Mumbai	30																	
Rahul Dravid	Bombay	35																	
M. S. Dhoni	Jharkhand	31																	
Suresh Raina	Gujarat	30																	

1. Create table Worldcup from cricket with all the columns and data.
2. Create table T20 from cricket with first two columns with no data.
3. Create table IPL From Cricket with No Data

Part – B:

Create table as per following.

EMPLOYEE		
Name	City	Age
Jay Patel	Rajkot	30
Rahul Dave	Baroda	35
Jeet Patel	Surat	31
Vijay Raval	Rajkot	30

1. Create table Employee_detail from Employee with all the columns and data.
2. Create table Employee_data from Employee with first two columns with no data.
3. Create table Employee_info from Employee with no Data

Part – C:

Perform following queries on Employee table.

1. Insert the Data into Employee_info from Employee whose CITY is Rajkot
2. Insert the Data into Employee_info from Employee whose age is more than 32.

Update Operation

Part – A:

From the above given tables perform the following queries (UPDATE Operation):

1. Update deposit amount of all customers from 3000 to 5000. (Use **Deposit Table**)
2. Change branch name of ANIL from VRCE to C.G. ROAD. (Use **Borrow Table**)
3. Update Account No of SANDIP to 111 & Amount to 5000. (Use **Deposit Table**)
4. Update amount of KRANTI to 7000. (Use **Deposit Table**)
5. Update branch name from ANDHERI to ANDHERI WEST. (Use **Branch Table**)
6. Update branch name of MEHUL to NEHRU PALACE. (Use **Deposit Table**)
7. Update deposit amount of all depositors to 5000 whose account no between 103 & 107. (Use **Deposit Table**)
8. Update ADATE of ANIL to 1-4-95. (Use **Deposit Table**)
9. Update the amount of MINU to 10000. (Use **Deposit Table**)
10. Update deposit amount of PRAMOD to 5000 and ADATE to 1-4-96 (Use **Deposit Table**)

Part – B:

1. Give 10% Increment in Loan Amount. (Use **Borrow Table**)
2. Customer deposits additional 20% amount to their account, update the same. (Use **Deposit Table**)

Part – C:

1. Update amount of loan no 321 to *NULL*. (Use **Borrow Table**)
2. Update branch name of KRANTI to *NULL* (Use **Borrow Table**)
3. Display the name of borrowers whose amount is *NULL*. (Use **Borrow Table**)
4. Display the Borrowers whose having branch. (Use **Borrow Table**)
5. Update the Loan Amount to 5000, Branch to VRCE & Customer Name to Darshan whose loan no is 481. (Use **Borrow Table**)
6. Update the Deposit table and set the date to 01-01-2021 for all the depositor whose amount is less than 2000.
7. Update the Deposit table and set the date to *NULL* & Branch name to 'ANDHERI' whose Account No is 110.

Lab 4 Perform SQL queries for Alter, Delete, Truncate, and Drop

Alter Operation

Part – A:

Use Deposit table of lab-1.

DEPOSIT	
Column_Name	DataType
ACTNO	INT
CNAME	VARCHAR(50)
BNAME	VARCHAR(50)
AMOUNT	DECIMAL(8,2)
ADATE	DATETIME

From the above given tables perform the following queries (ALTER Operation):

1. Add two more columns City VARCHAR (20) and Pincode INT.
2. Change the size of CNAME column from VARCHAR (50) to VARCHAR (35).
3. Change the data type DECIMAL to INT in amount Column.
4. Rename Column ActNo to ANO.
5. Delete Column City from the DEPOSIT table.
6. Change name of table DEPOSIT to DEPOSIT_DETAIL.

Part – B:

1. Rename Column ADATE to AOPENDATE OF DEPOSIT_DETAIL table.
2. Delete Column AOPENDATE from the DEPOSIT_DETAIL table.
3. Rename Column CNAME to CustomerName.

Part – C:

Create following table using query according to the definition.

STUDENT_DETAIL	
Column_Name	DataType
Enrollment_No	VARCHAR(20)
Name	VARCHAR(25)
CPI	DECIMAL(5,2)
Birthdate	DATETIME

From the above given tables perform the following queries (ALTER Operation):

1. Add two more columns City VARCHAR (20) (Not null) and Backlog INT (Null).
2. Change the size of NAME column of student_detail from VARCHAR (25) to VARCHAR (35).
3. Change the data type DECIMAL to INT in CPI Column.
4. Rename Column Enrollment_No to ENO.
5. Delete Column City from the student_detail table.
6. Change name of table student_detail to STUDENT_MASTER.

DELETE, Truncate, Drop Operation

Part – A:

Use Deposit_Detail table (Altered table of DEPOSIT)

DEPOSIT_DETAIL	
Column_Name	DataType
ANO	INT
CustomerName	VARCHAR(35)
BNAME	VARCHAR(50)
AMOUNT	INT
PINCODE	INT

1. Delete all the records of DEPOSIT_DETAIL table having amount greater than and equals to 4000.
2. Delete all the accounts CHANDI BRANCH.
3. Delete all the accounts having account number (ANO) is greater than 105.
4. Delete all the records of Deposit_Detail table. (Use **Truncate**)
5. Remove Deposit_Detail table. (Use **Drop**)

Part – B:

Create following table using query according to the definition.

EMPLOYEE_MASTER	
Column_Name	DataType
EmpNo	INT
EmpName	VARCHAR(25)
JoiningDate	DATETIME
Salary	DECIMAL (8,2)
City	VARCHAR(20)

Insert the following records in the EMPLOYEE_MASTER table.

EmpNo	EmpName	JoiningDate	Salary	City
101	Keyur	5-1-02	12000.00	Rajkot
102	Hardik	15-2-04	14000.00	Ahmedabad
103	Kajal	14-3-06	15000.00	Baroda
104	Bhoomi	23-6-05	12500.00	Ahmedabad
105	Harmit	15-2-04	14000.00	Rajkot
106	Mitesh	25-9-01	5000.00	Jamnagar
107	Meera	Null	7000.00	Morbi
108	Kishan	6-2-03	10000.00	NULL

From the above given tables perform the following queries (DELETE Operation):

1. Delete all the records of Employee_MASTER table having salary greater than and equals to 14000.
2. Delete all the Employees who belongs to 'RAJKOT' city.
3. Delete all the Employees who joined after 1-1-2007.
4. Delete the records of Employees whose joining date is null and Name is not null.
5. Delete the records of Employees whose salary is 50% of 20000.
6. Delete the records of Employees whose City Name is not empty.
7. Delete all the records of Employee_MASTER table. (Use **Truncate**)
8. Remove Employee_MASTER table. (Use **Drop**)

Part – C:

1. Summarize Delete, Truncate and Drop

Lab 5 Perform SQL queries for Like operator

Part – A:

Create following table using query according to the definition.

STUDENT	
Column_Name	DataType
StuID	INT
FirstName	VARCHAR(25)
LastName	VARCHAR(25)
Website	VARCHAR(50)
City	VARCHAR(25)
Address	VARCHAR(100)

Insert the following records in the STUDENT table.

StuID	FirstName	LastName	Website	City	Address
1011	Keyur	Patel	techonthenet.com	Rajkot	A-303 'Vasant Kunj', Rajkot
1022	Hardik	Shah	digminecraft.com	Ahmedabad	"Ram Krupa", Raiya Road
1033	Kajal	Trivedi	bigactivities.com	Baroda	Raj bhavan plot, near garden
1044	Bhoomi	Gajera	checkyourmath.com	Ahmedabad	"Jig's Home", Narol
1055	Harmit	Mitel	@me.darshan.com	Rajkot	B-55, Raj Residency
1066	Ashok	Jani	NULL	Baroda	A502, Club House Building

From the above given tables perform the following queries (LIKE Operation):

1. Display the name of students whose name starts with 'k'.
2. Display the name of students whose name consists of five characters.
3. Retrieve the first name & last name of students whose city name ends with a & contains six characters.
4. Display all the students whose last name ends with 'tel'.
5. Display all the students whose first name starts with 'ha' & ends with 't'.
6. Display all the students whose first name starts with 'k' and third character is 'y'.
7. Display the name of students having no website and name consists of five characters.
8. Display all the students whose last name consist of 'jer'.
9. Display all the students whose city name starts with either 'r' or 'b'.
10. Display all the name students having websites.
11. Display all the students whose name starts from alphabet A to H.
12. Display all the students whose name's second character is vowel.
13. Display the name of students having no website and name consists of minimum five characters.
14. Display all the students whose last name starts with 'Pat'.
15. Display all the students whose city name does not starts with 'b'.

Part – B:

1. Display all the students whose name starts from alphabet A or H.
2. Display all the students whose name's second character is vowel and of and start with H.
3. Display all the students whose last name does not ends with 'a'.
4. Display all the students whose first name starts with consonant.
5. Display all the students whose website contains .net

Part – C:

1. Display all the students whose address consist of -.
2. Display all the students whose address contains single quote or double quote.
3. Display all the students whose website contains @.
4. Display all the names those are either four or five characters.

Lab 6 Implement SQL In-built functions (Math, String, and Date Functions)

Math functions

Part – A:

1. Display the result of 5 multiply by 30.
2. Find out the absolute value of -25, 25, -50 and 50.
3. Find smallest integer value that is greater than or equal to 25.2, 25.7 and -25.2.
4. Find largest integer value that is smaller than or equal to 25.2, 25.7 and -25.2.
5. Find out remainder of 5 divided 2 and 5 divided by 3.
6. Find out value of 3 raised to 2nd power and 4 raised 3rd power.
7. Find out the square root of 25, 30 and 50.
8. Find out the square of 5, 15, and 25.

9. Find out the value of PI.
10. Find out round value of 157.732 for 2, 0 and -2 decimal points.
11. Find out exponential value of 2 and 3.
12. Find out logarithm having base e of 10 and 2.
13. Find out logarithm having base b having value 10 of 5 and 100.
14. Find sine, cosine and tangent of 3.1415.
15. Find sign of -25, 0 and 25.
16. Generate random number using function.

Part – B:

Create and Insert the following records in the EMP_MASTER table.

EmpNo	EmpName	JoiningDate	Salary	Commission	City	Dept Code
101	Keyur	5-1-02	12000.00	4500	Rajkot	3@g
102	Hardik	15-2-04	14000.00	2500	Ahmedabad	3@
103	Kajal	14-3-06	15000.00	3000	Baroda	3-GD
104	Bhoomi	23-6-05	12500.00	1000	Ahmedabad	1A3D
105	Harmat	15-2-04	14000.00	2000	Rajkot	312A

1. Display the result of Salary plus Commission.
2. Find smallest integer value that is greater than or equal to 55.2, 35.7 and -55.2.
3. Find largest integer value that is smaller than or equal to 55.2, 35.7 and -55.2.
4. Find out remainder of 55 divided 2 and 55 divided by 3.
5. Find out value of 23 raised to 2nd power and 14 raised 3rd power.

Part – C:

1. Find out the square root of 36, 49 and 81.
2. Find out the square of 3, 9, and 12.
3. Find out round value of 280.8952 for 2, 0 and -2 decimal points.
4. Find sine, cosine and tangent of 4.2014.
5. Find sign of -55, 0 and 95.

String functions

Part – A:

1. Find the length of following. (I) NULL (II) 'hello' (III) Blank
2. Display your name in lower & upper case.
3. Display first three characters of your name.
4. Display 3rd to 10th character of your name.
5. Write a query to convert 'abc123efg' to 'abcXYZefg' & 'abcabcabc' to 'ab5ab5ab5' using REPLACE.
6. Write a query to display ASCII code for 'a','A','z','Z', 0, 9.
7. Write a query to display character based on number 97, 65,122,90,48,57.
8. Write a query to remove spaces from left of a given string 'hello world'.
9. Write a query to remove spaces from right of a given string 'hello world'.
10. Write a query to display first 4 & Last 5 characters of 'SQL Server'.
11. Write a query to convert a string '1234.56' to number (Use cast and convert function).
12. Write a query to convert a float 10.58 to integer (Use cast and convert function).
13. Put 10 space before your name using function.
14. Combine two strings using + sign as well as CONCAT ().
15. Find reverse of "Darshan".
16. Repeat your name 3 times.

Part – B: Perform following queries on Student table of practical no 5.

1. Find the length of FirstName and LastName columns.
2. Display FirstName and LastName columns in lower & upper case.
3. Display first three characters of FirstName column.
4. Display 3rd to 10th character of Website column.
5. Write a query to display first 4 & Last 5 characters of Website column.

Part – C: Perform following queries on Student table of practical no 5.

1. Put 10 space before FirstName using function.
2. Combine FirstName and LastName columns using + sign as well as CONCAT ().
3. Combine all columns using + sign as well as CONCAT ().
4. Find reverse of FirstName column.
5. Repeat FirstName column 3 times
6. Give the Names which contains 5 characters.
7. Combine the result as <FirstName> Lives in <City>.
8. Combine the result as Student_ID of < FirstName > is <StuID> .

Date Functions

Part – A:

1. Write a query to display the current date & time. Label the column Today_Date.
2. Write a query to find new date after 365 day with reference to today.
3. Display the current date in a format that appears as may 5 1994 12:00AM.
4. Display the current date in a format that appears as 03 Jan 1995.
5. Display the current date in a format that appears as Jan 04, 96.
6. Write a query to find out total number of months between 31-Dec-08 and 31-Mar-09.
7. Write a query to find out total number of years between 25-Jan-12 and 14-Sep-10.
8. Write a query to find out total number of hours between 25-Jan-12 7:00 and 26-Jan-12 10:30.
9. Write a query to extract Day, Month, Year from given date 12-May-16.
10. Write a query that adds 5 years to current date.
11. Write a query to subtract 2 months from current date.
12. Extract month from current date using datetime () and datepart () function.
13. Write a query to find out last date of current month.
14. Calculate your age in years and months.

Part – B:

Create a table EMP_DETAIL and insert the following records in the table.

EmpNo	EmpName	JoiningDate	Salary	City
101	Keyur	15-1-02	12000.00	Rajkot
102	Hardik	15-2-04	14000.00	Ahmedabad
103	Kajal	14-3-06	15000.00	Baroda
104	Bhoomi	23-6-05	12500.00	Ahmedabad
105	Harmit	15-2-04	14000.00	Rajkot
106	Jay	12-3-07	12000.00	Surat

1. Write a query to find new date after 365 day with reference to JoiningDate.
2. Display the JoiningDate in a format that appears as may 5 1994 12:00AM.
3. Display the JoiningDate in a format that appears as 03 Jan 1995.
4. Display the JoiningDate in a format that appears as Jan 04, 96.
5. Write a query to find out total number of months between JoiningDate and 31-Mar-09.

	<p>6. Write a query to find out total number of years between JoiningDate and 14-Sep-10.</p> <p>Part – C:</p> <ol style="list-style-type: none">1. Write a query to extract Day, Month, Year from JoiningDate.2. Write a query that adds 5 years to JoiningDate.3. Write a query to subtract 2 months from JoiningDate.4. Extract month from JoiningDate using datename () and datepart () function.5. Calculate your age in years and months																																																						
Lab 7	<p>Perform SQL queries for Aggerate function and group by (without having)</p> <p>Part – A: Create table and inset records as per below.</p> <table><tr><th colspan="6">EMP</th></tr><tr><th>EID</th><th>EName</th><th>Department</th><th>Salary</th><th>JoiningDate</th><th>City</th></tr><tr><td>101</td><td>Rahul</td><td>Admin</td><td>56000</td><td>1-Jan-90</td><td>Rajkot</td></tr><tr><td>102</td><td>Hardik</td><td>IT</td><td>18000</td><td>25-Sep-90</td><td>Ahmedabad</td></tr><tr><td>103</td><td>Bhavin</td><td>HR</td><td>25000</td><td>14-May-91</td><td>Baroda</td></tr><tr><td>104</td><td>Bhoomi</td><td>Admin</td><td>39000</td><td>8-Feb-91</td><td>Rajkot</td></tr><tr><td>105</td><td>Rohit</td><td>IT</td><td>17000</td><td>23-Jul-90</td><td>Jamnagar</td></tr><tr><td>106</td><td>Priya</td><td>IT</td><td>9000</td><td>18-Oct-90</td><td>Ahmedabad</td></tr><tr><td>107</td><td>Bhoomi</td><td>HR</td><td>34000</td><td>25-Dec-91</td><td>Rajkot</td></tr></table> <ol style="list-style-type: none">1. Display the Highest, Lowest, Label the columns Maximum, Minimum respectively.2. Display Total, and Average salary of all employees. Label the columns Total_Sal and Average_Sal, respectively.3. Find total number of employees of EMPLOYEE table.4. Find highest salary from Rajkot city.5. Give maximum salary from IT department.6. Count employee whose joining date is after 8-feb-91.7. Display average salary of Admin department.8. Display total salary of HR department.9. Count total number of cities of employee without duplication.10. Count unique departments.11. Give minimum salary of employee who belongs to Ahmedabad.12. Find city wise highest salary.13. Find department wise lowest salary.14. Display city with the total number of employees belonging to each city.15. Give total salary of each department of EMP table.16. Give average salary of each department of EMP table without displaying the respective department name. <p>Part – B:</p> <ol style="list-style-type: none">1. Count the number of employees living in Rajkot.2. Display the difference between the highest and lowest salaries. Label the column DIFFERENCE.3. Display the total number of employees hired before 1st January, 1991. <p>Part – C:</p> <ol style="list-style-type: none">1. Count the number of employees living in Rajkot or Baroda.2. Display the total number of employees hired before 1st January, 1991 in IT department.3. Find the Joining Date wise Total Salaries.4. Find the Maximum salary department & city wise in which city name starts with ‘R’.	EMP						EID	EName	Department	Salary	JoiningDate	City	101	Rahul	Admin	56000	1-Jan-90	Rajkot	102	Hardik	IT	18000	25-Sep-90	Ahmedabad	103	Bhavin	HR	25000	14-May-91	Baroda	104	Bhoomi	Admin	39000	8-Feb-91	Rajkot	105	Rohit	IT	17000	23-Jul-90	Jamnagar	106	Priya	IT	9000	18-Oct-90	Ahmedabad	107	Bhoomi	HR	34000	25-Dec-91	Rajkot
EMP																																																							
EID	EName	Department	Salary	JoiningDate	City																																																		
101	Rahul	Admin	56000	1-Jan-90	Rajkot																																																		
102	Hardik	IT	18000	25-Sep-90	Ahmedabad																																																		
103	Bhavin	HR	25000	14-May-91	Baroda																																																		
104	Bhoomi	Admin	39000	8-Feb-91	Rajkot																																																		
105	Rohit	IT	17000	23-Jul-90	Jamnagar																																																		
106	Priya	IT	9000	18-Oct-90	Ahmedabad																																																		
107	Bhoomi	HR	34000	25-Dec-91	Rajkot																																																		

Lab 8	Perform SQL queries for Group by with having and Order by																																																																				
	<p>Table: SALES_DATA</p> <table><tr><th>Region</th><th>Product</th><th>Sales_Amount</th><th>Year</th></tr><tr><td>North America</td><td>Watch</td><td>1500</td><td>2023</td></tr><tr><td>Europe</td><td>Mobile</td><td>1200</td><td>2023</td></tr><tr><td>Asia</td><td>Watch</td><td>1800</td><td>2023</td></tr><tr><td>North America</td><td>TV</td><td>900</td><td>2024</td></tr><tr><td>Europe</td><td>Watch</td><td>2000</td><td>2024</td></tr><tr><td>Asia</td><td>Mobile</td><td>1000</td><td>2024</td></tr><tr><td>North America</td><td>Mobile</td><td>1600</td><td>2023</td></tr><tr><td>Europe</td><td>TV</td><td>1500</td><td>2023</td></tr><tr><td>Asia</td><td>TV</td><td>1100</td><td>2024</td></tr><tr><td>North America</td><td>Watch</td><td>1700</td><td>2024</td></tr></table> <p>Part – A:</p> <ol style="list-style-type: none">1. Display Total Sales Amount by Region.2. Display Average Sales Amount by Product3. Display Maximum Sales Amount by Year4. Display Minimum Sales Amount by Region and Year5. Count of Products Sold by Region6. Display Sales Amount by Year and Product7. Display Regions with Total Sales Greater Than 50008. Display Products with Average Sales Less Than 100009. Display Years with Maximum Sales Exceeding 50010. Display Regions with at Least 3 Distinct Products Sold.11. Display Years with Minimum Sales Less Than 100012. Display Total Sales Amount by Region for Year 2023, Sorted by Total Amount <p>Part – B:</p> <ol style="list-style-type: none">1. Display Count of Orders by Year and Region, Sorted by Year and Region2. Display Regions with Maximum Sales Amount Exceeding 1000 in Any Year, Sorted by Region3. Display Years with Total Sales Amount Less Than 1000, Sorted by Year Descending4. Display Top 3 Regions by Total Sales Amount in Year 2024 <p>Part – C:</p> <ol style="list-style-type: none">1. Display Products with Average Sales Amount Between 1000 and 2000, Ordered by Product Name2. Display Years with More Than 5 Orders from Each Region3. Display Regions with Average Sales Amount Above 1500 in Year 2023 sort by amount in descending.4. Find out region wise duplicate product.5. Find out region wise highest sales amount.	Region	Product	Sales_Amount	Year	North America	Watch	1500	2023	Europe	Mobile	1200	2023	Asia	Watch	1800	2023	North America	TV	900	2024	Europe	Watch	2000	2024	Asia	Mobile	1000	2024	North America	Mobile	1600	2023	Europe	TV	1500	2023	Asia	TV	1100	2024	North America	Watch	1700	2024																								
Region	Product	Sales_Amount	Year																																																																		
North America	Watch	1500	2023																																																																		
Europe	Mobile	1200	2023																																																																		
Asia	Watch	1800	2023																																																																		
North America	TV	900	2024																																																																		
Europe	Watch	2000	2024																																																																		
Asia	Mobile	1000	2024																																																																		
North America	Mobile	1600	2023																																																																		
Europe	TV	1500	2023																																																																		
Asia	TV	1100	2024																																																																		
North America	Watch	1700	2024																																																																		
Lab 9	Perform SQL queries for Set operator and, Subqueries																																																																				
	<p>Sub Queries</p> <table><tr><th colspan="4">STUDENT_DATA</th></tr><tr><th>no</th><th>Name</th><th>City</th><th>DID</th></tr><tr><td>101</td><td>Raju</td><td>Rajkot</td><td>10</td></tr><tr><td>102</td><td>Amit</td><td>Ahmedabad</td><td>20</td></tr><tr><td>103</td><td>Sanjay</td><td>Baroda</td><td>40</td></tr><tr><td>104</td><td>Neha</td><td>Rajkot</td><td>20</td></tr><tr><td>105</td><td>Meera</td><td>Ahmedabad</td><td>30</td></tr><tr><td>106</td><td>Mahesh</td><td>Baroda</td><td>10</td></tr></table> <table><tr><th colspan="3">ACADEMIC</th></tr><tr><th>Rno</th><th>SPI</th><th>Bklog</th></tr><tr><td>101</td><td>8.8</td><td>0</td></tr><tr><td>102</td><td>9.2</td><td>2</td></tr><tr><td>103</td><td>7.6</td><td>1</td></tr><tr><td>104</td><td>8.2</td><td>4</td></tr><tr><td>105</td><td>7.0</td><td>2</td></tr><tr><td>106</td><td>8.9</td><td>3</td></tr></table> <table><tr><th colspan="2">DEPARTMENT</th></tr><tr><th>DID</th><th>DName</th></tr><tr><td>10</td><td>Computer</td></tr><tr><td>20</td><td>Electrical</td></tr><tr><td>30</td><td>Mechanical</td></tr><tr><td>40</td><td>Civil</td></tr></table>	STUDENT_DATA				no	Name	City	DID	101	Raju	Rajkot	10	102	Amit	Ahmedabad	20	103	Sanjay	Baroda	40	104	Neha	Rajkot	20	105	Meera	Ahmedabad	30	106	Mahesh	Baroda	10	ACADEMIC			Rno	SPI	Bklog	101	8.8	0	102	9.2	2	103	7.6	1	104	8.2	4	105	7.0	2	106	8.9	3	DEPARTMENT		DID	DName	10	Computer	20	Electrical	30	Mechanical	40	Civil
STUDENT_DATA																																																																					
no	Name	City	DID																																																																		
101	Raju	Rajkot	10																																																																		
102	Amit	Ahmedabad	20																																																																		
103	Sanjay	Baroda	40																																																																		
104	Neha	Rajkot	20																																																																		
105	Meera	Ahmedabad	30																																																																		
106	Mahesh	Baroda	10																																																																		
ACADEMIC																																																																					
Rno	SPI	Bklog																																																																			
101	8.8	0																																																																			
102	9.2	2																																																																			
103	7.6	1																																																																			
104	8.2	4																																																																			
105	7.0	2																																																																			
106	8.9	3																																																																			
DEPARTMENT																																																																					
DID	DName																																																																				
10	Computer																																																																				
20	Electrical																																																																				
30	Mechanical																																																																				
40	Civil																																																																				

Part – A:

1. Display details of students who are from computer department.
2. Displays name of students whose SPI is more than 8.
3. Display details of students of computer department who belongs to Rajkot city.
4. Find total number of students of electrical department.
5. Display name of student who is having maximum SPI.
6. Display details of students having more than 1 backlog.

Part – B:

1. Display name of students who are either from computer department or from mechanical department.
2. Display name of students who are in same department as 102 studying in.

Part – C:

1. Display name of students whose SPI is more than 9 and who is from electrical department.
2. Display name of student who is having second highest SPI.
3. Display city names whose students branch wise SPI is 9.2

SET Operators

Part – A:

Create below two tables as per following data.

COMPUTER	
RollNo	Name
101	Ajay
109	Haresh
115	Manish

ELECTRICAL	
RollNo	Name
105	Ajay
107	Mahesh
115	Manish

1. Display name of students who is either in Computer or in Electrical.
2. Display name of students who is either in Computer or in Electrical including duplicate data.
3. Display name of students who is in both Computer and Electrical.
4. Display name of students who are in Computer but not in Electrical.
5. Display name of students who are in Electrical but not in Computer.
6. Display all the details of students who are either in Computer or in Electrical.
7. Display all the details of students who are in both Computer and Electrical.

Part – B:

Create below two tables as per following data.

EMP_DATA	
EID	Name
1	Ajay
9	Haresh
5	Manish

CUSTOMER	
CID	Name
5	Ajay
7	Mahesh
5	Manish

1. Display name of persons who is either Employee or Customer.
2. Display name of persons who is either Employee or Customer including duplicate data.
3. Display name of persons who is both Employee as well as Customer.
4. Display name of persons who are Employee but not Customer.
5. Display name of persons who are Customer but not Employee.

Part – C:

1. Perform all the queries of Part-B but display ID and Name columns instead of Name only.

Lab 10 Implement SQL View

Part – A:

Views (First create a view then display all views)

STUDENT_INFO				
RNo	Name	Branch	SPI	Bklog
101	Raju	CE	8.80	0
102	Amit	CE	2.20	3
103	Sanjay	ME	1.50	6
104	Neha	EC	7.65	1
105	Meera	EE	5.52	2
106	Mahesh	EC	4.50	3

1. Create a view Personal with all columns.
2. Create a view Student_Details having columns Name, Branch & SPI.
3. Create a view AcademicData having columns RNo, Name, Branch.
4. Create a view Student_ bklog having all columns but students whose bklog more than 2.
5. Create a view Student_Pattern having RNo, Name & Branch columns in which Name consists of four letters.
6. Insert a new record to AcademicData view. (107, Meet, ME)
7. Update the branch of Amit from CE to ME in Student_Details view.
8. Delete a student whose roll number is 104 from AcademicData view.

Part – B:

1. Create a view that displays information of all students whose SPI is above 8.5
2. Create a view that displays 0 backlog students.
3. Create a view Computerview that displays CE branch data only.

Part – C:

1. Create a view Result_EC that displays the name and SPI of students with SPI less than 5 of branch EC.
2. Update the result of student MAHESH to 4.90 in Result_EC view.
3. Create a view Stu_Bklog with RNo, Name and Bklog columns in which name starts with 'M' and having bklogs more than 5.
4. Drop Computerview form the database.

Lab 11 Implement SQL Joins

Create below tables as per following data

STU_INFO		
Rno(PK)	Name	Branch
101	Raju	CE
102	Amit	CE
103	Sanjay	ME
104	Neha	EC
105	Meera	EE
106	Mahesh	ME

RESULT	
Rno(FK)	SPI
101	8.8
102	9.2
103	7.6
104	8.2
105	7.0
107	8.9

EMPLOYEE_MASTER		
EmployeeNo	Name	ManagerNo
E01	Tarun	NULL
E02	Rohan	E02
E03	Priya	E01
E04	Milan	E03
E05	Jay	E01
E06	Anjana	E04

Part – A:

1. Combine information from student and result table using cross join or Cartesian product.
2. Perform inner join on Student and Result tables.
3. Perform the left outer join on Student and Result tables.
4. Perform the right outer join on Student and Result tables.
5. Perform the full outer join on Student and Result tables.
6. Display Rno, Name, Branch and SPI of all students.
7. Display Rno, Name, Branch and SPI of CE branch's student only.
8. Display Rno, Name, Branch and SPI of other than EC branch's student only.
9. Display average result of each branch.
10. Display average result of CE and ME branch.

Part – B:

1. Display average result of each branch and sort them in ascending order by SPI.
2. Display highest SPI from each branch and sort them in descending order.

Part – C:

1. Retrieve the names of employee along with their manager's name from the Employee table.

Lab 12

Implement Complex Joins

Create following table (Using Design Mode)

PERSON		
Column_Name		
PersonID	Int	Primary Key
PersonName	Varchar (100)	Not Null
DepartmentID	Int	Foreign Key, Null
Salary	Decimal (8,2)	Not Null
JoiningDate	Datetime	Not Null
City	Varchar (100)	Not Null

DEPT		
Column_Name	DataType	Constraints
DepartmentID	Int	Primary Key
DepartmentName	Varchar (100)	Not Null, Unique
DepartmentCode	Varchar (50)	Not Null, Unique
Location	Varchar (50)	Not Null

PersonID	PersonName	DepartmentID	Salary	JoiningDate	City
101	Rahul Tripathi	2	56000	01-01-2000	Rajkot
102	Hardik Pandya	3	18000	25-09-2001	Ahmedabad
103	Bhavin Kanani	4	25000	14-05-2000	Baroda
104	Bhoomi Vaishnav	1	39000	08-02-2005	Rajkot
105	Rohit Topiya	2	17000	23-07-2001	Jamnagar
106	Priya Menpara	NULL	9000	18-10-2000	Ahmedabad
107	Neha Sharma	2	34000	25-12-2002	Rajkot
108	Nayan Goswami	3	25000	01-07-2001	Rajkot
109	Mehul Bhundiya	4	13500	09-01-2005	Baroda
110	Mohit Maru	5	14000	25-05-2000	Jamnagar

DepartmentID	DepartmentName	DepartmentCode	Location
1	Admin	Adm	A-Block
2	Computer	CE	C-Block
3	Civil	CI	G-Block
4	Electrical	EE	E-Block
5	Mechanical	ME	B-Block

From the above given table perform the following queries:

Part – A:

1. Find all persons with their department name & code.
2. Find the person's name whose department is in C-Block.
3. Retrieve person name, salary & department name who belongs to Jamnagar city.
4. Retrieve person name, salary & department name who does not belong to Rajkot city.
5. Retrieve person's name of the person who joined the Civil department after 1-Aug-2001.
6. Find details of all persons who belong to the computer department.

7. Display all the person's name with the department whose joining date difference with the current date is more than 365 days.
8. Find department wise person counts.
9. Give department wise maximum & minimum salary with department name.
10. Find city wise total, average, maximum and minimum salary.
11. Find the average salary of a person who belongs to Ahmedabad city.
12. Produce Output Like: <PersonName> lives in <City> and works in <DepartmentName> Department. (In single column)

Part – B:

1. Produce Output Like: <PersonName> earns <Salary> from <DepartmentName> department monthly. (In single column)
2. Find city & department wise total, average & maximum salaries.
3. Find all persons who do not belong to any department.
4. Find all departments whose total salary is exceeding 100000.

Part – C:

1. List all departments who have no person.
2. List out department names in which more than two persons are working.
3. Give a 10% increment in the computer department employee's salary. (Use Update)

Lab 13 Implement Advanced level Joins

Part – A: Create table as per following data.

CITY			
CityID (Primary Key)	Name (Unique Key)	Pincode (Not Null)	Remakrs
1	Rajkot	360005	Good
2	Surat	335009	Very Good
3	Baroda	390001	Awesome
4	Jamnagar	361003	Smart
5	Junagadh	362229	Historic
6	Morvi	363641	Ceramic

VILLAGE		
VID (Primary Key)	Name (Not Null)	CityID (Foreign Key)
101	Raiya	1
102	Madhapar	1
103	Dodka	3
104	Falla	4
105	Bhesan	5
106	Dhoraji	5

1. Display all the villages of Rajkot city.
2. Display city along with their villages & pin code.
3. Display the city having more than one village.
4. Display the city having no village.
5. Count the total number of villages in each city.
6. Count the number of cities having more than one village.

Create below table with following constraints

1. Do not allow SPI more than 10
2. Do not allow Bklog less than 0.
3. Enter the default value as 'General' in branch to all new records IF no other value is specified.

STU_MASTER				
Rno(PK)	Name	Branch	SPI	Bklog
101	Raju	CE	8.80	0
102	Amit	CE	2.20	3
103	Sanjay	ME	1.50	6
104	Neha	EC	7.65	0
105	Meera	EE	5.52	2
106	Mahesh		4.50	3

4. Try to update SPI of Raju from 8.80 to 12.
5. Try to update Bklog of Neha from 0 to -1.

Part – B: Create table as per following schema with proper validation and try to insert data which violate your validation.

1. Emp_details(Eid, Ename, Did, Cid, Salary, Experience)
Dept_details(Did, Dname)
City_details(Cid, Cname)

Part – C: Create table as per following schema with proper validation and try to insert data which violate your validation.

1. Emp_info(Eid, Ename, Did, Cid, Salary, Experience)
Dept_info(Did, Dname)
City_info(Cid, Cname, Did)
District(Did, Dname, Sid)
State(Sid, Sname, Cid)
Country(Cid, Cname)
2. Insert 5 records in each table.
3. Display employeename, departmentname, Salary, Experience, City, District, State and country of all employees.