

Chapter 1

g) PrimFaces is a _____ component?

1. JSF.

2. Hibernate.

3. Swing.

4. Sturts.

Answer: 1.

h) You can retrieve the PrimeFaces library by defining _____.

1. Maven repository.

2. JSTL repository.

3. JDBC repository.

4. Hibernate repository.

Answer : 1.

k) In order to use PrimeFaces we need to add _____.

1. xmlns="http://www.w3.org/1999/xhtml"

2. xmlns:ui="http://java.sun.com/jsf/facelets"

3. xmlns:p="http://primefaces.org/ui">

4. xmlns:h="http://java.sun.com/jsf/html"

Answer: 3

l) which are the mandatory dependencies of PrimeFaces ?(Choose more than 1)

1. Java5+

2. JSF 2.x

3. iText

4. Apache POI

Answer: 1,2

m) PrimeFaces scripts are based on the _____ Library.

1. JQuery JavaScript.

2. Rubi.

3. Ajax

4. Python.

Answer: 1

Chapter 2

c) Which code will enable autocomplete functionality into PrimeFaces ?

1. `<p:autoComplete id="simple" value="#{autocompleteController.txt1}"`

`completeMethod="#{autocompleteController.complete}"/>`

2. `<p:inputMask id="simple" value="#{inputMaskController.txt1}"`

`completeMethod="#{inputMaskController.complete}"/>`

3. `<p:autoMationEnable id="simple" value="#{autoMationEnableController.txt1}"`

`EnableAutoMation="#{autoMationEnableController.complete}"/>`

Answer : 1.

d) Ajax extensions in PrimeFaces are??(Choose more than one)

1. `autoUpdate`

2. `callbacks`

3. `RequestContext`

4. `h:Ajax`

5. `SelectMenu`

Answer: 1,2,3

i) POM means ?

1. Product Oriented Model.

2. **Project Object Model.**

3. Product Object Model.

4. Project Oriented Model.

Answer: 2.

j) To add dependencies Configuration you've to put dependencies into _____

1. `<dependency></dependency>`

2. <repository></repository>
3. <version></version>
4. <h:body></h:body>

Answer: 1

n) Each PrimeFaces component is styled with CSS and contains how many Layers?

1. Two

2. Three
3. Five
4. One

Answer: 1

o) i18n means ?

1. Localization

2. Internationalization

3. Logical Algorithm
4. Mathematical terms

Answer: 2

p) L10n means ?

1. Localization

2. Internationalization
3. Logical Algorithm
4. Mathematical terms

Answer: 1

q) To customize Font-Family and SSize we use ____ CSS class in PrimeFaces.

1. ui-Widget

2. ui-Picklist
3. ui-state-hover
4. ui-sortable

Answer: 1

r) Which of the following style class is applied in all PrimeFaces Components?

1. ui-Widget

2. ui-Picklist

3. ui-state-hover

4. ui-sortable

Answer: 1

v) Which are the controllers of PrimeFaces??(choose more than one)

1. bold.

2. font.

3. italic

4. dialog

Answer: 123

Chapter 3

a) What is the use of the <h:selectOneMenu> Tag?

1. Tag provide a single-select menu in HTML form.

2. Tag provide a Multi-select menu in HTML form.

3. both

4. none

Answer : 1.

b) Which class is provide a single-select menu in HTML form?

1. com.sun.faces.taglib.html_basic.SelectOneMenuTag

2. com.sun.faces.taglib.html_basic.InputTextareaTag

3. both

4. none

Answer : 1.

e) Which is the basic component declaration for editor?

1. `<p:editor value="#{editorController.text}" />`
2. `<p:dialogwidgetVar="editorDialog" modal="true" />`
3. `<p:commandButton value="Show" onClick="editorDialog.show()"/>`
4. `<p:inplace><h:inputText value="Edit Me! " /></p:inplace>`

Answer: 1

f) rateEvent contains the rating and can be retrieved as an object with the _____ method.

1. `getRating()`.
2. `setRating()`.
3. `inputRating()`.
4. `UpdateRating()`.

Answer: 1.

s) Maven users should define any desired theme artifact in their project's _____.

1. `web.xml`
2. `pom.xml`
3. `context.xml`
4. `faces-config.xml`

Answer: 2

t) which is the built in default theme of Primefaces?

1. `Aristo`.
2. `State-Default`
3. `Gallery`
4. `CookBook`.

Answer: 1

u) To remove default Border and background settings for Tree we apply which keyword??

1. `none`.
2. `image`.
3. `indent`.
4. `outdent`

Answer: 1