Refraction and lenses

Subject: Physics | Level: Class 10 | Curriculum: Sindh Board
Prepared by: SHS Virtual Academy

1. Topic Overview and Learning Objectives

Refraction is the phenomenon where light changes its direction as it passes from one transparent medium to another due to a change in its speed. In our daily lives, we observe this when a pencil appears bent in a glass of water or when we see a mirage on a hot road. For your Class 10 physics curriculum, understanding refraction is the foundational step toward grasping how optical instruments like cameras, microscopes, and human eyes function.

In the context of the Sindh Board examinations, this chapter is a high-yield topic that frequently appears in both the objective and subjective sections. Examiners often test your ability to explain the laws of refraction, the concept of refractive index, and the formation of images by convex and concave lenses. A solid grasp of ray diagrams is crucial, as marks are often awarded for precision in drawing the paths of light rays through different optical media.

The intuition behind this topic lies in the interaction between light waves and the atomic structure of materials. When light enters a denser medium, it slows down, causing it to bend toward the normal, and conversely, it bends away when entering a rarer medium. By mastering the lens formula and magnification equations, you will be able to solve complex problems regarding image distance, object height, and focal length with confidence and ease.

2. Core Concepts and Detailed Revision Notes

2.1 Laws of Refraction and Snell's Law

Refraction occurs because light travels at different speeds in different media. When a light ray strikes the interface between two media at an angle, the change in speed causes the ray to bend. The first law of refraction states that the incident ray, the refracted ray, and the normal at the point of incidence all lie in the same plane. The second law, known as Snell's Law, provides a mathematical relationship between the angles of incidence and refraction. It states that the ratio of the sine of the angle of incidence to the sine of the angle of refraction is a constant for a given pair of media. This constant is called the refractive index of the second medium with respect to the first. Understanding this relationship is vital for calculating the path of light through glass slabs, prisms, and lenses.

Key Points to Remember:

1. The incident ray and refracted ray are on opposite sides of the normal.
2. Light bends toward the normal when moving from a rarer to a denser medium.
3. Light bends away from the normal when moving from a denser to a rarer medium.
4. The frequency of light remains unchanged during refraction.
5. Snell's Law is expressed as $n = \sin(i) / \sin(r)$.

2.2 Spherical Lenses and Image Formation

Spherical lenses are transparent materials bounded by two spherical surfaces that refract light to form images. We categorize them into convex (converging) and concave (diverging) lenses. A convex lens is thicker at the center and brings parallel rays of light to a single focal point, whereas a concave lens is thinner at the center and spreads rays apart. In your board exams, you will be required to draw ray diagrams showing where an object is placed and where the resulting image is formed. The nature of the image—whether it is real or virtual, erect or inverted, and magnified or diminished—depends entirely on the position of the object relative to the optical center and the focal point of the lens.

Key Points to Remember:

1. Convex lenses form real images when the object is beyond the focal point.
2. Concave lenses always form virtual, erect, and diminished images.
3. The optical center is the point through which light passes without deviation.
4. The principal axis is the line passing through the centers of curvature.
5. Focal length is the distance between the optical center and the principal focus.

2.3 The Lens Formula and Magnification

To solve numerical problems in physics, we use the lens formula, which relates the focal length of the lens to the object distance and the image distance. The formula is written as $1/f = 1/p + 1/q$, where f is the focal length, p is the object distance, and q is the image distance. It is extremely important to follow the sign convention strictly: focal length is positive for convex lenses and negative for concave lenses. Furthermore, magnification is defined as the ratio of the image height to the object height, or the ratio of image distance to object distance. Mastering these two equations will allow you to determine the exact position and size of images formed by any given lens system, which is a common requirement in board examinations.

Key Points to Remember:

1. Use positive focal length for converging lenses.
2. Use negative focal length for diverging lenses.
3. Real images have a positive image distance in the lens formula.
4. Virtual images have a negative image distance.

5. Magnification M = hi / ho = -q / p.

2.4 Applications and Optical Instruments

The principles of refraction and lenses are not just theoretical; they are the basis for many technologies we use daily. The human eye acts as a convex lens system, focusing light onto the retina. When this system fails, we use corrective lenses to fix vision defects like myopia (nearsightedness) and hyperopia (farsightedness). Myopia is corrected using concave lenses, while hyperopia is corrected using convex lenses. Beyond the eye, devices like cameras, microscopes, and telescopes rely on complex combinations of lenses to magnify small objects or bring distant ones into view. By studying these applications, you gain a deeper appreciation for how physics shapes our ability to perceive the world and explore the microscopic and macroscopic realms of the universe.

Key Points to Remember:

1. Myopia is corrected by diverging lenses.
2. Hyperopia is corrected by converging lenses.
3. The camera lens forms a real, inverted, and diminished image on the film.
4. A simple microscope is a single convex lens used as a magnifying glass.
5. Total internal reflection is a special case of refraction.

3. Key Definitions, Formulas, and Rules

1. **Snell's Law:** n1 - sin(i) = n2 - sin(r)
2. **Refractive Index:** n = c / v (where c is speed of light in vacuum and v is speed in medium)
3. **Lens Formula:** 1/f = 1/p + 1/q
4. **Magnification:** M = -q / p
5. **Power of a Lens:** P = 1 / f (f in meters)
6. **Optical Center:** The central point of a lens through which light passes undeviated.
7. **Principal Focus:** The point on the principal axis where parallel rays converge or appear to diverge.
8. **Real Image:** An image formed by actual intersection of light rays, which can be caught on a screen.
9. **Virtual Image:** An image formed by the apparent intersection of light rays, which cannot be caught on a screen.

4. Step-by-Step Worked Examples

Example 1: Finding Image Distance

Problem: An object is placed 20 cm in front of a convex lens of focal length 10 cm. Find the position of the image.

Solution Steps:

Step 1: Identify given values: p = 20 cm, f = 10 cm.

Step 2: Use the lens formula: 1/f = 1/p + 1/q.

Step 3: Rearrange to solve for 1/q: 1/q = 1/f - 1/p.

Step 4: Substitute values: 1/q = 1/10 - 1/20 = 2/20 - 1/20 = 1/20.

Step 5: Calculate q: q = 20 cm.

Final Answer: The image is formed 20 cm behind the lens.

Example 2: Calculating Magnification

Problem: An object 5 cm tall is placed 15 cm from a lens, and an image is formed 30 cm from the lens. Find the magnification.

Solution Steps:

Step 1: Identify given values: p = 15 cm, q = 30 cm.

Step 2: Use the magnification formula: M = -q / p.

Step 3: Substitute values: M = -30 / 15.

Step 4: Calculate M: M = -2.

Final Answer: The magnification is -2, meaning the image is twice the size and inverted.

Example 3: Concave Lens Calculation

Problem: A concave lens has a focal length of 15 cm. If an object is placed 30 cm from the lens, where is the image formed?

Solution Steps:

Step 1: Identify given values: f = -15 cm (concave lens), p = 30 cm.

Step 2: Use the lens formula: 1/q = 1/f - 1/p.

Step 3: Substitute values: 1/q = 1/-15 - 1/30.

Step 4: Calculate common denominator: 1/q = -2/30 - 1/30 = -3/30.

Step 5: Solve for q: q = -10 cm.

Final Answer: The image is formed 10 cm in front of the lens (virtual).

Example 4: Power of a Lens

Problem: Calculate the power of a convex lens with a focal length of 20 cm.

Solution Steps:

Step 1: Convert focal length to meters: f = 20 cm = 0.2 m.

Step 2: Use the power formula: P = 1 / f.

Step 3: Substitute values: P = 1 / 0.2.

Step 4: Calculate P: P = 5 Diopters.

Final Answer: The power of the lens is 5 D.

5. Common Exam Mistakes to Avoid

1. Forgetting to use a negative sign for the focal length of a concave lens.
2. Confusing the object distance (p) and image distance (q) in the magnification formula.
3. Failing to convert centimeters to meters when calculating the power of a lens.
4. Drawing ray diagrams without using a ruler, leading to inaccurate focal points.
5. Assuming the image formed by a convex lens is always real, forgetting the virtual case when the object is inside the focal length.
6. Mixing up the sign conventions for real and virtual images in the lens formula.

6. Practice Questions and Model Answers

Question 1

Define refractive index and explain why light bends when entering a denser medium.

Answer 1: Refractive index is the ratio of the speed of light in a vacuum to the speed of light in a medium. Light bends because its speed changes upon entering a denser medium, causing the wavefronts to change direction.

Question 2

Distinguish between a real and a virtual image.

Answer 2: A real image is formed by the actual intersection of light rays and can be projected onto a screen. A virtual image is formed by the apparent intersection of light rays and cannot be projected on a screen.

Question 3

An object is placed at the focal point of a convex lens. Where is the image formed?

Answer 3: The image is formed at infinity because the refracted rays emerge parallel to each other.

Question 4

Why do we use concave lenses to correct myopia?

Answer 4: Myopia causes light to focus in front of the retina. A concave lens diverges the incoming light, shifting the focal point backward onto the retina.

Question 5

If the magnification of a lens is -1, what does this tell you about the image?

Answer 5: The negative sign indicates the image is inverted, and the magnitude of 1 indicates the image size is equal to the object size.