Gravitation

Subject: Physics | Level: Class 9 | Curriculum: Federal Board
Prepared by: SHS Virtual Academy

1. Topic Overview and Learning Objectives

Gravitation is one of the most fundamental forces in the universe, governing everything from the motion of planets in our solar system to the simple act of an apple falling from a tree. In the context of your Class 9 Physics curriculum, understanding gravitation is essential because it provides the foundation for classical mechanics and helps explain how objects interact over vast distances without physical contact.

For the Federal Board examinations, this chapter is highly significant as it frequently appears in both the objective and subjective sections. Examiners often test your conceptual clarity regarding the difference between mass and weight, the variation of gravitational acceleration with altitude, and the application of Newton's Law of Universal Gravitation in solving numerical problems. Mastering these concepts will give you a major advantage in securing high marks.

The intuition behind gravitation is that every object in the universe exerts a force of attraction on every other object. While this force is imperceptible between small objects like pens or books, it becomes dominant when dealing with massive bodies like the Earth and the Moon. By studying this chapter, you will learn how to quantify these invisible forces and predict the motion of satellites and celestial bodies with precision.

2. Core Concepts and Detailed Revision Notes

2.1 Law of Universal Gravitation

Newton's Law of Universal Gravitation states that every particle in the universe attracts every other particle with a force that is directly proportional to the product of their masses and inversely proportional to the square of the distance between their centers. This law is universal, meaning it applies to both the smallest atoms and the largest galaxies. When we consider two objects with masses m1 and m2 separated by a distance d, the force of attraction F is calculated using the gravitational constant G. This constant is extremely small, which explains why we do not feel the gravitational pull of everyday objects around us. In your exams, you must remember that the distance d is measured from the center of mass of the objects, not just their surfaces, which is a common point of confusion for many students. Always ensure your units are in SI before performing calculations.

Key Points to Remember:

1. Force is directly proportional to the product of masses m1 and m2.
2. Force is inversely proportional to the square of the distance d between centers.
3. The gravitational constant G has a value of 6.673 times 10^-11 Nm^2/kg^2.
4. The law applies to all objects regardless of their size or composition.
5. Gravitation is always an attractive force, never repulsive.

2.2 Gravitational Field and Acceleration

A gravitational field is a region of space around a mass where another mass experiences a gravitational force. The strength of this field is described by the gravitational field intensity, which is equivalent to the gravitational acceleration g at that point. Near the surface of the Earth, this acceleration is approximately 9.8 m/s^2. However, this value is not constant everywhere; it decreases as you move further away from the center of the Earth. As you climb a mountain or travel in an airplane, your distance from the Earth's center increases, causing the gravitational pull to weaken. Understanding this relationship is crucial for solving problems related to weight changes at different altitudes. Always remember that g depends on the mass of the planet and its radius, meaning it would be different on the Moon or Mars compared to Earth.

Key Points to Remember:

1. Gravitational field intensity is the force per unit mass.
2. Acceleration due to gravity g on Earth is approximately 9.8 m/s^2.
3. The value of g decreases with an increase in altitude.
4. The Earth is not a perfect sphere, so g varies slightly at different latitudes.
5. The mass of the Earth is approximately 6 times 10^24 kg.

2.3 Mass and Weight

Students often confuse mass and weight, but in physics, they are distinct quantities. Mass is the quantity of matter possessed by a body and remains constant regardless of its location in the universe. It is a scalar quantity measured in kilograms. Weight, on the other hand, is the force with which the Earth attracts a body towards its center. It is a vector quantity and its value changes depending on the gravitational acceleration at that specific location. For example, your mass remains the same on the Moon, but your weight would be significantly less because the Moon's gravitational pull is weaker than the Earth's. In your board exams, you should be prepared to calculate weight using the formula W = m times g, ensuring that you use the correct value for g based on the location provided in the question.

Key Points to Remember:

1. Mass is constant, while weight varies with location.

2. Mass is a scalar quantity; weight is a vector quantity.
3. The SI unit of mass is the kilogram, and the SI unit of weight is the Newton.
4. Weight is measured using a spring balance, while mass is measured using a beam balance.
5. Weight is zero in a state of weightlessness.

2.4 Motion of Artificial Satellites

Artificial satellites are man-made objects placed in orbit around the Earth to perform tasks like communication, weather forecasting, and scientific research. For a satellite to remain in a stable circular orbit, the gravitational force provided by the Earth must act as the necessary centripetal force. This centripetal force keeps the satellite moving in a curved path rather than flying off in a straight line. The orbital speed of a satellite depends on its distance from the center of the Earth; the further away the satellite is, the slower it needs to travel to maintain its orbit. Geostationary satellites are particularly important as they have an orbital period of 24 hours, meaning they appear fixed at a specific point in the sky relative to an observer on Earth, which is vital for satellite television and global communication systems.

Key Points to Remember:

1. Gravitation provides the centripetal force for orbital motion.
2. Orbital speed decreases as the altitude of the satellite increases.
3. Geostationary satellites have an orbital period equal to Earth's rotation period.
4. Satellites do not require fuel to stay in orbit once they reach the correct speed.
5. The height of a geostationary satellite is approximately 42,300 km from the center of the Earth.

3. Key Definitions, Formulas, and Rules

1. **Newtons Law of Gravitation:** F = G - (m1 - m2) / d^2
2. **Gravitational Constant:** G = 6.673 - 10^-11 Nm^2/kg^2
3. **Weight Formula:** W = m - g
4. **Gravitational Acceleration:** g = (G - M) / R^2
5. **Mass of Earth:** M = 6 - 10^24 kg
6. **Radius of Earth:** R = 6.4 - 10^6 m
7. **Centripetal Force:** Fc = (m - v^2) / r
8. **Orbital Velocity:** v = sqrt(G - M / r)

4. Step-by-Step Worked Examples

Example 1: Calculating Gravitational Force

Problem: Calculate the gravitational force between two lead spheres each of mass 100 kg separated by a distance of 1 meter.

Solution Steps:

Step 1: Identify given values: m1 = 100 kg, m2 = 100 kg, d = 1 m, G = 6.673 - 10^-11 Nm^2/kg^2.

Step 2: Use the formula F = G - (m1 - m2) / d^2.

Step 3: Substitute values: F = 6.673 - 10^-11 - (100 - 100) / 1^2.

Step 4: Calculate: F = 6.673 - 10^-11 - 10000 = 6.673 - 10^-7 N.

Final Answer: 6.673 - 10^-7 N

Example 2: Finding Weight on Earth

Problem: What is the weight of a 50 kg student on the surface of the Earth?

Solution Steps:

Step 1: Identify given values: m = 50 kg, g = 9.8 m/s^2.

Step 2: Use the formula W = m - g.

Step 3: Substitute values: W = 50 - 9.8.

Step 4: Calculate: W = 490 N.

Final Answer: 490 N

Example 3: Acceleration due to Gravity at Altitude

Problem: Find the value of g at a height of 6400 km above the Earth's surface.

Solution Steps:

Step 1: Identify: R = 6.4 - 10^6 m, h = 6400 km = 6.4 - 10^6 m, total distance r = R + h = 12.8 - 10^6 m.

Step 2: Use g_h = G - M / (R + h)^2.

Step 3: Since g = G - M / R^2, then g_h = g - (R / (R + h))^2.

Step 4: Substitute: g_h = 9.8 - (6.4 - 10^6 / 12.8 - 10^6)^2 = 9.8 - (0.5)^2 = 9.8 - 0.25 = 2.45 m/s^2.

Final Answer: 2.45 m/s^2

Example 4: Calculating Mass of Earth

Problem: Given g = 9.8 m/s^2, R = 6.4 - 10^6 m, and G = 6.673 - 10^-11 Nm^2/kg^2, find the mass of the Earth.

Solution Steps:

Step 1: Rearrange g = G - M / R^2 to M = g - R^2 / G.

Step 2: Substitute: M = 9.8 - (6.4 - 10^6)^2 / 6.673 - 10^-11.

Step 3: Calculate: M = 9.8 - 40.96 - 10^12 / 6.673 - 10^-11.

Step 4: Result: M = 401.408 - 10^12 / 6.673 - 10^-11 = 6.015 - 10^24 kg.

Final Answer: 6.015 - 10^24 kg

5. Common Exam Mistakes to Avoid

1. Confusing the gravitational constant G with the acceleration due to gravity g.
2. Forgetting to convert kilometers to meters when calculating distances in formulas.
3. Using the radius of the Earth instead of the distance from the center (R + h) for objects at an altitude.
4. Failing to square the distance in the denominator of the Law of Gravitation formula.
5. Assuming mass changes when moving from Earth to the Moon; remember only weight changes.
6. Neglecting to include the correct SI units (Newtons for force/weight, kg for mass) in the final answer.

6. Practice Questions and Model Answers

Question 1

Define the gravitational field and explain why it is stronger near the Earth's surface.

Answer 1: A gravitational field is the region around a mass where it exerts a force on other masses. It is stronger near the surface because the gravitational force follows an inverse-square law; as distance from the center decreases, the force and the resulting acceleration increase.

Question 2

If the distance between two masses is doubled, what happens to the gravitational force between them?

Answer 2: According to the inverse-square law, if the distance d becomes 2d, the force becomes F' = G - m1 - m2 / (2d)^2 = 1/4 - (G - m1 - m2 / d^2). Therefore, the force becomes one-fourth of its original value.

Question 3

Why do astronauts feel weightless in an orbiting satellite?

Answer 3: Astronauts feel weightless because both the satellite and the astronauts are in a state of free fall towards the Earth. Since they are falling at the same rate, there is no contact force between them and the floor of the satellite, creating the sensation of weightlessness.

Question 4

Calculate the weight of an object with a mass of 10 kg on the Moon, where g = 1.6 m/s^2.

Answer 4: Using W = m - g, W = 10 kg - 1.6 m/s^2 = 16 N.

Question 5

What is the difference between G and g?

Answer 5: G is the Universal Gravitational Constant (6.673 - 10^-11 Nm^2/kg^2) which is the same everywhere. g is the acceleration due to gravity, which varies depending on the mass and radius of the planet or the altitude.