Circle theorems

Subject: Mathematics | Level: Class 10 | Curriculum: Sindh Board
Prepared by: SHS Virtual Academy

1. Topic Overview and Learning Objectives

Circle geometry is a fundamental pillar of the Class 10 Mathematics curriculum in the Sindh Board. It deals with the properties of circles, chords, arcs, and angles, providing a logical framework to solve complex geometric problems. Understanding these theorems is not just about memorization but about developing the spatial reasoning required to prove relationships between different parts of a circle.

In the board examinations, circle theorems frequently appear as long-form questions that require a structured, step-by-step proof. Examiners look for clarity in your logical progression and the correct citation of the relevant theorem. Mastering these proofs ensures that you can secure full marks in the geometry section, which is often the deciding factor for students aiming for an A-1 grade.

The intuition behind these theorems lies in the symmetry and constant distance properties of a circle. By learning how angles subtended by the same arc or chord relate to the center and the circumference, you gain the ability to decompose complex diagrams into simpler, solvable components. Approach this topic with patience, and you will find that geometry becomes one of the most rewarding parts of your syllabus.

2. Core Concepts and Detailed Revision Notes

2.1 Basic Properties of Chords and Arcs

The foundation of circle geometry begins with understanding the relationship between the center of a circle and its chords. A chord is a line segment whose endpoints lie on the circle. When a perpendicular is drawn from the center of the circle to a chord, it bisects the chord. This is a crucial property because it allows us to create right-angled triangles within the circle, enabling the use of the Pythagorean theorem. Furthermore, equal chords are equidistant from the center, and conversely, chords equidistant from the center are equal in length. These properties are essential for solving problems involving the dimensions of circles and the placement of lines within them. Always remember that the radius is the constant distance from the center to any point on the circumference, which acts as the bridge between different parts of the circle. You must be able to identify these relationships in diagrams to solve for unknown lengths effectively.

Key Points to Remember:

1. A perpendicular from the center to a chord bisects the chord.
2. The line segment from the center to the midpoint of a chord is perpendicular to the chord.
3. Equal chords are equidistant from the center of the circle.
4. Chords that are equidistant from the center are equal in length.
5. There is only one circle that passes through three non-collinear points.

2.2 Angles Subtended by Arcs and Chords

The relationship between angles is the heart of circle theorems. The most significant theorem states that the angle subtended by an arc at the center of a circle is double the angle subtended by the same arc at any point on the remaining part of the circle. This theorem is the key to solving almost all angle-based problems in the Sindh Board exams. Additionally, angles subtended by the same arc in the same segment of a circle are always equal. This means that if you identify two angles resting on the same arc, you can immediately equate them. These properties allow us to navigate around the circle, finding unknown angles by relating them to known ones. Practice visualizing the arc that supports each angle, as this is the most common way to identify which theorem to apply during an examination. Always ensure you are looking at the correct segment.

Key Points to Remember:

1. Angle at the center is twice the angle at the circumference.
2. Angles in the same segment of a circle are equal.
3. The angle in a semicircle is a right angle (90 degrees).
4. Equal chords subtend equal angles at the center.
5. The angle subtended by a diameter at the circumference is always 90 degrees.

2.3 Cyclic Quadrilaterals

A cyclic quadrilateral is a four-sided polygon whose vertices all lie on the circumference of a circle. The most important property of a cyclic quadrilateral is that its opposite angles are supplementary, meaning they add up to 180 degrees. This property is incredibly powerful because it allows you to find unknown angles in a quadrilateral simply by knowing the angle opposite to it. Furthermore, the exterior angle of a cyclic quadrilateral is equal to the interior opposite angle. These theorems are frequently tested in board exams, often combined with other properties like the angle at the center. When you see a quadrilateral inscribed in a circle, immediately check for opposite angles. Understanding these relationships will help you solve complex diagrams where multiple shapes are embedded within a single circle, making your geometry proofs much more efficient and accurate during your final assessments.

Key Points to Remember:

1. Opposite angles of a cyclic quadrilateral sum to 180 degrees.
2. The exterior angle of a cyclic quadrilateral equals the interior opposite angle.
3. If a pair of opposite angles sum to 180 degrees, the quadrilateral is cyclic.
4. The vertices of a cyclic quadrilateral are concyclic points.
5. The perpendicular bisectors of the sides of a cyclic quadrilateral meet at the center.

2.4 Tangents to a Circle

A tangent is a line that touches a circle at exactly one point. The radius drawn to the point of contact is always perpendicular to the tangent. This simple fact creates a right-angled triangle whenever a tangent is involved, which is a common setup for exam questions. Another vital theorem is that the lengths of two tangents drawn from an external point to a circle are equal. This property is used to prove various geometric identities and to find unknown lengths in diagrams involving circles and external lines. When you encounter a tangent in a problem, your first step should be to draw the radius to the point of contact to establish the 90-degree angle. This often unlocks the rest of the problem, allowing you to use trigonometry or the Pythagorean theorem to find missing values. Mastering tangent properties is essential for high-level geometry proofs.

Key Points to Remember:

1. A tangent is perpendicular to the radius at the point of contact.
2. Two tangents from an external point are equal in length.
3. The angle between a tangent and a chord equals the angle in the alternate segment.
4. The perpendicular from the center to a tangent passes through the point of contact.
5. Two circles are tangent to each other if they touch at exactly one point.

3. Key Definitions, Formulas, and Rules

1. **Chord:** A line segment with both endpoints on the circumference of a circle.
2. **Arc:** A portion of the circumference of a circle.
3. **Cyclic Quadrilateral:** A quadrilateral with all four vertices on the circle circumference.
4. **Tangent:** A line that touches the circle at exactly one point.
5. **Angle at Center:** Angle at center = 2 - Angle at circumference.
6. **Supplementary Angles:** Opposite angles of a cyclic quadrilateral sum to 180 degrees.
7. **Right Angle Property:** Angle in a semicircle = 90 degrees.
8. **Tangent-Radius Theorem:** Radius is perpendicular to the tangent at the point of contact.
9. **Equal Tangents:** Tangents from a common external point are equal in length.

4. Step-by-Step Worked Examples

Example 1: Finding an Angle at the Circumference

Problem: In a circle with center O, the angle subtended by an arc at the center is 100 degrees. Find the angle subtended by the same arc at the circumference.

Solution Steps:

Step 1: Identify the given: Angle at center = 100 degrees.

Step 2: Recall the theorem: The angle at the center is twice the angle at the circumference.

Step 3: Set up the equation: 100 = 2 - x.

Step 4: Solve for x: x = 100 / 2 = 50 degrees.

Final Answer: 50 degrees

Example 2: Cyclic Quadrilateral Property

Problem: In a cyclic quadrilateral ABCD, angle A = 70 degrees. Find the measure of angle C, which is opposite to angle A.

Solution Steps:

Step 1: Recall the theorem: Opposite angles of a cyclic quadrilateral sum to 180 degrees.

Step 2: Set up the equation: Angle A + Angle C = 180 degrees.

Step 3: Substitute the value: 70 + Angle C = 180.

Step 4: Solve for Angle C: Angle C = 180 - 70 = 110 degrees.

Final Answer: 110 degrees

Example 3: Tangent Lengths

Problem: Two tangents are drawn from an external point P to a circle, touching at points A and B. If the length of PA is 5 cm, find the length of PB.

Solution Steps:

Step 1: Recall the theorem: Tangents drawn from an external point to a circle are equal in length.

Step 2: Apply the rule: PA = PB.

Step 3: Substitute the known value: 5 cm = PB.

Final Answer: 5 cm

Example 4: Angle in a Semicircle

Problem: A triangle ABC is inscribed in a circle where AB is the diameter. If angle ABC = 30 degrees, find angle BAC.

Solution Steps:

Step 1: Recall the theorem: The angle in a semicircle is 90 degrees, so angle ACB = 90 degrees.

Step 2: Use the sum of angles in a triangle: Angle BAC + Angle ABC + Angle ACB = 180 degrees.

Step 3: Substitute the values: Angle BAC + 30 + 90 = 180.

Step 4: Solve for Angle BAC: Angle BAC + 120 = 180, so Angle BAC = 60 degrees.

Final Answer: 60 degrees

5. Common Exam Mistakes to Avoid

1. Confusing the angle at the center with the angle at the circumference; always remember the center angle is the larger one.
2. Assuming a quadrilateral is cyclic without verifying if all four vertices touch the circle.
3. Forgetting that the radius is perpendicular to the tangent, which often leads to missing the right-angled triangle.
4. Misidentifying the arc that subtends the angles; always trace the arc carefully to ensure the angles are in the same segment.
5. Failing to state the theorem used in the proof, which is a requirement for full marks in Sindh Board exams.
6. Calculating the length of a chord by forgetting to bisect it when using the perpendicular distance from the center.

6. Practice Questions and Model Answers

Question 1

If an arc subtends an angle of 80 degrees at the center, what is the angle it subtends at the circumference?

Answer 1: The angle at the circumference is half the angle at the center, so 80 / 2 = 40 degrees.

Question 2

In a cyclic quadrilateral, if one angle is 105 degrees, what is its opposite angle?

Answer 2: Opposite angles sum to 180 degrees, so 180 - 105 = 75 degrees.

Question 3

A chord is 8 cm long and is 3 cm from the center. What is the radius of the circle?

Answer 3: The perpendicular from the center bisects the chord into 4 cm segments. Using Pythagoras: r^2 = 4^2 + 3^2 = 16 + 9 = 25. Therefore, r = 5 cm.

Question 4

What is the angle between a tangent and the radius at the point of contact?

Answer 4: The angle is 90 degrees.

Question 5

If two angles are subtended by the same arc in the same segment, what is their relationship?

Answer 5: They are equal to each other.