

Family name:

Given name:

Student ID:

FINALEXAMINATION REVISION EXERCISES BSTA011 - BUSINESS STATISTICS

IMPORTANT INFORMATION REGARDING YOUR FINAL EXAM

Time allowed: 3 hours plus 10 minutes reading time

Number of Questions: ~~21~~ **Question 1:** 20 multiple-choice questions

~~21~~ **Question 2-13:** Short-answer questions

Instructions: **You must attempt ALL questions**

For any numerical calculations, show your workings **correct to 4 decimal places** unless stated otherwise.

Materials Allowed: Electronic calculators allowed.

ONE (1) handwritten two-sided A4 sheets note allowed.

Question 1: Multiple choice Questions

➡ Draw a circle around the letter corresponding to the correct answer. Circle **ONE** answer only.

1. A student achieves an 82 on the first test in a statistics course. From this, she assumes that her average at the end of the semester (after other tests) will be about 82. This is an example of
 - A. descriptive statistics
 - B. inferential statistics
 - C. nonparametric statistics
 - D. wishful thinking
2. The Jacaranda Swimming Pool Company wants to determine the average number of years it takes before a major repair is required on one of their pools. The manager of the company asks Rick Johnson, company accountant, to randomly contact fifty families who purchased Jacaranda pools in the past ten years and determine how long it was in each case before a major repair was needed. The information will be used to estimate the average number of years before a major repair is required for all pools sold by Jacaranda. The average, based on the data gathered from the fifty families, can best be described as a
 - A. statistic
 - B. sample
 - C. population
 - D. parameter
3. Which of the following is NOT a commonly used measure of variability?
 - A. variance
 - B. standard deviation
 - C. mode
 - D. interquartile range
4. A graphical representation of a frequency distribution is called a
 - A. stem and leaf plot
 - B. ogive
 - C. pie chart
 - D. histogram
5. The list of all elementary events for an experiment is called
 - A. the sample space
 - B. the exhaustive list
 - C. the population space
 - D. the event union

6. Jessica Salas, Managing Director of Salas Products, is reviewing the warranty policy for her company's new model of car batteries. Life tests performed on a sample of 100 batteries indicated: (1) an average life of 75 months, (2) a standard deviation of 5 months, and (3) battery life is approximately normally distributed. What percentage of the batteries will fail within the first 65 months of use?
- A. Approximately 0.5%
 - B. Approximately 2.5%
 - C. Approximately 1%
 - D. Approximately 5%
7. Mark Sims is exploring the characteristics of stock market investors. He found that 60% of all investors have a net worth exceeding \$1,000,000; 20% of all investors use an online brokerage; and 10% of all investors have net worth exceeding \$1,000,000 and use an online brokerage. An investor is selected randomly, and E is the event net worth exceeds \$1,000,000, and O is the event uses an online brokerage. $P(E \cup O) = \dots\dots\dots$
- A. 0.17
 - B. 0.50
 - C. 0.70
 - D. 0.80
8. If x is a binomial random with $n = 8$ and $p = 0.6$, what is the probability that x is equal to 5?
- A. 0.625
 - B. 0.209
 - C. 0.300
 - D. 0.279
9. If λ is 4 occurrences per five minute time interval, the probability of getting 3 occurrences over a five minute interval is $\dots\dots\dots$
- A. 0.1954
 - B. 0.0183
 - C. 0.2237
 - D. 0.1680
10. If x is uniformly distributed over the interval 20 to 30, inclusively ($20 \leq x \leq 30$), then the standard deviation of this distribution is $\dots\dots\dots$
- A. incalculable
 - B. 2.89
 - C. 8.33
 - D. 0.833

11. Financial analyst Ben Taimana needs a sample of 100 securities listed on the New Zealand Stock Exchange. In the current issue of the NZ Investing Journal, 2531 securities are listed in the Composite Transactions, an alphabetical listing of all securities traded on the previous business day. Ben uses a table of random numbers to select 100 numbers between 1 and 2531. His sample is a
- simple random sample
 - stratified sample
 - systematic sample
 - quota sample
12. Let z be a normal random variable with mean 0 and standard deviation 1. Use the normal tables to find $P(1.3 < x < 2.3)$.
- 0.4032
 - 0.9032
 - 0.0861
 - 0.4893
13. The EPA has reported that the average fuel cost for a particular type of car is \$800 with a standard deviation of \$80. Fuel cost is assumed to be normally distributed. If one of these cars is randomly selected, what is the probability that the fuel cost for this car exceeds \$900?
- 0.3944
 - 0.1056
 - 0.8944
 - 0.6056
14. Multiple regression analysis produced the following tables.

	<i>SS</i>	<i>df</i>	<i>MS</i>	<i>F</i>	<i>Significance F</i>
Regression	3340.7	4	849.4	3.65	0.029
Residual	3493.1	15	232.9		
Total	6890.8	19			

What conclusion can be reached about this regression model from this output?

- At $\alpha = 0.01$, at least one of the regression coefficients is different from zero.
 - At $\alpha = 0.001$, at least one of the regression coefficients is different from zero.
 - At $\alpha = 0.05$, at least one of the regression coefficients is different from zero.
 - None of the regression coefficients are different from zero.
15. When a range of values is used to estimate a population parameter, it is called
- a point estimate
 - a statistical parameter
 - a range estimate
 - an interval estimate

16. James Weepu, Human Resources Manager with Auckland First Bank (AFB), is reviewing the employee training programs of AFB branches. He plans to use a 90% confidence interval estimate of mean training time of tellers and is willing to accept an error of 1 hour; previous studies indicated a standard deviation of 5 hours. The sample size should be at least

A. 4
B. 16
C. 34
D. 68

17. Consider the following null and alternative hypotheses.

$$H_0 : \mu \geq 67$$

$$H_a : \mu < 67$$

These hypotheses

A. indicate a one-tailed test with a rejection area in the right tail
B. indicate a one-tailed test with a rejection area in the left tail
C. indicate a two-tailed test
D. are established incorrectly

18. Powell's Pharmacy Ltd operates a regional chain of 120 pharmacies. Each pharmacy's floor plan includes a greeting card section which is relatively isolated. Sandra Ronaki, Marketing Manager, feels that the level of lighting in the greeting card section may affect sales in this area. She chooses three levels of lighting (soft, medium and bright) and randomly assigns six pharmacies to each lighting level. Sandra's null hypothesis is

A. $\mu_1 = \mu_2 = \mu_3$
B. $\mu_1 \neq \mu_2 \neq \mu_3$
C. $\mu_1 \geq \mu_2 \geq \mu_3$
D. $\mu_1 \leq \mu_2 \leq \mu_3$

19. A manager wishes to predict the annual cost (y) of a car based on the number of kilometres (x) driven. The following model was developed: $y = 1,550 + 0.36x$. If a car is driven 20,000 km, the predicted cost is

A. 7,200
B. 8,750
C. 5,650
D. 2,270

 Write the answer to the question in the space provided.

Question 2:

Company	Number of new products
Avon Products	768
L'Oreal	429
Unilever U.S.	323
Revlon	306
Garden Botanika	286

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

Company	x		
Avon Products	768		
L'Oreal	429		
Unilever U.S.	323		
Revlon	306		
Garden Botanika	286		

.
.
. .
. .
. .
. .
. .
. .
. .

.

[illegible]

A distribution of numbers is approximately bell shaped. If the mean of the numbers is 125 and the standard deviation is 12, use the Empirical Rule to answer the following:

Question 4:

Some numbers are not normally distributed. If the mean of the numbers is 38 and the standard deviation is 6,

(a) what proportion of values would fall between 26 and 50? What theorem are you using to justify your answer?

(b) between what two values would at least 89% of the values fall?

Question 5:

The number of accidents that occur on an assembly line have a Poisson distribution, with an average of three accidents per week.

(a) Find the probability that a particular week will be accident free.

(b) Find the probability that at least three accidents will occur in a week.

(c) Find the probability that exactly five accidents will occur in a week.

(d) Find the expected number of accidents in a year.

(e) Find the probability that at most 4 accidents occur in a fortnight.

Question 6:

A shoe store's records show that 30% of customers making a purchase use a credit card to make payment. This morning, 20 customers purchased shoes from the store. Assuming that the number of customers making a purchase using a credit card follows a Binomial distribution, answer the following questions:

(a) What is the probability that exactly 5 of the customers used a credit card?

--

(b) What is the probability that at most 3 of the customers used a credit card?

--

(c) What is the probability that at least three customers, but not more than six, used a credit card?

--

(d) What is the expected number of customers who used a credit card? What's the standard deviation?

--

(e) What is the expected number of customers who did not use a credit card? What's the standard deviation?

--

Question 8:

The random variable x is uniformly distributed over a range of values from 8 to 21.

(a) What is the value of $f(x)$ for this distribution?

(b) Determine the average and standard deviation of this distribution.

(c) $P(10 \leq x < 17) = ?$

$P(\dots\dots\dots) = \dots\dots\dots$
 $\dots\dots\dots$
 $\dots\dots\dots$

--

(d) $P(4 \leq x \leq 6) = ?$

$P(\dots\dots\dots) = \dots\dots\dots$
 $\dots\dots\dots$
 $\dots\dots\dots$

--

Question 9:

The average salary for chemists in New Zealand is NZ\$55, 000. Suppose the standard deviation of these salaries is \$1, 500 and that the salaries are normally distributed.

- (a) What *is* the *probability* that a new chemistry graduate *will* be offered a salary of *less* than \$50,000?

--

- (b) What *is* the *probability* that a new chemistry graduate *will* be offered a salary of *more* than \$57,000?

--

- (c) What *is* the *probability* that a new chemistry graduate *will* be offered a salary of *between* \$52,000 and \$56,500?

--

(d) What *is* the probability that a new chemistry graduate *will* be offered a salary of more than \$51,000?

(e) Below what salary level *will* 90% of the new chemistry graduates be offered?

* $P(\text{.....}) = 0.9$


.....

.....

.....

.....

☛ 90% of new chemistry graduates *will* be offered a salary of below



Assume that the weights of adult Australian males are averaged at 70.3 kg with a standard deviation of 2.74 kg. **(Show your workings, including name of theorem that you use to answer the questions, if any.)**

Question 11:

- (a) A NSW Department of Consumer Affairs officer responsible for enforcing laws concerning weights and measures routinely inspects packages to determine if the weight of the contents of 10 kg bags of potatoes is at least as great as that advertised on the bag. A random sample of 25 bags whose container claims that the net weight is 10 kg yielded the following statistics:

$\bar{x} = 10.52$ and $s^2 = 1.43$

Estimate with 95% confidence the mean weight of the container assuming the underlying population is normally distributed.

- (b) A survey of 77 commercial airline flights of under 2 hours resulted in a sample average late time for a flight of 2.48 minutes. The population standard deviation was 12 minutes. What is the point estimate for the population mean? Construct a 95% confidence interval for the average time that a commercial flight of under 2 hours is late.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
8

- [illegible]

Question 12: 8.51 and 8.59 from textbook (Chapter 8, p. 301 and 302)

- (a) Determine the sample size necessary to estimate, with 95% confidence, the average weight gain of rats on a special cereal diet, to within 2 g. Assume that the population standard deviation is 15 g.

- (b) An entrepreneur wants to open an appliance service repair shop. She would like to know about the average home repair bill, including the charge for the service call for appliance repair in the area. She wants the estimate to be within \$20 of the actual figure. She believes the range of such bills is between \$30 and \$600. How large a sample should the entrepreneur take if she wants to be 95% confidence of the results?


[illegible]

- (c) Suppose you want to estimate the proportion of cars that are sports utility vehicles being driven in Melbourne at rush hour by standing on the corner of Flinders Street and Swanston Street and counting sports utility vehicles. You believe the figure is no higher than 0.40. If you want the error of the confidence interval to be no greater than 0.03, how many cars should you randomly sample? Use a 90% level of confidence.


Question 13:

A life insurance salesperson claims the average worker in Perth has no more than \$25, 000 of personal life insurance. To test this claim, you randomly sample 100 workers in Perth. You find that this sample of workers averages \$26, 650 of personal life insurance. The population standard deviation is \$12, 000.

(a) Does the salesperson's claim appear invalid? Use a level of significance of 5%.

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values z_{crit} or t_{crit}	 Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because

(b) Determine p-value for the test and reach the conclusion using the p-value.




➡ p-value =
 ➡ Since p-value..... α ,the null hypothesis H_0

Question 14:

A study of pollutants showed that certain industrial emissions should not exceed 2.5 parts per million. You believe that a particular company may be exceeding this average. To test this supposition, you randomly take a sample of nine air tests. The sample average is 3.4 parts per million, with sample standard deviation of 0.6.


Does this result provide enough evidence for you to conclude that the company is exceeding the safe limit? The probability of committing a Type I error is assumed to be 0.01. Assume emissions are normally distributed.

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values Z_{crit} or t_{crit}	 Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics Z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because

Question 15: Hypothesis Testing - 9.22 from textbook (Chapter 9, p. 337)

A study by Hewitt Associates showed that 79% of companies offer employees flexible scheduling. Suppose a researcher believes that in accounting companies this figure is lower. The researcher randomly selects 415 accounting companies and through interviews determines that 303 of these companies have flexible scheduling.

(a) With a 1% level of significance, does the test show enough evidence to conclude that a significantly lower proportion of accounting companies offer employees flexible scheduling?

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values Z_{crit} or t_{crit}	 Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics Z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because

(b) Determine p-value for the test and reach the conclusion using the p-value.




➡ p-value =

➡ Since p-value..... α ,the null hypothesis H_0


Question 16: 10.9 from textbook (Chapter 10, p. 371)

Employee suggestions can provide useful and insightful ideas for management. Some companies solicit and receive employee suggestions more than others, and company culture influences the use of employee suggestions. Suppose a study is conducted to determine whether there is a significant difference in mean number of suggestions a month per employee between company A and company B. The study shows that the average number of suggestions per month is 5.8 at company A and 5.0 at company B. Suppose these figures were obtained from random samples of 36 and 45 employees, respectively. If the population standard deviations of suggestions per employee are 1.7 and 1.4 for company A and company B, respectively, is there a significant difference in the population means? Use $\alpha = 0.05$

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values z_{crit} or t_{crit}	Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because

Question 17: 10.17 from textbook (Chapter 10, p. 380)


Based on an indication that mean daily car-rental rates may be higher for Melbourne than for Sydney, a survey of eight car-rental companies in Melbourne is taken and the sample mean car-rental rate is \$47, with a standard deviation of \$3. Further, suppose a survey of nine car-rental companies in Sydney results in a sample mean of \$44 and a standard deviation of \$3. Use $\alpha = 0.01$ to test whether the average daily car-rental rates in Melbourne are significantly higher than those in Sydney. Assume car-rental rates are normally distributed and the population variances are equal.

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values z_{crit} or t_{crit}	 Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because

Question 18: 10.28 from textbook (Chapter 10, p. 391)

Lawrence and Glover published the results of a study in the Journal of Managerial Issues in which they examined the effects of accounting company mergers on auditing delay. Auditing delay is the time between a company's fiscal year-end and the date of the auditor's report. The hypothesis is that with the efficiencies gained through mergers, the length of the audit delay would decrease.

Suppose to test their hypothesis, they examined the audit delays on 27 clients of six companies before and after the merger of a companies (a span of 5 years). Suppose further that the mean difference in audit delay for these clients from before merger to after merger was a decrease in 3.71 days and the standard deviation of the difference was 5 days. Use these data and $\alpha = 0.01$ to test whether the audit delays after the merger were significantly lower than before the merger. Assume that the differences in auditing delay are normally distributed in the population.

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test: Use z or t?	
3. Level of Significance	
4. Set up the critical values z_{crit} or t_{crit}	 Decision rule: Reject H_0 if
5. Gather sample data	
6. Calculate the test statistics z_{test} or t_{test}	
7. Make the statistical conclusion	 H_0 because


Question 19: Chi-square independence test

A recent survey has been conducted to study about how the iPads are being used by different users. 1, 000 people including business people, students and general public were asked what tasks they perform the most on their iPads. The data revealed the top three tasks performed most on iPads were web surfing, social networking and media consumption. The detailed data are shown in the table below. Is there sufficient evidence to suggest the tasks performed most on iPads depend on the user types? Use a 5% level of significance.

OBSERVED FREQUENCY (f_o)				
	Web surfing	Networking	Media	TOTAL
Business people	170	80	110	360
Students	60	170	70	300
General public	80	100	160	340
TOTAL	310	350	340	1, 000

EXPECTED FREQUENCY (f_e)				
	Web surfing	Networking	Media	TOTAL
Business people				360
Students				300
General public				340
TOTAL	310	350	340	1, 000

	Expected frequency (f_e)	Observed frequency (f_o)	$\frac{(f_o - f_e)^2}{f_e}$
Business - Web surfing		170	
Business - Networking		90	
Business - Media		110	
Students - Web surfing		60	
Students - Networking		170	
Students - Media		70	
General public - Web surfing		80	
General public - Networking		100	
General public - Media		160	
	1, 000	1, 000	

1. State the null hypothesis State the alternative hypothesis	H_0 : H_a : 
2. Statistical test	
3. Level of Significance	
4. Set up the critical values	 Decision rule: Reject H_0 if
5. Gather sample data	Write f_o and f_e in the given table
6. Calculate the test statistics	
7. Make the statistical conclusion	H_0 because

Question 21:

Below is Excel output from a regression analysis to predict y from x_1 , x_2 , x_3 , x_4 and x_5 .

SUMMARY OUTPUT					
<i>Regression Statistics</i>					
Multiple R	0.9700				
R Square	0.9409				
Adjusted R Square	0.9224				
Standard Error	3.0544				
Observations	22				
ANOVA					
	SS	df	MS	F	Significance F
Regression	2374.878	5	474.9755	50.9118	2.92E - 09
Residual	149.2701	16	9.329379		
Total	2524.148	21			
	Coefficients	Standard Error	t Stat	P-value	
Intercept	-121.246	21.0916	-5.7485	2.992E - 05	
x1	0.7142	0.4657	1.5336	0.1447	
x2	-0.0287	0.2239	-0.1280	0.8997	
x3	0.7308	0.1413	5.1737	9.2356E - 05	
x4	0.3919	0.1203	3.2560	0.00496	
x5	0.8416	0.3283	2.5634	0.0208	

(a) Perform hypothesis testing of the overall model at $\alpha = 0.05$

(b) Identify predictors which are significant at $\alpha = 0.05$

(c) Determine and interpret the coefficient of determination of the model.
