Generalized Mixed Model

Model Info

Info		
Model Type	Logistic Model	Model for binary y
Model	lme4::glmer	ACCURACY ~ 1 + AROUSAL_MEAN + CHARACTER_ERGEBNISSEN + CHARACTER_ERGEBNISSEN:AROUSAL_MEAN + (1 | CODE) + (1 | WORD)
Distribution	Binomial	Dichotomous event distribution of y
Link function	Logit	Log of the odd of y
Direction	P(y=1)/P(y=0)	P(ACCURACY = 1) / P(ACCURACY = 0)
Sample size	2007	
Converged	yes	
C.I. method	Wald	

Model Results

Model Fit

Type	R^2	df	LRT X^2	p
Conditional	0.367	5	97.598	<.001
Marginal	0.014	3	5.673	.129

Additional Indices

Info	Model Value	Comment
LogLikelihood	-499.483	
AIC	1010.967	Less is better
BIC	1044.593	Less is better
Deviance	998.967	Less is better
Residual DF	2001	
Chi-squared/DF	0.631	Overdispersion indicator

Fixed Effects Omnibus Tests

	X^2	df	p
AROUSAL_MEAN	0.186	1.00	.666
CHARACTER_ERGEBNISSEN	1.007	1.00	.316
AROUSAL_MEAN ✻ CHARACTER_ERGEBNISSEN	4.232	1.00	.040

Parameter Estimates (Fixed Coefficients)

Names	Estimate	SE	Exp(B)	Exp(B) 95% Confidence Intervals		z	p
				Lower	Upper		
(Intercept)	3.1887	0.2587	24.257	14.609	40.28	12.326	<.001
AROUSAL_MEAN	0.0832	0.1927	1.087	0.745	1.59	0.432	.666
CHARACTER_ERGEBNISSEN	-0.0476	0.0474	0.954	0.869	1.05	-1.003	.316
AROUSAL_MEAN ✻ CHARACTER_ERGEBNISSEN	0.0535	0.0260	1.055	1.003	1.11	2.057	.040

Random Components

Groups	Name	Variance	SD	ICC
WORD	(Intercept)	0.808	0.899	0.197
CODE	(Intercept)	1.023	1.012	0.237
Residual		3.290	1.814	

Note. Number of Obs: 2007 , Number of groups: WORD 64, CODE 35

Estimated Marginal Means

Estimate Marginal Means - CHARACTER_ERGEBNISSEN

CHARACTER_ERGEBNISSEN	Mean	SE	95% Confidence Intervals	
			Lower	Upper
Mean-1·SD	0.967	0.01052	0.939	0.983
Mean	0.960	0.00984	0.936	0.976
Mean+1·SD	0.952	0.01449	0.914	0.974

Note. Expected means are expressed as probabilities

Estimate Marginal Means - AROUSAL_MEAN

AROUSAL_MEAN	Mean	SE	95% Confidence Intervals	
			Lower	Upper
Mean-1·SD	0.958	0.01200	0.927	0.976
Mean	0.960	0.00982	0.936	0.976
Mean+1·SD	0.963	0.01070	0.935	0.979

Note. Expected means are expressed as probabilities

Estimate Marginal Means - CHARACTER_ERGEBNISSEN ✻ AROUSAL_MEAN

				95% Confidence Intervals	
CHARACTER_ERGEBNISSEN	AROUSAL_MEAN	Mean	SE	Lower	Upper
Mean-1·SD	Mean-1·SD	0.971	0.01087	0.940	0.986
Mean-1·SD	Mean	0.967	0.01052	0.939	0.983
Mean-1·SD	Mean+1·SD	0.964	0.01291	0.928	0.982
Mean	Mean-1·SD	0.958	0.01203	0.927	0.976
Mean	Mean	0.960	0.00984	0.936	0.976
Mean	Mean+1·SD	0.963	0.01070	0.935	0.979
Mean+1·SD	Mean-1·SD	0.940	0.01991	0.887	0.969
Mean+1·SD	Mean	0.952	0.01449	0.914	0.974
Mean+1·SD	Mean+1·SD	0.962	0.01343	0.925	0.981

Note. Expected means are expressed as probabilities

Results Plots

Plot: ACCURACY ~ AROUSAL_MEAN ✻ CHARACTER_ERGEBNISSEN

