Mixed Model

Model Info

Info		
Model Type	Mixed Model	Linear Mixed model for continuous y
Model	lmer	RT ~ 1 + EMOTION_CAT + (1 | CODE) + (1 | WORD)
Distribution	Gaussian	Normal distribution of residuals
Direction	y	Dependend variable scores
Optimizer	bobyqa	
DF method	Satterthwaite	
Sample size	1851	
Converged	yes	
Y transform	none	
C.I. method	Wald	

Model Results

Model Fit

Type	R^2	df	LRT X^2	p
Conditional	0.281	4	371.384	<.001
Marginal	0.003	2	1.477	.478

Fixed Effects Omnibus Tests

	F	df	df (res)	p
EMOTION_CAT	0.738	2	58.6	.483

Parameter Estimates (Fixed coefficients)

				95% Confidence Intervals				
Names	Effect	Estimate	SE	Lower	Upper	df	t	p
(Intercept)	(Intercept)	1054.8	32.6	990.8	1119	50.0	32.352	<.001
EMOTION_CAT1	negative - positive	48.8	40.2	-30.0	128	59.3	1.214	.230
EMOTION_CAT2	neutral - positive	26.2	41.1	-54.4	107	57.3	0.637	.526

Random Components

Groups	Name	Variance	SD	ICC
WORD	(Intercept)	13627	117	0.114
CODE	(Intercept)	27533	166	0.206
Residual		106268	326	

Note. Number of Obs: 1851 , Number of groups: WORD 64, CODE 35

Post Hoc Tests

Post Hoc comparison: EMOTION_CAT

Comparison							
EMOTION_CAT	vs	EMOTION_CAT	Difference	SE	t	df	p
positive	-	negative	-48.8	40.2	-1.214	59.3	.230
positive	-	neutral	-26.2	41.1	-0.637	57.3	.526
negative	-	neutral	22.6	40.6	0.556	59.1	.580

Estimated Marginal Means

Estimate Marginal Means - EMOTION_CAT

				95% Confidence Intervals	
EMOTION_CAT	Mean	SE	df	Lower	Upper
positive	1030	40.2	77.7	950	1110
negative	1079	39.7	78.4	1000	1158
neutral	1056	40.6	78.6	975	1137

Results Plots

Plot: RT ~ EMOTION_CAT


1150
1100
1050
1000
950
RT
positive
negative
neutral
EMOTION_CAT