Lazyclick

Add **WhatsApp Login** to your app/website

Free Forever

No OTPs

Fast & Secure

[Login with WhatsApp](#)

Why WhatsApp Login?

Increased conversion

Streamline user verification and turn more leads into customers

Protect your users

Do away with OTPs, prevent account takeovers with WhatsApp

Improve user experience

Seamless phone verification process for a delightful experience

How it works?

**Sign in
with WhatsApp**

Redirected to WhatsApp

ID

Password

Submit

Sign in to apsdeoria with Lazyclick ✕

Continue with Whatsapp

**Instant
authentication**

Redirected back

2:14 ◀ Chrome 4G

〈 136 +91 78807 60128

Today

ⓘ This business uses a secure service from Meta to manage this chat. Tap to learn more.

Send this message to continue to
apsdeoria 2:14 PM

Click **Continue** to log in through
WhatsApp. 2:14 PM

Continue

User Signed in

**Sign in
Successful**

Integration Guide

Choose your platform

Website

Javascript

App

Android

JS Javascript

Install the Lazyclick SDK

Copy-paste this code on your login page

```
<script type="text/javascript"
src="https://www.lazyclick.in/lazyclick.js"></script>

<script type="text/javascript">
      lazyclick(wauser) {
          console.log(wauser);
      }
</script>
```

Android

Install the Lazyclick SDK

Step 1: Open settings.gradle/build.gradle(project)

```
repositories {
  google()
  mavenCentral()
  maven { url 'https://jitpack.io' }

  maven {
    url = "https://maven.pkg.github.com/lazyclick/lazyclick"
    credentials {
      username = "lazyclick"
      password = "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"
    }
  }
}
```

Step 2: Add dependency inside build.gradle(app)

```
implementation 'com.lazyclick:lazyclick-android-sdk:1.0.0'
```

Step 3: Inside onCreate() on your Activity/Fragment

```kotlin
override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_main)

    // Do this on a button click where you want to login
    Lazyclick.instance?.initFree(this) // Initialize


    Lazyclick.instance?.setListener(object : DataListener { // Callback
    override fun onMessageReceived(jsonString: String) {
        Log.i("TAG", "onMessageReceived: $jsonString")
    }

    override fun onMessageSent(jsonString: String) {
        Log.i("TAG", "onMessageSent: $jsonString")
    }

    })
}
```