Red Hat SRE Challenge: Dockerfile Sources

Background

As part of our compliance requirements, we want to make sure that we are building containers with trusted source images.

The challenge

Your task is to build a tool that given a list of repositories, it identifies all the Dockerfile files inside each repository, extracts the image names from the statement, and returns a json with the aggregated information for all the repositories.

You can find the details of the FROM command here: https://docs.docker.com/engine/reference/builder/#from

The input will be provided as a URL pointing to a plaintext file. Each line will have two fields separated by a space: - the https url of the github public repository - the commit SHA to verify.

You can skip any line that doesn't match this pattern.

 $Example\ input:\ https://gist.githubusercontent.com/jmelis/c60e61a893248244dc4fa12b946585c4/raw/25d39f67f2405330a6314cad64fac423a171162c/sources.txt$

Example output:

```
{
  "data": {
    "https://github.com/app-sre/qontract-reconcile.git:30af65af14a2dce962df923446afff24dd8f123e": {
      "dockerfiles/Dockerfile": [
        "quay.io/app-sre/qontract-reconcile-base:0.2.1"
      ]
    },
    "https://github.com/app-sre/container-images.git:c260deaf135fc0efaab365ea234a5b86b3ead404": {
      "jiralert/Dockerfile": [
        "registry.access.redhat.com/ubi8/go-toolset:latest",
        "registry.access.redhat.com/ubi8-minimal:8.2"
      1,
      "qontract-reconcile-base/Dockerfile": [
        "registry.access.redhat.com/ubi8/ubi:8.2",
        "registry.access.redhat.com/ubi8/ubi:8.2",
        "registry.access.redhat.com/ubi8/ubi:8.2"
      ]
    }
 }
}
```

Things to take into account:

- We expect the exercise to take around 4 hours. It could be more or less depending on your experience.
- Feel free to spend as much time as you need with the exercise. We care about the quality of the code and making reasoned choices.
- We would like the codebase to be in either of the two languages most commonly used by our team: Python or Golang
- The input list could be very big, with hundreds of lines, and execution time is a concern.
- Invalid lines in the input file should be ignored.
- This should be production grade code
- · You can extend the return payload to include errors.

Deliverables:

- URL to *private* GitHub repository with the code.
- A README.md file detailing your implementation and any additional features added.
- The Hiring Specialist will share the GitHub username of the reviewer with you. You will need to add them to the private repository with read access.

Bonus points:

- Since we are a cloud-native team, we want to run this as a Kubernetes Job. If you already know kubernetes, that is excellent. If you don't, we will hugely value you taking the time to check out minikube and figuring out how to use Jobs. The list of repository urls should be provided to the Job with the REPOSITORY_LIST_URL environment variable, which should point at an url.
- Please feel free to implement any additional features that make this project more production ready. Do make sure to document them in the README.

We look forward to hearing from you soon!