

Cucumber Report

Sep 28, 2023, 10:01:08 AM

Start : Sep 28, 10:00:23.736 AM

End : Sep 28, 10:01:05.868 AM

Duration : 42.132 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 2

SKIPPED - 0

PASSED - 1


FAILED - 4

SKIPPED - 0

PASSED - 8


FAILED - 4

SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Using Mobile number and otp</u>	35.121 s	4	1	3	0	17	7	3	7
<u>Validating the wishlist</u>	7.002 s	1	0	1	0	5	1	1	3

#	Feature Name	Scenario Name
1	<u>Login Using Mobile number and otp</u>	<u>False Login</u>
2		<u>Update Account Information</u>
3		<u>Manage Address</u>
4	<u>Validating the wishlist</u>	<u>User validates the My wishlist</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Login Using Mobile number and otp</u>	4	1	3	0	35.121 s
2	<u>Validating the wishlist</u>	1	0	1	0	7.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Using Mobile number and otp</u>	<u>False Login</u>	4	3	1	0	22.996 s
2		<u>User Login</u>	4	4	0	0	8.082 s
3		<u>Update Account Information</u>	4	0	1	3	1.920 s
4		<u>Manage Address</u>	5	0	1	4	2.045 s
5	<u>Validating the wishlist</u>	<u>User validates the My wishlist</u>	5	1	1	3	7.001 s

Login Using Mobile number and otp

FAILED	DURATION - 35.121 s	Scenarios		Steps	
/ 10:00:23.736 AM // 10:00:58.857 AM /		Total - 4		Total - 17	
		Pass - 1		Pass - 7	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 7	



False Login

<div>FAILED</div> <div>DURATION - 22.996 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:00:23.740 AM // 10:00:46.736 AM /				
Login Using Mobile number and otp				

#	Step / Hook Details	Status	Duration
1	Given user should be on login page "https://www.buybooksindia.com/login.php"	PASSED	4.123 s
2	When user enter the mobile number and click on generate otp	PASSED	1.615 s
3	Then OTP will generated Copy the OTP and Click on Login button	PASSED	1.467 s
4	And Validate the User Login	FAILED	11.107 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//strong[text()='Account Information']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [5fe4ef2745431fadf6e55d9ca9a309cc, findElement {using=xpath, value=//strong[text()='Account Information']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56126/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5fe4ef2745431fadf6e55d9ca9a309cc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.getText(Unknown Source) at com.Actions.LoginActions.loginSuccess(LoginActions.java:47) at com.StepDefinition.LoginPageDefination.validate_the_user_login(LoginPageDefination.java:50) at ?.Validate the User Login(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/Login.feature:7) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario) Screenshot 	PASSED	0.227 s

User Login

PASSED		DURATION - 8.082 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:00:46.774 AM // 10:00:54.856 AM /						
Login Using Mobile number and otp						


#	Step / Hook Details	Status	Duration
1	Given user should be on login page "https://www.buybooksindia.com/login.php"	PASSED	3.716 s
2	When user enter the mobile number and click on generate otp	PASSED	1.667 s
3	Then OTP will generated Copy the OTP and Click on Login	PASSED	0.969 s
4	And Validate the User Login success	PASSED	0.036 s

Update Account Information

<div>FAILED</div> <div>DURATION - 1.920 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:00:54.871 AM // 10:00:56.791 AM /				
Login Using Mobile number and otp				



#	Step / Hook Details	Status	Duration
1	Given user should be Logged In junit.framework.AssertionFailedError at junit.framework.Assert.fail(Assert.java:47) at junit.framework.Assert.assertTrue(Assert.java:20) at junit.framework.Assert.assertTrue(Assert.java:27) at com.StepDefinition.LoginPageDefination.user_should_be_logged_in(LoginPageDefination.java:55) at ?.user should be Logged In(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/Login.feature:15) * Not displayable characters are replaced by '?'. 	FAILED	0.019 s
2	When user should enters the Account Information	SKIPPED	0.000 s
3	Then user clicks in submit button	SKIPPED	0.000 s
4	And Validate the Account Infomation	SKIPPED	0.001 s
	AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	Screenshot		

Manage Address





#	Step / Hook Details	Status	Duration
1	Given user should be Logged In junit.framework.AssertionFailedError at junit.framework.Assert.fail(Assert.java:47) at junit.framework.Assert.assertTrue(Assert.java:20) at junit.framework.Assert.assertTrue(Assert.java:27) at com.StepDefinition.LoginPageDefination.user_should_be_logged_in(LoginPageDefination.java:55) at ?.user should be Logged In(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/Login.feature:21) * Not displayable characters are replaced by '?'.	FAILED	0.018 s
2	When User Navigates to Address Page	SKIPPED	0.000 s
3	And Enters the Address details	SKIPPED	0.000 s
4	Then user submit the address	SKIPPED	0.002 s
5	And Validate the Address Details	SKIPPED	0.000 s
	AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	Screenshot		

Validating the wishlist

FAILED	DURATION - 7.002 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 10:00:58.866 AM // 10:01:05.868 AM /					

User validates the My wishlist

<div>FAILED</div> <div>DURATION - 7.001 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:00:58.866 AM // 10:01:05.867 AM /				
Validating the wishlist				

#	Step / Hook Details	Status	Duration
1	Given User should be on homepage "https://www.buybooksindia.com/"	PASSED	4.704 s
2	When User clicks the search bar org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [565fc80265ec894e9e282077b1d8eb95, findElement {using=xpath, value=//input[@name="keyword"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\Local\Temp\chrome-win-1030\DevToolsActiveMon1170593892}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56248/devtools, se.cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 565fc80265ec894e9e282077b1d8eb95 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy42.click(Unknown Source) at com.Actions.SearchActions.clickSearch(SearchActions.java:33) at com.StepDefinition.SearchDefination.user_clicks_the_search_bar(SearchDefination.java:28) at ?.User clicks the search bar(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/wishlist.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	And user enter books name and click on book	SKIPPED	0.000 s
4	Then User add the book to wish list	SKIPPED	0.000 s
5	And check whether book is added to wish list	SKIPPED	0.000 s
	<p>AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [565fc80265ec894e9e282077b1d8eb95, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\Local\Temp\chrome-win- true, goog:chromeOptions: {debuggerAddress: localhost:56248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56248/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 565fc80265ec894e9e282077b1d8eb95 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) </pre>	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.StepDefinition.Hooks.takeScreenshot(Hooks.java:33)		