

Cucumber Report

Sep 25, 2023, 5:48:36 PM

Start : Sep 25, 5:48:09.776 PM

End : Sep 25, 5:48:34.278 PM

Duration : 24.502 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 4

SKIPPED - 0

PASSED - 17

FAILED - 4

SKIPPED - 16




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validating the Company Feature</u>	24.383 s	5	5	0	0	17	17	0	0
<u>Navigate to School Education</u>	0.096 s	4	0	4	0	20	0	4	16

#	Feature Name	Scenario Name
1	<u>Navigate to School Education</u>	<u>User able to sort books for class6</u>
2		<u>User able to sort books and print price of books for class10</u>
3		<u>User able to sort books based on discount for CBSE Board</u>
4		<u>User able to sort books based on discount for CBSE Board</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Validating the Company Feature</u>	5	5	0	0	24.383 s
2	<u>Navigate to School Education</u>	4	0	4	0	0.096 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating the Company Feature</u>	<u>User Validates the About Us feature</u>	3	3	0	0	11.845 s
2		<u>User Should Fill the Details of Publisher Company</u>	4	4	0	0	5.496 s
3		<u>User Should Fill the Detials in ContactUs Page</u>	4	4	0	0	3.212 s
4		<u>User Should Validate the Privacy Policy</u>	3	3	0	0	1.816 s
5		<u>User Should Validate the Disclaimer Page</u>	3	3	0	0	1.939 s
6	<u>Navigate to School Education</u>	<u>User able to sort books for class6</u>	5	0	1	4	0.024 s
7		<u>User able to sort books and print price of books for class10</u>	5	0	1	4	0.009 s
8		<u>User able to sort books based on discount for CBSE Board</u>	5	0	1	4	0.009 s
9		<u>User able to sort books based on discount for CBSE Board</u>	5	0	1	4	0.011 s

Validating the Company Feature



PASSED	DURATION - 24.383 s	Scenarios		Steps	
/ 5:48:09.776 PM // 5:48:34.159 PM /		Total - 5		Total - 17	
		Pass - 5		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User Validates the About Us feature

<div>PASSED</div> <div>DURATION - 11.845 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>7.0</td></tr><tr><td>2</td><td>1.0</td></tr><tr><td>3</td><td>0.1</td></tr></tbody></table></div>	Step	Duration (s)	1	7.0	2	1.0	3	0.1	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step		Duration (s)									
1		7.0									
2		1.0									
3	0.1										
<div>/ 5:48:09.779 PM // 5:48:21.624 PM /</div>											
<div>Validating the Company Feature</div>											



#	Step / Hook Details	Status	Duration
1	Given User Should be on HomePage "https://www.buybooksindia.com/"	PASSED	7.040 s
2	When User Navigates to Company and Clicks on AboutUs	PASSED	1.197 s
3	Then User Should Able to See Startup year in AboutUs	PASSED	0.043 s

User Should Fill the Details of Publisher Company

<div>PASSED</div>	<div>DURATION - 5.496 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.7</td></tr><tr><td>2</td><td>1.3</td></tr><tr><td>3</td><td>3.4</td></tr><tr><td>4</td><td>0.1</td></tr></tbody></table></div>	Step	Duration (s)	1	0.7	2	1.3	3	3.4	4	0.1	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.7													
2	1.3													
3	3.4													
4	0.1													
<div>/ 5:48:21.661 PM // 5:48:27.157 PM /</div>														
<div>Validating the Company Feature</div>														



#	Step / Hook Details	Status	Duration
1	Given User Should be on HomePage "https://www.buybooksindia.com/"	PASSED	0.694 s
2	When User Navigates to Company and Clicks on Publisher Partnership	PASSED	1.327 s
3	Then User Should Able to Fill the Details	PASSED	3.359 s
4	Then Click on Submit Button	PASSED	0.113 s

User Should Fill the Detials in ContactUs Page

PASSED		DURATION - 3.212 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:48:27.170 PM // 5:48:30.382 PM /						
Validating the Company Feature						

#	Step / Hook Details	Status	Duration
1	Given User Should be on HomePage "https://www.buybooksindia.com/"	PASSED	1.018 s
2	When User Navigates to Company and Clicks on ContacUs	PASSED	1.628 s
3	Then User Should Able to Fill the Contact Details	PASSED	0.529 s
4	Then It has to take the Conatct Number	PASSED	0.035 s



User Should Validate the Privacy Policy

PASSED	DURATION - 1.816 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:48:30.393 PM // 5:48:32.209 PM /				
Validating the Company Feature				

#	Step / Hook Details	Status	Duration
1	Given User Should be on HomePage "https://www.buybooksindia.com/"	PASSED	0.777 s
2	When User Navigates to Company and Clicks on Privacy Policy	PASSED	0.981 s



#	Step / Hook Details	Status	Duration
3	Then User Should Read the Policy	PASSED	0.057 s

User Should Validate the Disclaimer Page



PASSED	DURATION - 1.939 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:48:32.220 PM // 5:48:34.159 PM /				
Validating the Company Feature				

#	Step / Hook Details	Status	Duration
1	Given User Should be on HomePage "https://www.buybooksindia.com/"	PASSED	0.758 s
2	When User Navigates to Company and Clicks on Disclaimer	PASSED	1.128 s
3	Then User Should Validate the Disclaimer WebPage	PASSED	0.051 s

Navigate to School Education

FAILED	DURATION - 0.096 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 20 Pass - 0 Fail - 4 Skip - 16	
/ 5:48:34.182 PM // 5:48:34.278 PM /					

User able to sort books for class6

FAILED		DURATION - 0.024 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4		
/ 5:48:34.183 PM // 5:48:34.207 PM /							
Navigate to School Education							

#	Step / Hook Details	Status	Duration
1	<p>Given User should be on HomePage "https://www.buybooksindia.com/"</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at com.Locators.SchoolEduLocators.<init>(SchoolEduLocators.java:11) at com.Actions.SchoolEduAction.<init>(SchoolEduAction.java:23) at com.StepDefinition.SchoolEduDefinition.<init>(SchoolEduDefinition.java:15) </pre>		
2	When User Navigate to School Education and Click ShopBy Class	SKIPPED	0.001 s
3	Then User Click on Class6	SKIPPED	0.000 s
4	And User Click on Sort Option	SKIPPED	0.000 s
5	Then User Selects Newest and assert text	SKIPPED	0.000 s

User able to sort books and print price of books for class10

FAILED DURATION - 0.009 s / 5:48:34.223 PM // 5:48:34.232 PM / Navigate to School Education		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User should be on HomePage "https://www.buybooksindia.com/"	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at com.Locators.SchoolEduLocators.<init>(SchoolEduLocators.java:11) at com.Actions.SchoolEduAction.<init>(SchoolEduAction.java:23) at com.StepDefinition.SchoolEduDefinition.<init>(SchoolEduDefinition.java:15) </pre>		
2	When User Navigates School Education and Click ShopBy Class	SKIPPED	0.001 s
3	Then User Click on Class10	SKIPPED	0.000 s
4	And User Clicks on Sort Option	SKIPPED	0.000 s
5	Then User Selects Price:Low-High and Print Price of Books	SKIPPED	0.000 s

User able to sort books based on discount for CBSE Board



FAILED DURATION - 0.009 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 5:48:34.245 PM // 5:48:34.254 PM /			
Navigate to School Education			

#	Step / Hook Details	Status	Duration
1	Given User should be on HomePage "https://www.buybooksindia.com/"	FAILED	0.003 s
	<pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at com.Locators.SchoolEduLocators.<init>(SchoolEduLocators.java:11) at com.Actions.SchoolEduAction.<init>(SchoolEduAction.java:23) at com.StepDefinition.SchoolEduDefinition.<init>(SchoolEduDefinition.java:15) </pre>		
2	When User Navigates School Education and Click ShopBy Board	SKIPPED	0.001 s
3	Then User Click on CBSE Option	SKIPPED	0.000 s
4	And User Clicks on Sort Option	SKIPPED	0.000 s
5	Then User Selects Discount:Low-High and check the discount	SKIPPED	0.000 s

User able to sort books based on discount for CBSE Board

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 5:48:34.267 PM // 5:48:34.278 PM /				
Navigate to School Education				

#	Step / Hook Details	Status	Duration
1	Given User should be on HomePage "https://www.buybooksindia.com/" <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium.By)" because "this.driver" is null at com.Locators.SchoolEduLocators.<init>(SchoolEduLocators.java:11) at com.Actions.SchoolEduAction.<init>(SchoolEduAction.java:23) at com.StepDefinition.SchoolEduDefinition.<init>(SchoolEduDefinition.java:15) </pre>		
2	When User Navigates School Education and Click ShopBy Board	SKIPPED	0.000 s
3	Then User Click on CBSE Option	SKIPPED	0.000 s
4	And User Clicks on Sort Option	SKIPPED	0.000 s
5	Then User Selects Discount:High-Low and check the discount	SKIPPED	0.000 s