


| Feature | | Scenario | | | | Step | | | |
|--------------------------------|----------|----------|---|---|---|----------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Validating the Company Feature | 23.727 s | 5 | 5 | 0 | 0 | 17 | 17 | 0 | 0 |
| Navigate to School Education | 0.099 s | 4 | 0 | 4 | 0 | 20 | 0 | 4 | 16 |


FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|------------------------------|--|
| 1 | Navigate to School Education | User able to sort books for class6 |
| 2 | | User able to sort books and print price of books for class10 |
| 3 | | User able to sort books based on discount for CBSE Board |
| 4 | | User able to sort books based on discount for CBSE Board |



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------|---|---|---|---|----------|
| 1 | Validating the Company Feature | 5 | 5 | 0 | 0 | 23.727 s |
| 2 | Navigate to School Education | 4 | 0 | 4 | 0 | 0.099 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|--|---|---|---|---|----------|
| 1 | Validating the Company Feature | <u>User Validates the About Us feature</u> | 3 | 3 | 0 | 0 | 11.013 s |
| 2 | | User Should Fill the Details of Publisher Company | 4 | 4 | 0 | 0 | 5.226 s |
| 3 | | User Should Fill the Detials in ContactUs Page | 4 | 4 | 0 | 0 | 3.227 s |
| 4 | | User Should Validate the Privacy Policy | 3 | 3 | 0 | 0 | 2.111 s |
| 5 | | User Should Validate the Disclaimer Page | 3 | 3 | 0 | 0 | 2.063 s |
| 6 | Navigate to School Education | User able to sort books for class6 | 5 | 0 | 1 | 4 | 0.024 s |
| 7 | | User able to sort books and print price of books for class10 | 5 | 0 | 1 | 4 | 0.010 s |
| 8 | | User able to sort books based on discount for CBSE Board | 5 | 0 | 1 | 4 | 0.010 s |
| 9 | | User able to sort books based on discount for CBSE Board | 5 | 0 | 1 | 4 | 0.009 s |

Validating the Company Feature


| PASSED | DURATION - 23.727 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|-----|------------|---------|
| | | Total - 5 | | Total - 17 | |
| / 5:50:00.642 PI | M // 5:50:24.369 PM / | Pass - 5 | 5 | Pass - 17 | 17 |
| | | Fail - 0 | · · | Fail - 0 | · · · / |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

User Validates the About Us feature




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Should be on HomePage "https://www.buybooksindia.com/" | PASSED | 6.229 s |
| 2 | When User Navigates to Company and Clicks on AboutUs | PASSED | 0.911 s |
| 3 | Then User Should Able to See Startup year in AboutUs | PASSED | 0.033 s |

User Should Fill the Details of Publisher Company




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User Should be on HomePage "https://www.buybooksindia.com/" | PASSED | 0.713 s |
| 2 | When User Navigates to Company and Clicks on Publisher Partnership | PASSED | 1.249 s |
| 3 | Then User Should Able to Fill the Details | PASSED | 3.168 s |
| 4 | Then Click on Submit Button | PASSED | 0.093 s |

User Should Fill the Detials in ContactUs Page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Should be on HomePage "https://www.buybooksindia.com/" | PASSED | 0.956 s |
| 2 | When User Navigates to Company and Clicks on ContacUs | PASSED | 1.782 s |
| 3 | Then User Should Able to Fill the Contact Details | PASSED | 0.451 s |
| 4 | Then It has to take the Conatct Number | PASSED | 0.034 s |


User Should Validate the Privacy Policy



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Should be on HomePage "https://www.buybooksindia.com/" | PASSED | 0.822 s |
| 2 | When User Navigates to Company and Clicks on Privacy Policy | PASSED | 1.244 s |

| # | Step / Hook Details | Status | Duration |
|---|----------------------------------|--------|----------|
| 3 | Then User Should Read the Policy | PASSED | 0.042 s |

User Should Validate the Disclaimer Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Should be on HomePage "https://www.buybooksindia.com/" | PASSED | 0.900 s |
| 2 | When User Navigates to Company and Clicks on Disclaimer | PASSED | 1.132 s |
| 3 | Then User Should Validate the Disclaimer WebPage | PASSED | 0.028 s |

Navigate to School Education

| FAILED DUI | RATION - 0.099 s | Scenarios | | Steps | |
|-----------------------------|------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 20 | |
| / 5:50:24.384 PM // 5:50:24 | 4.483 PM / | Pass - 0 | 4 | Pass - 0 | 20 |
| | | Fail - 4 | | Fail - 4 | |
| | | Skip - 0 | | Skip - 16 | |


User able to sort books for class6



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should be on HomePage "https://www.buybooksindia.com/" | FAILED | 0.014 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium. | | |
| | By)" because "this.driver" is null | | |
| | at com.Locators.SchoolEduLocators. <init>(SchoolEduLocators.java:11)</init> | | |
| | at com.Actions.SchoolEduAction. schoolEduAction. java:23) | | |
| | at com.StepDefinition.SchoolEduDefinition. <init>(SchoolEduDefinition.java:15)</init> | | |
| 2 | When User Navigate to School Education and Click ShopBy Class | SKIPPED | 0.000 s |
| 3 | Then User Click on Class6 | SKIPPED | 0.001 s |
| 4 | And User Click on Sort Option | SKIPPED | 0.000 s |
| 5 | Then User Selects Newest and assert text | SKIPPED | 0.001 s |

User able to sort books and print price of books for class10




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should be on HomePage "https://www.buybooksindia.com/" | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |

DETAILED SECTION -- 12 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium. | | |
| | By)" because "this.driver" is null | | |
| | at com.Locators.SchoolEduLocators. <init>(SchoolEduLocators.java:11)</init> | | |
| | at com.Actions.SchoolEduAction. <init>(SchoolEduAction.java:23)</init> | | |
| | at com.StepDefinition.SchoolEduDefinition. <init>(SchoolEduDefinition.java:15)</init> | | |
| 2 | When User Navigates School Education and Click ShopBy Class | SKIPPED | 0.000 s |
| 3 | Then User Click on Class10 | SKIPPED | 0.000 s |
| 4 | And User Clicks on Sort Option | SKIPPED | 0.000 s |
| 5 | Then User Selects Price:Low-High and Print Price of Books | SKIPPED | 0.000 s |

User able to sort books based on discount for CBSE Board




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should be on HomePage "https://www.buybooksindia.com/" | FAILED | 0.004 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) | | |
| | 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium. | | |
| | By)" because "this.driver" is null | | |
| | at com.Locators.SchoolEduLocators. <init>(SchoolEduLocators.java:11)</init> | | |
| | at com.Actions.SchoolEduAction. <init>(SchoolEduAction.java:23)</init> | | |
| | at com.StepDefinition.SchoolEduDefinition. <init>(SchoolEduDefinition.java:15)</init> | | |
| 2 | When User Navigates School Education and Click ShopBy Board | SKIPPED | 0.001 s |
| 3 | Then User Click on CBSE Option | SKIPPED | 0.000 s |
| 4 | And User Clicks on Sort Option | SKIPPED | 0.000 s |
| 5 | Then User Selects Discount:Low-High and check the discount | SKIPPED | 0.000 s |

User able to sort books based on discount for CBSE Board



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should be on HomePage "https://www.buybooksindia.com/" | FAILED | 0.004 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class com.StepDefinition.SchoolEduDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |

DETAILED SECTION -- 16 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) 45 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.findElement(org.openqa.selenium. By)" because "this.driver" is null at com.Locators.SchoolEduLocators. at com.Actions.SchoolEduAction. (SchoolEduLocators.java:23) at com.Actions.SchoolEduDefinition. (SchoolEduDefinition.java:15) | | |
| 2 | When User Navigates School Education and Click ShopBy Board | SKIPPED | 0.000 s |
| 3 | Then User Click on CBSE Option | SKIPPED | 0.001 s |
| 4 | And User Clicks on Sort Option | SKIPPED | 0.000 s |
| 5 | Then User Selects Discount: High-Low and check the discount | SKIPPED | 0.000 s |