

# Cucumber Report

Sep 28, 2023, 12:45:55 AM

Start : Sep 28, 12:45:21.047 AM

End : Sep 28, 12:45:53.980 AM

Duration : 32.933 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 3  
FAILED - 2  
SKIPPED - 0

PASSED - 17  
FAILED - 2  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Using Mobile number and otp</u>	29.032 s	4	3	1	0	17	16	1	0
<u>Validating the wishlist</u>	3.895 s	1	0	1	0	5	1	1	3

#	Feature Name	Scenario Name
1	<u>Login Using Mobile number and otp</u>	<u>False Login</u>
2	<u>Validating the wishlist</u>	<u>User validates the My wishlist</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Login Using Mobile number and otp</u>	4	3	1	0	29.032 s
2	<u>Validating the wishlist</u>	1	0	1	0	3.895 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Using Mobile number and otp</u>	<u>False Login</u>	4	3	1	0	19.829 s
2		<u>User Login</u>	4	4	0	0	3.212 s
3		<u>Update Account Information</u>	4	4	0	0	2.343 s
4		<u>Manage Address</u>	5	5	0	0	3.595 s
5	<u>Validating the wishlist</u>	<u>User validates the My wishlist</u>	5	1	1	3	3.895 s

## Login Using Mobile number and otp

<b>FAILED</b>	<b>DURATION - 29.032 s</b>	Scenarios		Steps	
/ 12:45:21.047 AM // 12:45:50.079 AM /		Total - 4		Total - 17	
		Pass - 3		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



## False Login

<div>FAILED</div> <div>DURATION - 19.829 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:45:21.051 AM // 12:45:40.880 AM /</div>				
<div>Login Using Mobile number and otp</div>				

#	Step / Hook Details	Status	Duration
1	Given user should be on login page "https://www.buybooksindia.com/login.php"	PASSED	3.079 s
2	When user enter the mobile number and click on generate otp	PASSED	1.360 s
3	Then OTP will generated Copy the OTP and Click on Login button	PASSED	1.136 s
4	And Validate the User Login	FAILED	10.959 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//strong[text()='Account Information']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ea58d7661ab9dfcfbf8d5abe35305ccb, findElement {using=xpath, value=//strong[text()='Account Information']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63805}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63805/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ea58d7661ab9dfcfbf8d5abe35305ccb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.getText(Unknown Source) at com.Actions.LoginActions.loginSuccess(LoginActions.java:47) at com.StepDefinition.LoginPageDefination.validate_the_user_login(LoginPageDefination.java:50) at ?.Validate the User Login(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/Login.feature:7) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>Screenshot</p> 	PASSED	0.182 s

## User Login

PASSED		DURATION - 3.212 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:45:40.902 AM // 12:45:44.114 AM /						
Login Using Mobile number and otp						



#	Step / Hook Details	Status	Duration
1	Given user should be on login page "https://www.buybooksindia.com/login.php"	PASSED	1.147 s
2	When user enter the mobile number and click on generate otp	PASSED	1.117 s
3	Then OTP will generated Copy the OTP and Click on Login	PASSED	0.924 s
4	And Validate the User Login success	PASSED	0.023 s

### Update Account Information

PASSED		DURATION - 2.343 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:45:44.125 AM // 12:45:46.468 AM /						
Login Using Mobile number and otp						

#	Step / Hook Details	Status	Duration
1	Given user should be Logged In	PASSED	0.008 s
2	When user should enters the Account Information	PASSED	0.568 s
3	Then user clicks in submit button	PASSED	1.757 s
4	And Validate the Account Infomation	PASSED	0.010 s

### Manage Address



PASSED		DURATION - 3.595 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:45:46.484 AM // 12:45:50.079 AM /						
Login Using Mobile number and otp						

#	Step / Hook Details	Status	Duration
1	Given user should be Logged In	PASSED	0.007 s
2	When User Navigates to Address Page	PASSED	1.444 s





#	Step / Hook Details	Status	Duration
3	And Enters the Address details	PASSED	0.755 s
4	Then user submit the address	PASSED	1.366 s
5	And Validate the Address Details	PASSED	0.021 s

## Validating the wishlist

FAILED	DURATION - 3.895 s	Scenarios		Steps	
/ 12:45:50.085 AM // 12:45:53.980 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## User validates the My wishlist

<div>FAILED</div> <div>DURATION - 3.895 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 12:45:50.085 AM // 12:45:53.980 AM /				
Validating the wishlist				

#	Step / Hook Details	Status	Duration
1	Given User should be on homepage "https://www.buybooksindia.com/"	PASSED	3.834 s
2	When User clicks the search bar	FAILED	0.017 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ea58d7661ab9dfcfbf8d5abe35305ccb, findElement {using=xpath, value=//input[@name="keyword"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63805}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63805/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ea58d7661ab9dfcfbf8d5abe35305ccb		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at com.Actions.SearchActions.clickSearch(SearchActions.java:33) at com.StepDefinition.SearchDefination.user_clicks_the_search_bar(SearchDefination.java:28) at ?.User clicks the search bar(file:///C:/Users/shupatil/eclipse-workspace/BuyBooksIndia/src/test/resources/FeatureFile/wishlist.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	And user enter books name and click on book	SKIPPED	0.001 s
4	Then User add the book to wish list	SKIPPED	0.000 s
5	And check whether book is added to wish list	SKIPPED	0.001 s
	<p>AFTER - com.StepDefinition.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.92) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ea58d7661ab9dfcfbf8d5abe35305ccb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\shupatil\AppData\Local\ true, goog:chromeOptions: {debuggerAddress: localhost:63805}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63805/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ea58d7661ab9dfcfbf8d5abe35305ccb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.StepDefinition.Hooks.takeScreenshot(Hooks.java:33)		