### **VIT Car Rental Website**

#### A REPORT

submitted by

HarshGupta 20BCE1310 ShubhamGupta 20BCE1637 Arushi Anand 20BCE1644 Uday Sigh Shergill 20BCE1806

in partial fulfilment for the award

of

# CSE3002 Internet and Web Programming B. Tech. Computer Science and Engineering

# **School of Computer Science and Engineering**



12-11-2022



## **School of Computer Science and Engineering**

#### **DECLARATION**

I hereby declare that the project entitled "VIT Car Rental Website" submitted by me to the School of Computer Science and Engineering, Vellore Institute of Technology, Chennai Campus, Chennai 600127 in partial fulfillment of the requirements for the award of the degree of Bachelor of Technology – Computer Science and Engineering is a record of bonafide work carried out by me. I further declare that the work reported in this report has not been submitted and will not be submitted, either in part or in full, for the award of any other degree or diploma of this institute or of any other institute or university.

Signature

Harsh Gupta 20BCE1310 Shubham Gupta 20BCE1637 Arushi Anand 20BCE1644 Uday Singh Shergill 20BCE1806



# School of Computer Science and Engineering

#### **CERTIFICATE**

The project report entitled "VIT CAR RENTAL WEBSITE" is prepared and submitted by Harsh Gupta, Shubham Gupta, Arushi Anand and Uday Singh Shergill (Register No: 20BCE1310 , 20BCE1637,20BCE1644 and 20BCE1806). It has been found satisfactory in terms of scope, quality and presentation as partial fulfilment of the requirements for the award of the degree of Bachelor of Technology – Computer Science and Engineering in Vellore Institute of Technology, Chennai, India.

Examined by: Prof. Rajiv

#### **ACKNOWLEDGEMENT**

It is our privilege to express our sincerest regards to our faulty-in-charge, **Prof. Rajiv**, for his valuable inputs, able guidance, encouragement, whole-hearted cooperation and constructive criticism throughout the duration of our project.

We pay our respects and love to our parents and all other family members and friends for their support and encouragement throughout our career. Last but not the least we express our thanksto our friends for their cooperation and support.

#### **ABSTRACT**

This Car Rental System project is designed to aid the car rental company to enable renting of cars through an online system. It helps the users to search for available cars view profile and book the cars for the time period. It has a user-friendly interface which helps the user to check for cars and rent them for the period specified. They could also make payment online. The rental cars shall be categorized into economy, premium etc. Based on the type of car required by the customer, the user shall be able to make bookings. The use of internet technology has made it easy for the customers to rent a car any time. This Car Rental System makes the bookings easy. It saves time and labor. The tool shall ask the user for information such as the date and time of journey, type of car etc. Also, it will need an identification number. Using these details, the tool shall help the customer to book a car for the journey.

#### INTRODUCTION

This project is designed so as to be used by Car Rental Company specializing in renting cars to customers. It is an online system through which customers can view available cars, register, view profile and book car. A car rental is a vehicle that can be used temporarily for a fee during a specified period. Getting a rental car helps people get around despite the fact they do not have access to their own personal vehicle or don't own a vehicle at all. The individual who needs a car must contact a rental car company and contract out for a vehicle. This system increases customer retention and simplify vehicle and staff management.

### CODES

```
index.php
<!DOCTYPE html>
<html>
<?php
session_start();
require 'connection.php';
$conn = Connect();
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>VIT Car Rental</title>
    <link rel="shortcut icon" type="image/png" href="assets/img/vit.png">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Lato">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/css/user.css">
    <link rel="stylesheet" href="assets/w3css/w3.css">
href="http://fonts.googleapis.com/css?family=Open+Sans:300,400,700,400italic,7
00italic" rel="stylesheet" type="text/css">
    <link href="http://fonts.googleapis.com/css?family=Montserrat:400,700"</pre>
rel="stylesheet" type="text/css">
</head>
<body id="page-top" data-spy="scroll" data-target=".navbar-fixed-top">
    <!-- Navigation -->
    <nav class="navbar navbar-custom navbar-fixed-top" role="navigation"</pre>
style="color: black">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                    <i class="fa fa-bars"></i></i>
                    </button>
```

```
<a class="navbar-brand page-scroll" href="index.php">
                VIT CAR RENTAL </a>
          </div>
          <!-- Collect the nav links, forms, and other content for toggling
          <?php
             if(isset($_SESSION['login_client'])){
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
              <1i>>
                    <a href="index.php">Home</a>
                 <1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_client']; ?></a>
                 <1i>>
                 <a href="#" class="dropdown-toggle active" data-</a>
toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
             <a href="entercar.php">Add Car</a>
            <a href="enterdriver.php"> Add Driver</a>
            <a href="clientview.php">View</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
                 </div>
          <?php
             else if (isset($_SESSION['login_customer'])){
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
```

```
<1i>>
                    <a href="index.php">Home</a>
                 <1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                 <a href="#" class="dropdown-toggle active" data-</li>
toggle="dropdown" role="button" aria-haspopup="true" aria-expanded="false">
Garagge <span class="caret"></span> </a>
             <a href="prereturncar.php">Return Now</a>
            <a href="mybookings.php"> My Bookings</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
             </div>
          <?php
             else {
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
             <a href="index.php">Home</a>
                 <a href="clientlogin.php">Client</a>
                 <1i>>
                    <a href="customerlogin.php">Customer</a>
                 <1i>>
                    <a href="faq/index.php"> FAQ </a>
                 </div>
             <?php }
```

```
<!-- /.navbar-collapse -->
        </div>
    </nav>
    <div class="bgimg-1">
        <header class="intro">
            <div class="intro-body">
                <div class="container">
                    <div class="row">
                        <div class="col-md-8 col-md-offset-2">
                            <h1 class="brand-heading" style="color: white">VIT
CAR RENTAL</h1>
                            Online car rental service
                            <a href="#sec2" class="btn btn-circle page-scroll</pre>
blink">
                                <i class="fa fa-angle-double-down</pre>
animated"></i></i>
                            </a>
                        </div>
                    </div>
                </div>
            </div>
        </header>
    </div>
    <div id="sec2" style="color: #777;background-color:white;text-</pre>
align:center;padding:50px 80px;text-align: justify;">
        <h3 style="text-align:center;">Currently Available Cars</h3>
<br>
        <section class="menu-content">
            <?php
            $sql1 = "SELECT * FROM cars WHERE car_availability='yes'";
            $result1 = mysqli_query($conn,$sql1);
            if(mysqli_num_rows($result1) > 0) {
                while($row1 = mysqli_fetch_assoc($result1)){
                    $car_id = $row1["car_id"];
                    $car_name = $row1["car_name"];
                    $ac_price = $row1["ac_price"];
                    $ac_price_per_day = $row1["ac_price_per_day"];
                    $non_ac_price = $row1["non_ac_price"];
                    $non_ac_price_per_day = $row1["non_ac_price_per_day"];
                    $car_img = $row1["car_img"];
            <a href="booking.php?id=<?php echo($car id) ?>">
```

```
<div class="sub-menu">
            <img class="card-img-top" src="<?php echo $car_img; ?>" alt="Card
image cap">
            <h5> <?php echo $car_name; ?> </h5>
            <h6> AC Fare: <?php echo ("₹" . $ac_price . "/km & ₹" .
$ac_price_per_day . "/day"); ?></h6>
            <h6> Non-AC Fare: <?php echo ("₹" . $non_ac_price . "/km & ₹" .
$non_ac_price_per_day . "/day"); ?></h6>
            </div>
            </a>
            <?php }}
            else {
<h1> No cars available :( </h1>
               <?php
       </section>
   </div>
    <div class="bgimg-2">
        <div class="caption">
            <span class="border" style="background-color:transparent;font-</pre>
size:25px;color: #f7f7f7;"></span>
        </div>
    </div>
    <!--<div style="position:relative;">
        <div style="color:#ddd;background-color:#282E34;text-</pre>
align:center;padding:50px 80px;text-align: justify;">
            Click here for the latest deals on your bookings
        </div>
    </div>-->
    <!-- Container (Contact Section) -->
    <div class="w3-content w3-container w3-padding-64" id="contact">
        <h3 class="w3-center">WHERE WE WORK</h3>
        <em>We love your feedback!</em>
        <div class="w3-row w3-padding-32 w3-section">
            <div class="w3-col m4 w3-container">
                <!-- Add Google Maps -->
                <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d178543.98485369666!
```

```
2d80.08289489341371!3d12.92448977819606!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.
1!3m3!1m2!1s0x3a5259af8e491f67%3A0x944b42131b757d2d!2sVellore%20Institute%20of
%20Technology%20-
%20VIT%20Chennai!5e0!3m2!1sen!2sin!4v1664776795934!5m2!1sen!2sin"
style="width:100%;height:400px;" loading="lazy" referrerpolicy="no-referrer-
when-downgrade"></iframe>
            </div>
            <div class="w3-col m8 w3-panel">
                <div class="w3-large w3-margin-bottom">
                     <i class="fa fa-map-marker fa-fw w3-hover-text-black w3-</pre>
xlarge w3-margin-right"></i> Chennai, India<br>
                    <i class="fa fa-phone fa-fw w3-hover-text-black w3-xlarge"</pre>
w3-margin-right"></i> Phone: +91 9811146789<br>
                    <i class="fa fa-envelope fa-fw w3-hover-text-black w3-</pre>
xlarge w3-margin-right"></i> Email: harsh2002.gupta@gmail.com<br>
                New to VIT Chennai ? Drop Your Details and Leave it on us
We'll Revert
                <form action="action page.php" method="POST">
                    <div class="w3-row-padding" style="margin:0 -16px 8px -</pre>
16px">
                         <div class="w3-half">
                             <input class="w3-input w3-border" type="text"</pre>
placeholder="Name" required name="name">
                         </div>
                         <div class="w3-half">
                             <input class="w3-input w3-border" type="text"</pre>
placeholder="Email" required name="e_mail">
                         </div>
                    </div>
                     <input class="w3-input w3-border" type="text"</pre>
placeholder="Message" required name="message">
                    <button class="w3-button w3-black w3-right w3-section"</pre>
type="submit">
                <i class="fa fa-paper-plane"></i> SEND MESSAGE
              </button>
                </form>
            </div>
        </div>
    </div>
    <footer class="site-footer">
        <div class="container">
            <hr>>
            <div class="row">
                <div class="col-sm-6">
                     <h5>0 2022 VIT Car Rental</h5>
                </div>
```

```
<div class="col-sm-6 social-icons">
                    <a href="#" target=" blank"><i class="fa fa-</pre>
facebook"></i></a>
                    <a href="#" target="_blank"><i class="fa fa-</pre>
twitter"></i></a>
                    <a href="#" target="_blank"><i class="fa fa-
instagram"></i></a>
                    <a href="#" target="_blank"><i class="fa fa-google-</pre>
plus"></i></a>
                </div>
            </div>
        </div>
    </footer>
    <script>
        function myMap() {
            myCenter = new google.maps.LatLng(25.614744, 85.128489);
            var mapOptions = {
                center: myCenter,
                zoom: 12,
                scrollwheel: true,
                draggable: true,
                mapTypeId: google.maps.MapTypeId.ROADMAP
            };
            var map = new
google.maps.Map(document.getElementById("googleMap"), mapOptions);
            var marker = new google.maps.Marker({
                position: myCenter,
            });
            marker.setMap(map);
    </script>
    <script>
        function sendGaEvent(category, action, label) {
            ga('send', {
                hitType: 'event',
                eventCategory: category,
                eventAction: action,
                eventLabel: label
            });
        };
    </script>
    <script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyCCuoe931QkgRaC7FB8fMOr_
g1dmMRwKng&callback=myMap" type="text/javascript"></script>
    <script src="assets/js/jquery.min.js"></script>
    <script src="assets/bootstrap/js/bootstrap.min.js"></script>
    <!-- Plugin JavaScript -->
```

#### customersignup.php

```
<html>
<head>
    <title> customer Signup | VIT Car Rental </title>
    <link rel="shortcut icon" type="image/png" href="assets/img/P.png.png">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Lato">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/w3css/w3.css">
    <script type="text/javascript" src="assets/js/jquery.min.js"></script>
    <script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
    <link rel="stylesheet" href="assets/css/clientlogin.css">
<body>
     <!-- Navigation -->
     <nav class="navbar navbar-custom navbar-fixed-top" role="navigation"</pre>
style="color: black">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                    <i class="fa fa-bars"></i></i>
                    </button>
                <a class="navbar-brand page-scroll" href="index.php">
                   VIT CAR RENTAL </a>
            </div>
            <!-- Collect the nav links, forms, and other content for toggling
                if(isset($_SESSION['login_client'])){
                <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
                    <1i>>
                            <a href="index.php">Home</a>
                        <1i>>
                            <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $ SESSION['login client']; ?></a>
```

```
<1i>>
                        <a href="#" class="dropdown-toggle active"</a>
data-toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
                              <a href="entercar.php">Add
Car</a>
                                  <a href="enterdriver.php"> Add</a>
Driver</a>
                                   <a
href="clientview.php">View</a>
                              <1i>>
                        <a href="logout.php"><span class="glyphicon"</pre>
glyphicon-log-out"></span> Logout</a>
                    </div>
             <?php
             else if (isset($_SESSION['login_customer'])){
                 <div class="collapse navbar-collapse navbar-right navbar-</pre>
main-collapse">
                    <
                           <a href="index.php">Home</a>
                        <1i>>
                           <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                       <1i>>
                           <a href="#">History</a>
                       <1i>>
                           <a href="logout.php"><span class="glyphicon"</pre>
glyphicon-log-out"></span> Logout</a>
                       </div>
```

```
<?php
               else {
                       <div class="collapse navbar-collapse navbar-right"</pre>
navbar-main-collapse">
                           <1i>>
                                   <a href="index.php">Home</a>
                               <1i>>
                                   <a href="clientlogin.php">Client</a>
                               <1i>>
                                   <a href="customerlogin.php">Customer</a>
                               <1i>>
                                   <a href="#"> FAQ </a>
                               </div>
                       <?php }
                       <!-- /.navbar-collapse -->
       </div>
    </nav>
    <div class="container">
       <div class="jumbotron">
           <h1>Welcome to VIT Car Rental</h1>
           Get started by creating your account
       </div>
    </div>
    <div class="container" style="margin-top: -1%; margin-bottom: 2%;">
       <div class="col-md-5 col-md-offset-4">
           <div class="panel panel-primary">
               <div class="panel-heading"> Create Account </div>
               <div class="panel-body">
                   <form role="form" action="customer_registered_success.php"</pre>
method="POST">
                       <div class="row">
                           <div class="form-group col-xs-12">
                              <label for="customer name"><span class="text-</pre>
```

```
danger" style="margin-right: 5px;">*</span> Full Name: </label>
                                 <div class="input-group">
                                     <input class="form-control"</pre>
id="customer_name" type="text" name="customer_name" placeholder="Your Full
Name" required="" autofocus="">
                                     <span class="input-group-btn">
                   <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-user" aria-hidden="true"></label>
              </span>
                                     </span>
                                 </div>
                             </div>
                         </div>
                         <div class="row">
                             <div class="form-group col-xs-12">
                                  <label for="customer username"><span</pre>
class="text-danger" style="margin-right: 5px;">*</span> Username: </label>
                                 <div class="input-group">
                                     <input class="form-control"</pre>
id="customer_username" type="text" name="customer_username" placeholder="Your
Username" required="">
                                     <span class="input-group-btn">
                  <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-user" aria-hidden="true"></label>
              </span>
                                     </span>
                                 </div>
                             </div>
                         </div>
                         <div class="row">
                             <div class="form-group col-xs-12">
                                  <label for="customer_email"><span class="text-</pre>
danger" style="margin-right: 5px;">*</span> Email: </label>
                                 <div class="input-group">
                                     <input class="form-control"</pre>
id="customer_email" type="email" name="customer_email" placeholder="Email"
required="">
                                     <span class="input-group-btn">
                  <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-envelope" aria-hidden="true"></label>
               </span>
                                      </span>
                                 </div>
                             </div>
                         </div>
```

```
<div class="row">
                             <div class="form-group col-xs-12">
                                 <label for="customer phone"><span class="text-</pre>
danger" style="margin-right: 5px;">*</span> Phone: </label>
                                 <div class="input-group">
                                      <input class="form-control"</pre>
id="customer_phone" type="text" name="customer_phone" placeholder="Phone"
required="">
                                      <span class="input-group-btn">
                   <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-contact" aria-hidden="true"></span></label>
                                      </span>
                                 </div>
                             </div>
                         </div>
                         <div class="row">
                             <div class="form-group col-xs-12">
                                 <label for="customer address"><span</pre>
class="text-danger" style="margin-right: 5px;">*</span> Address: </label>
                                 <div class="input-group">
                                      <input class="form-control"</pre>
id="customer_address" type="text" name="customer_address"
placeholder="Address" required="">
                                     <span class="input-group-btn">
                   <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-home" aria-hidden="true"></label>
              </span>
                                      </span>
                                 </div>
                             </div>
                         </div>
                         <div class="row">
                             <div class="form-group col-xs-12">
                                 <label for="customer_password"><span</pre>
class="text-danger" style="margin-right: 5px;">*</span> Password: </label>
                                 <div class="input-group">
                                      <input class="form-control"</pre>
id="customer_password" type="password" name="customer_password"
placeholder="Password" required="">
                                      <span class="input-group-btn">
                   <label class="btn btn-primary"><span class="glyphicon"</pre>
glyphicon-lock" aria-hidden="true"></span></label>
                                     </span>
                                 </div>
```

```
</div>
                         </div>
                         <div class="row">
                             <div class="form-group col-xs-4">
                                 <button class="btn btn-primary"</pre>
type="submit">Submit</button>
                             </div>
                         </div>
                         <label style="margin-left: 5px;">or</label> <br>
                         <label style="margin-left: 5px;"><a</pre>
href="customerlogin.html">Have an account? Login.</a></label>
                    </form>
                </div>
            </div>
        </div>
    </div>
</body>
<footer class="site-footer">
    <div class="container">
        <hr>>
        <div class="row">
            <div class="col-sm-6">
                <h5>© 2022 VIT Car Rental</h5>
            </div>
        </div>
    </div>
</footer>
</html>
```

### booking.php

```
<!DOCTYPE html>
<html>
<?php
include('session_customer.php');
if(!isset($_SESSION['login_customer'])){
    session_destroy();
    header("location: customerlogin.php");
}
}
</pre>
```

```
<title>Book Car </title>
    <script type="text/javascript" src="assets/ajs/angular.min.js"> </script>
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Lato">
<link rel="shortcut icon" type="image/png" href="assets/img/P.png.png">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/w3css/w3.css">
  <script type="text/javascript" src="assets/js/jquery.min.js"></script>
  <script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
  <script type="text/javascript" src="assets/js/custom.js"></script>
 <link rel="stylesheet" type="text/css" media="screen"</pre>
href="assets/css/clientpage.css" />
</head>
<body ng-app="">
     <!-- Navigation -->
     <!-- Navigation -->
     <nav class="navbar navbar-custom navbar-fixed-top" role="navigation"</pre>
style="color: black">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                   <i class="fa fa-bars"></i></i>
                   </button>
                <a class="navbar-brand page-scroll" href="index.php">
                  VIT CAR RENTAL </a>
            </div>
            <!-- Collect the nav links, forms, and other content for toggling
           <?php
               if(isset($_SESSION['login_client'])){
            <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
                <1i>>
                       <a href="index.php">Home</a>
                   <1i>>
                       <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_client']; ?></a>
                   <1i>>
                   <a href="#" class="dropdown-toggle active" data-</a>
```

```
toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
             <a href="entercar.php">Add Car</a>
            <a href="enterdriver.php"> Add Driver</a>
            <a href="clientview.php">View</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
                 </div>
          <?php
             else if (isset($_SESSION['login_customer'])){
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
             <1i>>
                    <a href="index.php">Home</a>
                 <1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                 <a href="#" class="dropdown-toggle active" data-</pre>
toggle="dropdown" role="button" aria-haspopup="true" aria-expanded="false">
Garagge <span class="caret"></span> </a>
             <a href="prereturncar.php">Return Now</a>
            <a href="mybookings.php"> My Bookings</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
```

```
</div>
           <?php
               else {
           <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
               <
                       <a href="index.php">Home</a>
                   <
                       <a href="clientlogin.php">Client</a>
                   <1i>>
                       <a href="customerlogin.php">Customer</a>
                   <1i>>
                       <a href="#"> FAQ </a>
                   </div>
               <?php }
           <!-- /.navbar-collapse -->
       </div>
       <!-- /.container -->
    </nav>
<div class="container" style="margin-top: 65px;" >
    <div class="col-md-7" style="float: none; margin: 0 auto;">
     <div class="form-area">
       <form role="form" action="bookingconfirm.php" method="POST">
       <br style="clear: both">
         <h2 style="margin-bottom: 25px; text-align: center; font-size:</pre>
30px;"> Rent your dream car here </h2><br>
       <?php
       $car_id = $_GET["id"];
       $sql1 = "SELECT * FROM cars WHERE car_id = '$car_id'";
       $result1 = mysqli_query($conn, $sql1);
       if(mysqli num_rows($result1)){
           while($row1 = mysqli_fetch_assoc($result1)){
               $car_name = $row1["car_name"];
               $car nameplate = $row1["car nameplate"];
```

```
$ac_price = $row1["ac_price"];
                $non ac price = $row1["non ac price"];
                $ac price per day = $row1["ac price per day"];
                $non_ac_price_per_day = $row1["non_ac_price_per_day"];
          <!-- <div class="form-group"> -->
              <h5> Car:&nbsp; <?php echo($car_name);?></h5>
         <!-- </div> -->
          <!-- <div class="form-group"> -->
            <h5> Vehicle Number:&nbsp; <?php echo($car nameplate);?></h5>
          <!-- </div>
        <!-- <div class="form-group"> -->
        <?php $today = date("Y-m-d") ?>
          <label><h5>Start Date:</h5></label>
            <input type="date" name="rent start date" min="<?php</pre>
echo($today);?>" required="">
             
          <label><h5>End Date:</h5></label>
          <input type="date" name="rent_end_date" min="<?php echo($today);?>"
required="">
        <!-- </div>
        <h5> Choose your car type: &nbsp;
            <input onclick="reveal()" type="radio" name="radio" value="ac" ng-</pre>
model="myVar"> AC  
            <input onclick="reveal()" type="radio" name="radio" value="non_ac"</pre>
ng-model="myVar"> Non-AC
        <div ng-switch="myVar">
        <div ng-switch-default>
                    <!-- <div class="form-group"> -->
                <h5>Fare: <h5>
                <!-- </div>
                     </div>
                    <div ng-switch-when="ac">
                    <!-- <div class="form-group"> -->
                <h5>Fare: <?php echo("₹" . $ac_price . "/km and ₹" .
$ac_price_per_day . "/day");?><h5>
                <!-- </div>
                     </div>
                     <div ng-switch-when="non_ac">
                     <!-- <div class="form-group"> -->
```

```
<h5>Fare: <?php echo("₹" . $non_ac_price . "/km and ₹" .
$non_ac_price_per_day . "/day");?><h5>
                <!-- </div> -->
                     </div>
        </div>
         <h5> Choose charge type: &nbsp;
            <input onclick="reveal()" type="radio" name="radio1" value="km">
per km(s)  
            <input onclick="reveal()" type="radio" name="radio1" value="days">
per day(s)
        <!--User Email -->
        <br><br><br>>
        <h5> Enter Your Email Id: &nbsp;
            <input type="email" name="email"> &nbsp;
        <!-- Ends here -->
            <br><br><br>>
                <!-- <form class="form-group"> -->
                Choose a driver:  
                <select name="driver_id_from_dropdown" ng-model="myVar1">
                        <?php
                        $sq12 = "SELECT * FROM driver d WHERE
d.driver_availability = 'yes' AND d.client_username IN (SELECT
cc.client_username FROM clientcars cc WHERE cc.car_id = '$car_id')";
                        $result2 = mysqli_query($conn, $sql2);
                        if(mysqli num rows($result2) > 0){
                            while($row2 = mysqli_fetch_assoc($result2)){
                                $driver_id = $row2["driver_id"];
                                $driver_name = $row2["driver_name"];
                                $driver_gender = $row2["driver_gender"];
                                $driver_phone = $row2["driver_phone"];
                    <option value="<?php echo($driver_id); ?>"><?php</pre>
echo($driver_name); ?>
                    <?php }}
                    else{
                    Sorry! No Drivers are currently available, try again
later...
                        <?php
```

```
</select>
                <!-- </form> -->
                <div ng-switch="myVar1">
                <?php
                        $sq13 = "SELECT * FROM driver d WHERE
d.driver availability = 'yes' AND d.client username IN (SELECT
cc.client_username FROM clientcars cc WHERE cc.car_id = '$car_id')";
                        $result3 = mysqli_query($conn, $sql3);
                        if(mysqli num rows($result3) > 0){
                            while($row3 = mysqli_fetch_assoc($result3)){
                                $driver id = $row3["driver id"];
                                $driver name = $row3["driver name"];
                                $driver_gender = $row3["driver_gender"];
                                $driver_phone = $row3["driver_phone"];
                <div ng-switch-when="<?php echo($driver_id); ?>">
                    <h5>Driver Name:&nbsp; <?php echo($driver_name); ?></h5>
                    Gender: anbsp; <?php echo($driver_gender); ?> 
                    Contact:  <?php echo($driver_phone); ?> 
                </div>
                <?php }} ?>
                </div>
                <input type="hidden" name="hidden_carid" value="<?php echo</pre>
$car_id; ?>">
           <input type="submit"name="submit" value="Book Now" class="btn btn-</pre>
success pull-right">
        </form>
      </div>
      <div class="col-md-12" style="float: none; margin: 0 auto; text-align:</pre>
center;">
            <h6><strong>Kindly Note:</strong> You will be charged <span
class="text-danger">₹200/-</span> for each day after the due date.</h6>
        </div>
    </div>
</body>
<footer class="site-footer">
        <div class="container">
            <hr>>
```

#### bookingconfirm.php

```
<!DOCTYPE html>
<html>
<?php
 include('session_customer.php');
if(!isset($_SESSION['login_customer'])){
    session_destroy();
    header("location: customerlogin.php");
<head>
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Lato">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="shortcut icon" type="image/png" href="assets/img/P.png.png">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/w3css/w3.css">
    <script type="text/javascript" src="assets/js/jquery.min.js"></script></script></script>
    <script type="text/javascript" src="assets/js/bootstrap.min.js"></script>
    <link rel="stylesheet" type="text/css" media="screen"</pre>
href="assets/css/bookingconfirm.css" />
</head>
<body>
<?php
    $type = $_POST['radio'];
    $charge_type = $_POST['radio1'];
    $driver_id = $_POST['driver_id_from_dropdown'];
    $customer_username = $_SESSION["login_customer"];
    $car_id = $conn->real_escape_string($_POST['hidden_carid']);
    $rent_start_date = date('Y-m-d', strtotime($_POST['rent_start_date']));
    $rent_end_date = date('Y-m-d', strtotime($_POST['rent_end_date']));
    $return status = "NR"; // not returned
```

```
$fare = "NA";
   $to email = $ POST["email"];
   function dateDiff($start, $end) {
       $start ts = strtotime($start);
       $end ts = strtotime($end);
       $diff = $end_ts - $start_ts;
       return round($diff / 86400);
   $err_date = dateDiff("$rent_start_date", "$rent_end_date");
   $sql0 = "SELECT * FROM cars WHERE car id = '$car id'";
   $result0 = $conn->query($sq10);
   if (mysqli num rows($result0) > 0) {
        while($row0 = mysqli_fetch_assoc($result0)) {
           if($type == "ac" && $charge_type == "km"){
                $fare = $row0["ac_price"];
           } else if ($type == "ac" && $charge_type == "days"){
                $fare = $row0["ac_price_per_day"];
           } else if ($type == "non_ac" && $charge_type == "km"){
                $fare = $row0["non_ac_price"];
           } else if ($type == "non ac" && $charge type == "days"){
                $fare = $row0["non_ac_price_per_day"];
           } else {
               $fare = "NA";
   if($err_date >= 0) {
   $sql1 = "INSERT into
rentedcars(customer_username,car_id,driver_id,booking_date,rent_start_date,ren
t_end_date,fare,charge_type,return_status)
   VALUES('" . $customer_username . "','" . $car_id . "','" . $driver_id .
"','" . date("Y-m-d") ."','" . $rent_start_date ."','" . $rent_end_date .
"','" . $fare . "','" . $charge_type . "','" . $return_status . "')";
   $result1 = $conn->query($sql1);
   $sql2 = "UPDATE cars SET car_availability = 'no' WHERE car_id =
'$car id'";
   $result2 = $conn->query($sq12);
   $sql3 = "UPDATE driver SET driver_availability = 'no' WHERE driver_id =
'$driver_id'";
   $result3 = $conn->query($sq13);
```

```
$sql4 = "SELECT * FROM cars c, clients cl, driver d, rentedcars rc WHERE
c.car id = '$car id' AND d.driver id = '$driver id' AND cl.client username =
d.client username";
    $result4 = $conn->query($sq14);
    if (mysqli_num_rows($result4) > 0) {
        while($row = mysqli_fetch_assoc($result4)) {
            $id = $row["id"];
            $car name = $row["car name"];
            $car_nameplate = $row["car_nameplate"];
            $driver_name = $row["driver_name"];
            $driver gender = $row["driver gender"];
            $dl_number = $row["dl_number"];
            $driver_phone = $row["driver_phone"];
            $client_name = $row["client_name"];
            $client_phone = $row["client_phone"];
    if (!$result1 | !$result2 | !$result3){
        die("Couldnt enter data: ".$conn->error);
<!-- Navigation -->
<nav class="navbar navbar-custom navbar-fixed-top" role="navigation"</pre>
style="color: black">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                    <i class="fa fa-bars"></i></i>
                    </button>
                <a class="navbar-brand page-scroll" href="index.php">
                   VIT CAR RENTAL </a>
            </div>
            <!-- Collect the nav links, forms, and other content for toggling
            <?php
                if(isset($_SESSION['login_client'])){
            <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
                <1i>>
                        <a href="index.php">Home</a>
```

```
<1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $ SESSION['login client']; ?></a>
                <1i>>
                <a href="#" class="dropdown-toggle active" data-</li>
toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
             <a href="entercar.php">Add Car</a>
           <a href="enterdriver.php"> Add Driver</a>
           <a href="clientview.php">View</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
                </div>
          <?php
             else if (isset($_SESSION['login_customer'])){
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
             <
                    <a href="index.php">Home</a>
                <1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                <a href="#" class="dropdown-toggle active" data-</a>
toggle="dropdown" role="button" aria-haspopup="true" aria-expanded="false">
Garagge <span class="caret"></span> </a>
             <a href="prereturncar.php">Return Now</a>
           <a href="mybookings.php"> My Bookings</a>
```

```
<
                      <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
              </div>
           <?php
              else {
           <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
              <1i>>
                      <a href="index.php">Home</a>
                  <
                     <a href="clientlogin.php">Client</a>
                  <
                      <a href="customerlogin.php">Customer</a>
                  <
                      <a href="#"> FAQ </a>
                  </div>
              <?php }
           <!-- /.navbar-collapse -->
       </div>
   </nav>
   <div class="container">
       <div class="jumbotron">
           <h1 class="text-center" style="color: green;"><span</pre>
class="glyphicon glyphicon-ok-circle"></span> Booking Confirmed.</h1>
       </div>
   </div>
   <br>
   <h2 class="text-center"> Thank you for visiting VIT Car Rental! We wish
you have a safe ride. </h2>
```

```
<h3 class="text-center"> <strong>Your Order Number:</strong> <span</pre>
style="color: blue;"><?php echo "$id"; ?></span> </h3>
    <div class="container">
        <h5 class="text-center">Please read the following information about
your order.</h5>
        <div class="box">
            <div class="col-md-10" style="float: none; margin: 0 auto; text-</pre>
align: center;">
                <h3 style="color: orange;">Your booking has been received and
placed into out order processing system.</h3>
                <br>
                 <h4>Please make a note of your <strong>order number</strong>
now and keep in the event you need to communicate with us about your
order.</h4>
                <h3 style="color: orange;">Invoice</h3>
                <br>
            </div>
            <div class="col-md-10" style="float: none; margin: 0 auto; ">
                <h4> <strong>Vehicle Name: </strong> <?php echo $car_name;
                <br>
                <h4> <strong>Vehicle Number:</strong> <?php echo
$car_nameplate; ?></h4>
                <br>
                <?php
                if($charge_type == "days"){
                      <h4> <strong>Fare:</strong> ₹<?php echo $fare;
?>/day</h4>
                <?php } else {</pre>
                    <h4> <strong>Fare:</strong> ₹<?php echo $fare; ?>/km</h4>
                <?php } ?>
                <br>
                <h4> <strong>Booking Date: </strong> <?php echo date("Y-m-d");</pre>
?> </h4>
                <br>
                <h4> <strong>Start Date: </strong> <?php echo
$rent_start_date; ?></h4>
                <br>
                <h4> <strong>Return Date: </strong> <?php echo $rent_end_date;</pre>
```

```
<br>
                <h4> <strong>Driver Name: </strong> <?php echo $driver name;</pre>
?> </h4>
                <br>
                <h4> <strong>Driver Gender: </strong> <?php echo
$driver_gender; ?> </h4>
                <br>
                <h4> <strong>Driver License number: </strong> <?php echo
$d1_number; ?> </h4>
                <h4> <strong>Driver Contact:</strong> <?php echo
$driver_phone; ?></h4>
                <br>
                <h4> <strong>Client Name:</strong> <?php echo $client name;
?></h4>
                <br>
                <h4> <strong>Client Contact: </strong> <?php echo
$client phone; ?></h4>
            </div>
        </div>
        <!-- BOOKING SUCCESSFUL CONFIRMATION EMAIL -->
        <?php
//$to_email = $customer_email;
$subject = 'VIT Car Rental Booking Successful';
$body = "We have received your booking with order no:". $id . " Booking
Details are as follows\n\nClient name- ".$client_name."\nVehicle name-
".$car_name."\nVehicle number- ".$car_nameplate."\nDates- ".$rent_start_date."
to ".$rent_end_date."\nTotal fare- Rs.".$fare.
"\n\nPlease take a print out, or save the invoice of your booking for any
further queries.\nYou are requested to bring your Id Proof (VIT ID Card) with
you for Validation.";
$headers = 'From: denver.hamilton7650@gmail.com';
if (mail($to_email, $subject, $body, $headers)) {
    echo "Booking Email successfully sent to $to_email...";
} else {
    echo "Email sending failed...";
        <!-- IT ENDS HERE -->
        <div class="col-md-12" style="float: none; margin: 0 auto; text-align:</pre>
center;">
           <h6>Warning! <strong>Do not reload this page</strong> or the above
```

```
display will be lost. If you want a hardcopy of this page, please print it
now.</h6>
       </div>
   </div>
</body>
<?php } else { ?>
   <!-- Navigation -->
<nav class="navbar navbar-custom navbar-fixed-top" role="navigation"</pre>
style="color: black">
       <div class="container">
           <div class="navbar-header">
              <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                  <i class="fa fa-bars"></i></i>
                  </button>
              <a class="navbar-brand page-scroll" href="index.php">
                 VIT CAR RENTAL </a>
           </div>
           <!-- Collect the nav links, forms, and other content for toggling
           <?php
              if(isset($_SESSION['login_client'])){
           <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
              <a href="index.php">Home</a>
                  <1i>>
                      <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_client']; ?></a>
                  <
                  <a href="#" class="dropdown-toggle active" data-</li>
toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
              <a href="entercar.php">Add Car</a>
             <a href="enterdriver.php"> Add Driver</a>
            <a href="clientview.php">View</a>
```

```
<1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
                 </div>
          <?php
             else if (isset($_SESSION['login_customer'])){
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
             <1i>>
                    <a href="index.php">Home</a>
                 <1i>>
                    <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                 <a href="#" class="dropdown-toggle active" data-</a>
toggle="dropdown" role="button" aria-haspopup="true" aria-expanded="false">
Garagge <span class="caret"></span> </a>
             <a href="prereturncar.php">Return Now</a>
            <a href="mybookings.php"> My Bookings</a>
          <1i>>
                    <a href="logout.php"><span class="glyphicon glyphicon-</pre>
log-out"></span> Logout</a>
                 </div>
          <?php
             else {
          <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
```

```
<a href="index.php">Home</a>
                   <1i>>
                       <a href="clientlogin.php">Client</a>
                   <1i>>
                      <a href="customerlogin.php">Customer</a>
                   <
                      <a href="#"> FAQ </a>
                   <?php }
           <!-- /.navbar-collapse -->
       </div>
   </nav>
   <div class="container">
   <div class="jumbotron" style="text-align: center;">
       You have selected an incorrect date.
       <br><br><br>
</div>
               <?php } ?>
<footer class="site-footer">
   <div class="container">
       <hr>>
       <div class="row">
           <div class="col-sm-6">
               <h5>© 2022 VIT Car Rental</h5>
           </div>
       </div>
   </div>
</footer>
</html>
```

#### Confirmation email

#### faq page

```
link
href='http://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700'
rel='stylesheet' type='text/css'>
    <link rel="stylesheet" href="css/reset.css">
    <!-- CSS reset -->
    <link rel="stylesheet" href="css/style.css">
    <!-- Resource style -->
    <script src="js/modernizr.js"></script>
    <!-- Modernizr -->
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Lato">
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/css/user.css">
    <link rel="stylesheet" href="assets/w3css/w3.css">
    link
href="http://fonts.googleapis.com/css?family=Open+Sans:300,400,700,400italic,7
00italic" rel="stylesheet" type="text/css">
    <link href="http://fonts.googleapis.com/css?family=Montserrat:400,700"</pre>
rel="stylesheet" type="text/css">
    <title>FAQ | VIT Car Rental</title>
<body>
    <!-- Navigation -->
    <nav class="navbar navbar-custom" role="navigation" style="color: black">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-main-collapse">
                    <i class="fa fa-bars"></i></i>
                    </button>
                <a class="navbar-brand page-scroll" href="/../Stribon</pre>
Technologies/index.php">
                   VIT CAR RENTAL </a>
            <!-- Collect the nav links, forms, and other content for toggling
            <?php
                if(isset($_SESSION['login_client'])){
                <div class="collapse navbar-collapse navbar-right navbar-main-</pre>
collapse">
```

```
<1i>>
                       <a href="index.php">Home</a>
                    <
                       <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_client']; ?></a>
                    <1i>>
                       <a href="#" class="dropdown-toggle active"</a>
data-toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"><span class="glyphicon glyphicon-user"></span> Control Panel
<span class="caret"></span> </a>
                              <a href="entercar.php">Add
Car</a>
                                  <a href="enterdriver.php"> Add</a>
Driver</a>
                                   <a
href="clientview.php">View</a>
                              <1i>>
                       <a href="logout.php"><span class="glyphicon"</pre>
glyphicon-log-out"></span> Logout</a>
                    </div>
             <?php
             else if (isset($_SESSION['login_customer'])){
                 <div class="collapse navbar-collapse navbar-right navbar-</pre>
main-collapse">
                    <
                           <a href="index.php">Home</a>
                       <1i>>
                           <a href="#"><span class="glyphicon glyphicon-</pre>
user"></span> Welcome <?php echo $_SESSION['login_customer']; ?></a>
                       <a href="#" class="dropdown-toggle active"</li>
```

```
data-toggle="dropdown" role="button" aria-haspopup="true" aria-
expanded="false"> Garagge <span class="caret"></span> </a>
                               <a href="prereturncar.php">Return</a>
Now</a>
                                  <a href="mybookings.php"> My</a>
Bookings</a>
                               <
                           <a href="logout.php"><span class="glyphicon"</pre>
glyphicon-log-out"></span> Logout</a>
                        </div>
                 <?php
             else {
                    <div class="collapse navbar-collapse navbar-right</pre>
navbar-main-collapse">
                        <1i>>
                               <a href="/../Stribon
Technologies/index.php">Home</a>
                           <
                               <a href="/../Stribon
Technologies/clientlogin.php">Client</a>
                           <1i>>
                               <a href="/../Stribon
Technologies/customerlogin.php">Customer</a>
                           <1i>>
                               <a href="faq/index.html"> FAQ </a>
                           </div>
                    <?php }
                    <!-- /.navbar-collapse -->
       </div>
```

```
<section class="cd-faq">
       <a class="selected" href="#basics">Basics</a>
           <a href="#membership">Membership</a>
           <a href="#chauffeur">Chauffeur Services</a>
       <div class="cd-faq-items">
           <h2>Basics</h2>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">How do I pay for my
Rental?</a>
                  <div class="cd-fag-content">
                     VIT Car Rentals gladly accepts Mastercard and Visa.
Personal Checks are also accepted providing you purchase CDW and Theft
Protection on your rental.
                      At this time we would like to advise that personal
checks are not accepted locally.
                  </div>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">What if i find a
better rate for a rental car?</a>
                  <div class="cd-faq-content">
                     One of the many great things about VIT Car Rental
is our rental rates and services are guaranteed to be the very best in the
industry. If you come across a lower price from a competitor and the rate is
on a comparable vehicle including the same terms, locations, and rental car
fees we will be glad to beat the price for you. Please complete our Guaranteed
Best Rate form if you have found a better rate with one of our
competitors.</div>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">Will i need a driving
license to rent a car?</a>
                  <div class="cd-faq-content">
                     A driving license is not needed as a driver is
already provided by the client.
                 </div>
```

```
<1i>>
                  <a class="cd-faq-trigger" href="#0">Is there a fee if i
return the car after the due date?</a>
                  <div class="cd-fag-content">
                      Yes, we charge ₹200/- day after the due date.
              <!-- cd-faq-group -->
           <h2>Membership</h2>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">Why should i sign
up?</a>
                  <div class="cd-fag-content">
                      When you sign-up to be a member on our site, you
will be able to save time filling out requests. Once you have joined and
logged-in, each time you send us a request, we will pre-fill the submission
form with your personal information so that you do not have type the same
things again and again. We also give you the opportunity to sign-up for our
email newsletter which will keep you up-to-date on the latest specials and
incentives we're offering.
                  </div>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">How do I become a
member?</a>
                  <div class="cd-faq-content">
                      There are two ways to sign-up. You can either go
directly to our sign-up form or you can simply complete a request as you
normally would. After you send in that request, you will have an opportunity
to sign-up. If you choose to do so, when you go to the sign-up form, the
information you provided for your request will be pre-filled in the sign-up
form.
                  </div>
              <1i>>
                  <a class="cd-faq-trigger" href="#0">How do I login?</a>
```

```
<div class="cd-fag-content">
                      Once you sign-up, we will re direct you to the log
in screen. When you are logged in, you will see a small bar in the upper right
corner of the screen welcoming to you our site. If you already have set up an
account but have logged out, you can either click on the 'Log-In' button on
our menu bar which takes you to our log-in page or, if you are on our home
page, you can use the log-in area on it.
                  </div>
                  <!-- cd-fag-content -->
               <1i>>
                  <a class="cd-faq-trigger" href="#0">What about my
privacy?</a>
                  <div class="cd-faq-content">
                      Your privacy is very important to us. As long as
you do not share your member name and password with others, no one will be
able to see or edit your personal information. For more information, please
read our privacy policy.
                  </div>
                  <!-- cd-faq-content -->
               <1i>>
                  <a class="cd-faq-trigger" href="#0">What if i share my
computer?</a>
                  <div class="cd-fag-content">
                      If you share your computer with others, you should
log-out when you are done with your session on our web site. And, when you
log-in, make sure that the check-box next to 'Save my password on this
computer' is unchecked. Taking these steps will ensure that the next person
using the computer will not have access to your account.
                  <!-- cd-faq-content -->
               <
                  <a class="cd-faq-trigger" href="#0">Is my credit card
information stored in my account?</a>
                  <div class="cd-faq-content">
                      No.We do not store any credit card information in
your account.
                  </div>
               <!-- cd-faq-group -->
           <h2>Chauffeur service</h2>
```

```
<1i>>
                   <a class="cd-faq-trigger" href="#0">Do you have meet and
greet services?</a>
                   <div class="cd-faq-content">
                       You will be greeted in airports and other public
places with a hand-held sign. We can also meet you at your hotel and in other
locations.
                   </div>
               <1i>>
                   <a class="cd-faq-trigger" href="#0">How can i pay for my
chauffeur services?</a>
                   <div class="cd-faq-content">
                       VIT Car Rental gladly accepts MasterCard, Visa, and
checks. We also PayTm.
                   </div>
                   <!-- cd-faq-content -->
               <1i>>
                   <a class="cd-faq-trigger" href="#0">Is there a fee if i
change my Chauffeur services?</a>
                   <div class="cd-faq-content">
                       There is no fee to change reservations for
chauffeur services.
</div>
               <!-- cd-faq-group -->
       </div>
       <a href="#0" class="cd-close-panel">Close</a>
    </section>
    <script src="js/jquery-2.1.1.js"></script>
    <script src="js/jquery.mobile.custom.min.js"></script>
    <script src="js/main.js"></script>
    <!-- Resource jQuery -->
</body>
</html>
```

#### Database- carrental.sql

```
-- phpMyAdmin SQL Dump
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Server version: 10.1.30-MariaDB
-- PHP Version: 7.2.1
SET SQL MODE = "NO AUTO VALUE ON ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `carrental`
-- Table structure for table `cars`
CREATE TABLE `cars` (
  `car_id` int(20) NOT NULL,
  `car name` varchar(50) NOT NULL,
 `car_nameplate` varchar(50) NOT NULL,
 `car_img` varchar(50) DEFAULT 'NA',
  `ac_price` float NOT NULL,
 `non_ac_price` float NOT NULL,
  `ac_price_per_day` float NOT NULL,
  `non_ac_price_per_day` float NOT NULL,
 `car_availability` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Dumping data for table `cars`
INSERT INTO `cars` (`car_id`, `car_name`, `car_nameplate`, `car_img`,
`ac price`, `non ac price`, `ac price per day`, `non ac price per day`,
```

```
car availability`) VALUES
(1, 'Wagon R', 'KA19MG9910', 'assets/img/cars/wagon-r.png', 10, 8, 2000, 1600,
'yes'),
(2, 'Alto 800', 'MH20GH9452', 'assets/img/cars/alto-800.png', 9, 7, 1800,
1400, 'yes'),
(3, 'Innova', 'GA16NM9125', 'assets/img/cars/Innova.png', 13, 11, 2600, 2200,
'yes'),
(4, 'Ford Figo', 'GJ17HZ4001', 'assets/img/cars/figo.png', 11, 9, 2200, 1800,
'yes'),
(6, 'Mahindra Bolero', 'KL18MJ8472', 'assets/img/cars/bolero.jpg', 15, 13,
3000, 2600, 'yes'),
(7, 'Honda Amaze', 'PJ16YX8820', 'assets/img/cars/amaze.png', 14, 12, 2800,
2400, 'no'),
(8, 'Tata Nexon', 'WB15EX5005', 'assets/img/cars/nexon.jpg', 12, 10, 2400,
2000, 'yes'),
(9, 'Swift Dzire', 'BR01HX8001', 'assets/img/cars/dzire.png', 10, 8, 2000,
1600, 'yes'),
(10, 'Suzuki Ciaz', 'TN17MS1997', 'assets/img/cars/Suzuki_Ciaz_2017.jpg', 12,
10, 2400, 2000, 'yes'),
(11, 'Mahindra XUV 500', 'KA12EX1883', 'assets/img/cars/Mahindra XUV.jpg', 15,
13, 3000, 2600, 'yes'),
(12, 'Toyota Fortuner', 'GA08MX1997', 'assets/img/cars/Fortuner.png', 16, 14,
3200, 2800, 'yes'),
(13, 'Suzuki Ertiga', 'MHO2DC1997', 'assets/img/cars/maruti-suzuki-
ertiga.jpg', 14, 12, 2800, 2400, 'yes');
-- Table structure for table `clientcars`
CREATE TABLE `clientcars` (
  `car_id` int(20) NOT NULL,
 `client_username` varchar(50) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Dumping data for table `clientcars`
INSERT INTO `clientcars` (`car_id`, `client_username`) VALUES
(1, 'nikhil'),
(2, 'nikhil'),
(3, 'nikhil'),
(4, 'nikhil'),
(10, 'nikhil'),
(11, 'nikhil'),
```

```
(6, 'roshan'),
(7, 'roshan'),
(8, 'roshan'),
(9, 'roshan'),
(12, 'roshan'),
(13, 'roshan');
-- Table structure for table `clients`
CREATE TABLE `clients` (
 `client username` varchar(50) NOT NULL,
  `client name` varchar(50) NOT NULL,
 `client_phone` varchar(15) NOT NULL,
 `client_email` varchar(25) NOT NULL,
 `client_address` varchar(50) CHARACTER SET utf8 COLLATE utf8_estonian_ci NOT
 `client_password` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Dumping data for table `clients`
INSERT INTO `clients` (`client_username`, `client_name`, `client_phone`,
`client_email`, `client_address`, `client_password`) VALUES
('nikhil', 'Nikhil Amin', '8547869542', 'nikhil@gmail.com', 'Mangalore',
('roshan', 'Roshan Raj', '8569874125', 'roshan@gmail.com', 'Surathkal',
'root');
-- Table structure for table `customers`
CREATE TABLE `customers` (
  `customer username` varchar(50) NOT NULL,
  `customer_name` varchar(50) NOT NULL,
 `customer_phone` varchar(15) NOT NULL,
 `customer_email` varchar(25) NOT NULL,
  `customer_address` varchar(50) NOT NULL,
  `customer_password` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
```

```
-- Dumping data for table `customers`
INSERT INTO `customers` (`customer_username`, `customer_name`,
`customer_phone`, `customer_email`, `customer_address`, `customer_password`)
VALUES
('diwakar', 'Diwakar Vignesh', '9412578632', 'diwakar@gmail.com', 'Patna',
'root'),
('rakshith', 'Rakshith Kotian', '9541257862', 'rakshith@gmail.com', 'Surat',
'root');
-- Table structure for table `driver`
CREATE TABLE `driver` (
  `driver_id` int(20) NOT NULL,
 `driver_name` varchar(50) NOT NULL,
  `dl_number` varchar(50) NOT NULL,
  `driver_phone` varchar(15) NOT NULL,
  `driver_address` varchar(50) NOT NULL,
  `driver_gender` varchar(10) NOT NULL,
  `client_username` varchar(50) NOT NULL,
  `driver_availability` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Dumping data for table `driver`
INSERT INTO `driver` (`driver_id`, `driver_name`, `dl_number`, `driver_phone`,
`driver_address`, `driver_gender`, `client_username`, `driver_availability`)
VALUES
(1, 'Ravi Moolya', 'DL_TEH5974', '9547863157', 'Goa', 'Male', 'nikhil',
'yes'),
(2, 'Nikitha Ghetia', 'DL_NDC7584', '9147523684', 'Gujarath', 'Female',
'nikhil', 'yes'),
(3, 'S M Adil', 'DL_LSC8451', '9147523682', 'Kerala', 'Male', 'nikhil',
'yes'),
(4, 'Sona Somshekar', 'DL_MND8415', '9187563240', 'Mandya', 'Female',
'roshan', 'no'),
(5, 'Aditi Naik', 'DL_GAX9452', '7584960123', 'Vasco', 'Female', 'roshan',
'yes'),
(6, 'Sudarshan Shetty', 'DL YSH9542', '8421025476', 'Andra Pradesh', 'Male',
```


```
'roshan', 'yes'),
(7, 'Jugal Chauhan', 'DL XEC9742', '7541023695', 'Rajashthan', 'Male',
'roshan', 'yes');
CREATE TABLE `feedback` (
 `name` varchar(20) NOT NULL,
 `e_mail` varchar(30) NOT NULL,
 `message` varchar(150) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
-- Dumping data for table `feedback`
INSERT INTO `feedback` (`name`, `e_mail`, `message`) VALUES
('Nikhil', 'nikhil@gmail.com', 'Hope this works.');
-- Table structure for table `rentedcars`
CREATE TABLE `rentedcars` (
  `id` int(100) NOT NULL,
  `customer_username` varchar(50) NOT NULL,
 `car_id` int(20) NOT NULL,
  `driver_id` int(20) NOT NULL,
  `booking_date` date NOT NULL,
  `rent_start_date` date NOT NULL,
 `rent_end_date` date NOT NULL,
  `car_return_date` date DEFAULT NULL,
  `fare` double NOT NULL,
  `charge_type` varchar(25) NOT NULL DEFAULT 'days',
  `distance` double DEFAULT NULL,
  `no of days` int(50) DEFAULT NULL,
  `total_amount` double DEFAULT NULL,
 `return_status` varchar(10) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
 - Dumping data for table `rentedcars`
```


```
INSERT INTO `rentedcars` (`id`, `customer_username`, `car_id`, `driver_id`,
booking_date`, `rent_start_date`, `rent_end_date`, `car_return_date`, `fare`,
charge_type`, `distance`, `no_of_days`, `total_amount`, `return_status`)
VALUES
(574681245, 'diwakar', 4, 2, '2018-07-18', '2018-07-01', '2018-07-02', '2018-
07-18', 11, 'km', 244, 1, 5884, 'R'),
(574681246, 'diwakar', 6, 6, '2018-07-18', '2018-06-01', '2018-06-28', '2018-
07-18', 15, 'km', 69, 27, 5035, 'R'),
(574681247, 'diwakar', 3, 1, '2018-07-18', '2018-07-19', '2018-07-22', '2018-
07-20', 13, 'km', 421, 3, 5473, 'R'),
(574681248, 'rakshith', 1, 2, '2018-07-20', '2018-07-28', '2018-07-29', '2018-
07-20', 10, 'km', 69, 1, 690, 'R'),
(574681249, 'rakshith', 1, 2, '2018-07-23', '2018-07-24', '2018-07-25', '2018-
07-23', 10, 'km', 500, 1, 5000, 'R'),
(574681250, 'rakshith', 3, 2, '2018-07-23', '2018-07-23', '2018-07-24', '2018-
07-23', 2600, 'days', NULL, 1, 2600, 'R'),
(574681251, 'rakshith', 10, 1, '2018-07-23', '2018-07-25', '2018-07-30',
'2018-07-23', 10, 'km', 60, 2, 600, 'R'),
(574681252, 'rakshith', 11, 2, '2018-07-23', '2018-07-23', '2018-07-23',
'2018-07-23', 13, 'km', 200, 0, 2600, 'R'),
(574681253, 'diwakar', 6, 7, '2018-07-23', '2018-07-23', '2018-08-03', '2018-
07-23', 2600, 'days', NULL, 11, 28600, 'R'),
(574681254, 'diwakar', 12, 5, '2018-07-23', '2018-07-23', '2018-07-26', '2018-
07-23', 3200, 'days', NULL, 3, 9600, 'R'),
(574681255, 'rakshith', 8, 5, '2018-07-23', '2018-07-23', '2018-08-08', '2018-
07-23', 2400, 'days', NULL, 16, 38400, 'R'),
(574681257, 'rakshith', 7, 4, '2018-08-11', '2018-08-13', '2018-08-17', NULL,
14, 'km', NULL, NULL, NULL, 'NR');
-- Indexes for dumped tables
-- Indexes for table `cars`
ALTER TABLE `cars`
 ADD PRIMARY KEY (`car_id`),
 ADD UNIQUE KEY `car_nameplate` (`car_nameplate`);
-- Indexes for table `clientcars`
ALTER TABLE `clientcars`
 ADD PRIMARY KEY (`car_id`),
 ADD KEY `client username` (`client username`);
```


```
-- Indexes for table `clients`
ALTER TABLE `clients`
 ADD PRIMARY KEY (`client_username`);
-- Indexes for table `customers`
ALTER TABLE `customers`
 ADD PRIMARY KEY (`customer_username`);
-- Indexes for table `driver`
ALTER TABLE `driver`
 ADD PRIMARY KEY (`driver_id`),
 ADD UNIQUE KEY `dl_number` (`dl_number`),
 ADD KEY `client_username` (`client_username`);
-- Indexes for table `rentedcars`
ALTER TABLE `rentedcars`
 ADD PRIMARY KEY (`id`),
 ADD KEY `customer_username` (`customer_username`),
 ADD KEY `car_id` (`car_id`),
 ADD KEY `driver_id` (`driver_id`);
-- AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `cars`
ALTER TABLE `cars`
 MODIFY `car_id` int(20) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=14;
-- AUTO INCREMENT for table `driver`
ALTER TABLE `driver`
 MODIFY `driver_id` int(20) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=8;
 - AUTO INCREMENT for table `rentedcars`
```

```
ALTER TABLE `rentedcars`
 MODIFY `id` int(100) NOT NULL AUTO INCREMENT, AUTO INCREMENT=574681258;
-- Constraints for dumped tables
-- Constraints for table `clientcars`
ALTER TABLE `clientcars`
 ADD CONSTRAINT `clientcars_ibfk_1` FOREIGN KEY (`client_username`)
REFERENCES `clients` (`client_username`),
 ADD CONSTRAINT `clientcars ibfk 2` FOREIGN KEY (`car id`) REFERENCES `cars`
(`car id`);
-- Constraints for table `driver`
ALTER TABLE `driver`
 ADD CONSTRAINT `driver_ibfk_1` FOREIGN KEY (`client_username`) REFERENCES
 clients` (`client_username`);
-- Constraints for table `rentedcars`
ALTER TABLE `rentedcars`
 ADD CONSTRAINT `rentedcars_ibfk_1` FOREIGN KEY (`customer_username`)
REFERENCES `customers` (`customer_username`),
 ADD CONSTRAINT `rentedcars_ibfk_2` FOREIGN KEY (`car_id`) REFERENCES `cars`
(`car_id`),
 ADD CONSTRAINT `rentedcars_ibfk_3` FOREIGN KEY (`driver_id`) REFERENCES
'driver` (`driver_id`);
COMMIT;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

### **OUTPUT**










## Thank you for visiting VIT Car Rental! We wish you have a safe ride. Your Order Number: 574681297


Please read the following information about your order.





Booking Email successfully sent to harsh2002.gupta@gmail.com....


Warning! Do not relead this page or the above display will be lost. If you want a hardcopy of this page, please print it now

© 2022 VIT Car Rental









#### **CONCLUSION & FUTURE WORK**

The mission of our project was to provide a website for VIT students to rent a car at affordable rates and convenient places. For Future work we might add some modules to track the cars and get the approximate value of distance that car has travelled to decrease some malpractices that may happen.

# **REFERENCES**

 $\underline{https://www.w3schools.com/w3css/tryit.asp?filename=tryw3css\_templates\_travel\&stacked=h$ 

https://www.javatpoint.com/php-tutorial

https://www.javatpoint.com/php-array

https://www.academia.edu/16644874/115442368 49930505 Car Rental System Project Report